


Buzzer




Switch X 3




2.5VREF



POT ADC







PGA1_OUT=(2/VCC+IP*0.132)*G


NOTE：此模块功能为，采集接入**CN6**端子的线束流过的电流并根据**132mv/A**的灵敏度输出相应电压，通过**0049_PGA1**放大后送入芯片内部**ADC,**应控制流过电流大小及**PGA**增益，以免**PGA_OUT**满偏

LED X 4




DisPlay








Project name: *AVP32F0049_EVM_Rev1.1.PrjPcb*		
Sheet Title: *3.uC Peripheral.SchDoc*		
Size: *A4*	Revision: *2.0*	Number: *3*
Date: *2024/8/23*	Design By: *Daijun*	Sheet *3* of *4*
Contact: *0731-88731029*		


进芯电子 Advancechip
www.advancechip.com















Project name: *AVP32F0049_EVM_Rev1.1.PrjPcb*		
Sheet Title: *4.Communication Interface.SchDoc*		
Size: *A3*	Revision: *2.0*	Number: *4*
Date: *2024/8/23*	Design By: *Daijun*	Sheet *4* of *4*
Contact: *0731-88731029*		

进芯电子 Advancechip
www.advancechip.com



Project name:	*AVP32F0049_EVM_Rev1.1.PrjPcb*
Sheet Title:	*0049C.SchDoc*
Size: *A3*	Revision: * / Number: *
Date: *2024/8/23*	Design By: * / Sheet * of *
Contact: *0731-88731029*	

进芯电子 Advancechip
www.advancechip.com



Project name: *AVP32F0049_EVM_Rev1.1.PrjPcb*		
Sheet Title: *Power.SchDoc*		
Size: *A4*	Revision:	Number:
Date: *2024/8/23*	Design By:	Sheet of
Contact: *0731-88731029*		

进芯电子 Advancechip
www.advancechip.com