






Project name:	*AVP32F335_EVM_Rev2.0.PrjPcb*	
Sheet Title:	*1.DSP.SchDoc*	
Size: *A4*	Revision: *2.0*	Number: *1*
Date: *2021/11/17*	Design By: *ZhangPan*	Sheet *1* of *4*
Contact: *0731-88731029*		

进芯电子 Advancechip
www.advancechip.com











Project name: *AVP32F335_EVM_Rev2.0.PrjPcb*		
Sheet Title: *2.Power.SchDoc*		
Size: *A4*	Revision: *2.0*	Number: *2*
Date: *2021/11/17*	Design By: *ZhangPan*	Sheet *2* of *4*
Contact: *0731-88731029*		

进芯电子 Advancechip
www.advancechip.com

Buzzer




Switch




Remark: External Interrupts
XINT1 XINT2, and XNMI interrupts
can accept inputs from GPIO0–GPIO31 pins;
XINT3–XINT7 interrupts can accept inputs from
GPIO32–GPIO63 pins.


2.5VREF




Remark:
1,2 open for normal ADC(DEFAULT);
1,2 short for ADC Adjust Test.

OP ADC







POT ADC




LED X 4




DisPlay






Project name: *AVP32F335_EVM_Rev2.0.PrjPcb*		
Sheet Title: *3.uC Peripheral.SchDoc*		
Size: *A4*	Revision: *2.0*	Number: *3*
Date: *2021/11/17*	Design By: *ZhangPan*	Sheet *3* of *4*
Contact: *0731-88731029*		


进芯电子 Advancechip
www.advancechip.com




CAN interface



RS232 Serial port



RS485 BUS



Audio interface

H2 PN-3
H4 PN-3
H6 PN-3
H8 PN-3
H1 M3*12+6
H3 M3*12+6
H5 M3*12+6
H7 M3*12+6

M1 M2 M3

Logo1
PCB
LOGO
CAUTION. READ USER GUIDE BEFORE USE

Project name: AVP32F335_EVM_Rev2.0.PrjPcb		
Sheet Title: 4.Communication Interface.SchDoc		
Size: A3	Revision: 2.0	Number: 4
Date: 2021/11/17	Design By: ZhangPan	Sheet 4 of 4
Contact: 0731-88731029		

进芯电子 Advancechip
www.advancechip.com