

Introductory Programming Using Python

Day 2

Republic Polytechnic

• REC

OFFICIAL (CLOSED) \ NON-SENSITIVE



Administrative matters

Please change your log in screen name to resemble the registered name for the course



The instructor is **busy** taking
attendance ☺

Perform software installation (if haven't done so):

- Python 3.8.x
- Wing IDE

Course Material Link: <https://bit.ly/py-apr21>



Trainers

Day 1

Jason Lim

jason_lim@rp.edu.sg



Day 2

Florian Muljono

florian_muljono@rp.edu.sg





Programme Day Two

Morning	Afternoon
<ul style="list-style-type: none">• Read and writing files• Copying, moving and deleting files and folders• Working with Excel• Image Processing	<ul style="list-style-type: none">• Connecting to the Web• Sending emails• Creating Chart• Generating PDF



Outline for the day

Time	Agenda
9.00am	Welcome and admin matters
9.15am – 10.30am	
10.30am – 10.45am	Break
10.45am – 12.30pm	
12.30pm – 1.30pm	Lunch
1.30pm – 3.15pm	
3.15pm – 3.30pm	Break
3.30pm – 4.30pm	
4.45pm – 5.00pm	Wrap up, Q&A



File Paths

Absolute file paths are notated by a **leading forward slash or drive label**.

For example,

/home/example_user/example_directory

or

C:/system32/cmd.exe

An absolute file path describes how to access a given file or directory, starting from the root of the file system.

Relative file paths are notated by a **lack of a leading forward slash**.

For example,

example_directory.

A relative file path is interpreted from the perspective your current working directory. If you use a relative file path from the wrong directory, then the path will refer to a different file than you intend, or it will refer to no file at all..



Read files

```

1 # make sure you have a hello.txt in your current working director
2 # same directory as your python script
3 helloFile = open("hello.txt")
4 content = helloFile.read()
5 print(content)
6 helloFile.close()
7
8 # make sure you have a hello.txt in the specified director
9 # same directory as your python script
10 helloFile = open("hello.txt")
11
12 content = helloFile.readlines()
13 print(content)
14

```

Open() will return a file object which has reading and writing related methods

Pass 'r' (or nothing) to open() to open the file in read mode.

Call read() to read the contents of a file

Call close() when you are done with the file.

- Call readLines() to read the contents of a file

The screenshot shows the Python IDLE environment. On the left is the code editor with the above Python script. On the right is the Python Shell tab, which displays the following output:

```

3.7.4 (tags/v3.7.4:e09359112e, Jul 8 2018, 04:14:37)
Python Type "help", "copyright", "credits" or "license" for more information.
>>> [evaluate file_read_01.py]
THis is also another line
Hello world again

['THis is also another line\n', 'Hello world again\n']

```



Write files

```
1 # make sure you have a hello.txt in your current working director
2 # same directory as your python script
3 helloFile = open("hello.txt", "w")
4 helloFile.write("This is also another line\n")
5 helloFile.close()
6
7 # reopen to display content
8 helloFile = open("hello.txt")
9 print(helloFile.read())
10 helloFile.close()
11
12 # open the file for adding next text
13 helloFile = open("hello.txt", "a")
14 helloFile.write("Hello world again\n")
15 helloFile.close()
16
17 # reopen to display content
18 helloFile = open("hello.txt")
19 print(helloFile.read())
20 helloFile.close()
```

Pass 'w' to open() to open the file in write mode or 'a' for append mode.



Opening a non-existent file in write or append mode will create that file

Call write() to write a string to a file.

Search Stack Data

Search: Replace:
 Case sensitive Whole words In Selection

Previ Ne: eplac plac Option:

Debug I/O Python Shell

Commands execute without debug. Use arrow keys for history.

```
3.7.4 (tags/v3.7.4:e09359112e, Jul 8 2019, 19:29:22) [MSC ^  
Python Type "help", "copyright", "credits" or "license" for  
[evaluate file_write..py]  
TThis is also another line  
  
TThis is also another line  
Hello world again
```



Copy and moving files

The screenshot shows a Jupyter Notebook cell with the following Python code:

```
1 import shutil
2
3 # copy file
4 shutil.copy("folder1/hello.txt", "folder2")
5
6 # recursively copy an entire directory
7 shutil.copytree("folder2", "folder2_backup")
8
9 # move file
10 shutil.move("folder2/hello.txt", "folder2/anotherfolder")
11
12 # move and rename file
13 shutil.move("folder2/anotherfolder/hello.txt", "folder2/anotherfolder/newhello.txt")
14
```

Below the code cell is a Python Shell tab containing the output of the executed code:

```
3.5.6 |Anaconda, Inc.| (default, Aug 26 2018, 16:30:03)
[GCC 4.2.1 Compatible Clang 4.0.1 (tags/RELEASE_401/final)]
Python Type "help", "copyright", "credits" or "license" for more information
>>> [evaluate file_copy_01.py]
>>>
```

- `shutil.copy(src, dst)` – Copy the file `src` to the file or directory `dst`
- `shutil.copytree(src, dst)` - Recursively copy an entire directory tree rooted at `src`.
- `shutil.move(src, dst)` - Recursively move a file or directory (`src`) to another location (`dst`).

<https://docs.python.org/3/library/shutil.html>



Deleting files

```
import os

# error if file do not exist
os.unlink("hello.txt")

# get current working directory
print(os.getcwd())

# delete directory (can only delete empty folder)
os.rmdir("folder3")

import shutil
# delete directory (with content)
# error if folder is not found
shutil.rmtree("folder3")
```

e.g. To delete all .docx file in the current folder

```
import os

for filename in os.listdir():
    if filename.endswith(".docx"):
        print(filename)
        os.unlink(filename)
```

- `os.unlink()` will delete a file
- `os.rmdir()` will delete a folder (but folder must be empty)
- `shutil.rmtree()` will delete a folder and all its contents



Deleting can be dangerous, so do a dry run first



send2Trash module


- Install send2trash module using pip.exe
`pip install send2trash`
- `send2trash.send2trash()` will send a file or folder to the recycling bin

```
Administrator: Command Prompt
Microsoft Windows [Version 6.3.9600]
(c) 2013 Microsoft Corporation. All rights reserved.

C:\Users\charissa_chua>cd C:\Users\charissa_chua\PycharmProjects\ExerciseTwo\venv\Scripts
C:\Users\charissa_chua\PycharmProjects\ExerciseTwo\venv\Scripts>pip.exe install send2trash
Collecting send2trash
  Using cached https://files.pythonhosted.org/packages/49/46/c3dc27481d1cc57b9385aff41c474ceb7714f79
Installing collected packages: send2trash
Successfully installed send2trash-1.5.0
You are using pip version 10.0.1, however version 18.0 is available.
You should consider upgrading via the 'python -m pip install --upgrade pip' command.

C:\Users\charissa_chua\PycharmProjects\ExerciseTwo\venv\Scripts>
```

```
>>> import send2trash
>>> send2trash.send2trash("D:\\\\folder2\\\\new_hello.txt")
```





Use Case Sharing

- Organizing students' submissions into separate folder
 - Class of 25 students

25 folders,
one for each
student

- Student 120101
- Student 120897
- Student 120904
- Student 121104
- Student 121243
- Student 121550
- Student 121804
- Student 121938
- Student 122061
- Student 122084
- Student 122152
- Student 122263
- Student 122431
- Student 122868
- Student 123295
- Student 123525
- Student 123534
- Student 123673
- Student 123864
- Student 123900
- Student 124059
- Student 124133
- Student 124990
- Student 128079



- Team 1
- Team 2
- Team 3
- Team 4
- Team 5

Student
submission
sorted by
teams



Other Use Cases

- System administrators can use these commands to
 - Copy and backup files to other hard-disks
 - Delete folders/ files at fixed schedules
 - End of financial year?
 - End of semester?
- Others use
 - Check timestamp of files, and delete all files created before a certain date



Exercise

- **Write code to achieve the following:**

1. Create a file named: “myfile.txt”.
2. Write the following line of text into the file:
 - Programming is fun!
3. Close the file
4. Create a folder called “myfolder”
 - Use os.mkdir() command
5. Copy myfile.txt to myfolder




Python Package Index

- <https://pypi.org/>
- A repository of software for the Python Programming Language
- Python Installation provides the core libraries needed for the common tasks
 - Additional packages can be found at the website and installed as extension
 - E.g. send2trash, openpyxl, pillow etc
- Installation is easy done with the following command
 - **pip install <software_package>**
- Installed packages can be found at:
 - C:\python38\Lib\site-packages



Using pip install

- **For all windows users by default**
 - Open command prompt
 - pip install <package_name>
- **For Mac User**
 - Open terminal
 - **pip3** install <package_name>
- **For RP staff using RP issued laptop**
 - Open command prompt
 - pip install --user <package_name>




Double-Dash

Excel Spreadsheet Manipulation with Python



Working with Excel

- Install openpyxl module using
“`pip install openpyxl`”
- Full openpyxl documentation:
<https://openpyxl.readthedocs.io/en/stable/index.html>



The screenshot shows the PyPI project page for openpyxl 3.0.3. The header features the version "openpyxl 3.0.3" and a "Latest version" button. Below the header, there's a button to "pip install openpyxl". A note states "A Python library to read/write Excel 2010 xlsx/xlsm files". The page is divided into sections: "Navigation" (Project description, Release history, Download files), "Project description" (coverage 95%), "Introduction" (a brief description of the library), and "Security" (a note about XML attacks).

openpyxl 3.0.3

`pip install openpyxl`

A Python library to read/write Excel 2010 xlsx/xlsm files

Navigation

- Project description
- Release history
- Download files

Project description

coverage 95%

Introduction

openpyxl is a Python library to read/write Excel 2010 xlsx/xlsm/xltb/xltm files.

It was born from lack of existing library to read/write natively from Python the Office Open XML format.


All kudos to the PHPExcel team as openpyxl was initially based on PHPExcel.

Security

By default openpyxl does not guard against quadratic blowup or billion laughs xml attacks. To guard against these attacks install defusedxml.



Typical Workflow for Excel Automation





Reading Excel file

1) Import openpyxl

```
import openpyxl
```

```
workbook = openpyxl.load_workbook("bmi.xlsx")  
sheet=workbook["Sheet1"]
```

2) Load Excel content into "workbook" object by specifying the file name

3) Get the worksheet named "Sheet1"

```
name = sheet.cell(row=2, column=1).value  
weight = sheet.cell(row=2, column=2).value  
height = sheet.cell(row=2, column=3).value
```

4) Get the value of each cell by specifying the row and column

```
print("name:%s \tweight: %d \theight: %f " % (name, weight, height))
```

5) Get the value of each cell by specifying the row and column



Reading Excel file

The typical workflow for reading excel file is to use a **for** loop to go through each row to read the data

```
import openpyxl  
  
workbook = openpyxl.load_workbook("bmi.xlsx")  
sheet=workbook["Sheet1"]  
  
max_row = sheet.max_row # get number of rows  
  
#loop through every row  
for i in range(2, max_row + 1):  
  
    #read cell  
    name = sheet.cell(row=i, column=1).value  
    weight = sheet.cell(row=i, column=2).value  
    height = sheet.cell(row=i, column=3).value  
  
    print("name:%s \tweight: %d \theight: %f " % (name, weight, height))
```

1) Get the number of rows and columns

2) Use For loop to go through every row

3) Extract the status at Column C to check for attendance



Update Excel file

```
import openpyxl

workbook = openpyxl.load_workbook("bmi.xlsx")
sheet=workbook["Sheet1"]

max_row = sheet.max_row # get number of rows

# add a column header for bmi
sheet.cell(row=1, column=4).value = "bmi"

#loop through every row
for i in range(2, max_row + 1):

    #read cell
    name = sheet.cell(row=i, column=1).value
    weight = sheet.cell(row=i, column=2).value
    height = sheet.cell(row=i, column=3).value

    bmi = weight / (height * height)

    sheet.cell(row=i, column=4).value = bmi

    print("name:%s \tBMI: %f" % (name, bmi))

#save the file
workbook.save("bmi_update.xlsx")
```

2) Load file into memory & get the sheet

1) Perform calculation with values taken from the excel files

2) Add comments to cell

5) Save the spreadsheet



Create Excel file

If you have data in nested python list, you can write the data into an excel file.

```
import openpyxl

workbook = openpyxl.Workbook()

#get the default sheet
sheet=workbook["Sheet"]

#create a list of tuples as data source
data = [
    [225.7, 'Gone with the Wind', 'Victor Fleming'],
    [194.4, 'Star Wars', 'George Lucas'],
    [161.0, 'ET: The Extraterrestrial', 'Steven Spielberg']
]

for row in data:
    sheet.append(row)

#save the spreadsheet
workbook.save("movies.xlsx")
```

1) Some data in nested list

2) Using for loop to add each row of data into the excel sheet

3) Save the spreadsheet



Format Excel

```
import openpyxl  
from openpyxl.styles import Font, PatternFill, Border, Side  
  
workbook = openpyxl.load_workbook("bmi.xlsx")  
sheet=workbook["Sheet1"]
```

```
#define the colors to use for styling  
BLUE = "0033CC"  
LIGHT_BLUE = "E6ECFF"  
WHITE = "FFFFFF"  
  
#define styling  
header_font = Font(name="Tahoma", size=14, color=WHITE)  
header_fill = PatternFill("solid", fgColor=BLUE)
```

```
# format header  
for row in sheet["A1:c1"]:  
    for cell in row:  
        cell.font = header_font  
        cell.fill = header_fill
```

```
#define styling  
white_side = Side(border_style="thin", color=WHITE)  
blue_side = Side(border_style="thin", color=BLUE)  
alternate_fill = PatternFill("solid", fgColor=LIGHT_BLUE)  
border = Border(bottom=blue_side, left=white_side, right=white_side)
```

```
# format rows  
for row_index, row in enumerate(sheet["A2:C3"]):  
    for cell in row:  
        cell.border = border  
        if row_index %2 :  
            cell.fill = alternate_fill
```

```
workbook.save("bmi_format.xlsx")
```

1) Import necessary functions




2) Setup colors and styles

3) Loop through cell and set properties



Excel Charts

- Openpyxl supports the creation of many types of charts
 - Area Charts
 - Bar and Column Charts
 - Bubble Charts
 - Line Charts
 - Scatter Charts
 - etc





Create Excel Chart

```
import openpyxl
from openpyxl.chart import BarChart, Reference, Series

workbook = openpyxl.load_workbook("bmi.xlsx")
sheet=workbook[ "Sheet1"]

chart = BarChart()

labels = Reference(sheet, min_col=1, min_row=2, max_row=3)
data = Reference(sheet, min_col=3, min_row=1, max_row=3)

chart.add_data(data, titles_from_data=True)
chart.set_categories(labels)
chart.title = "Height"

sheet.add_chart(chart, 'E1')
workbook.save('bmi_chart.xlsx')
```

1) Import necessary functions

2) Load the data from excel file

3) Specify the label and the data range

4) Add the chart to the sheet, and save the file in another excel file.



Create Excel Chart

```
import openpyxl
from openpyxl.chart import BarChart, Reference, Series ← 1) Import necessary
functions

workbook = openpyxl.load_workbook("bmi.xlsx")
sheet=workbook["Sheet1"] ← 2) Load the data from excel
file

chart = BarChart()

# first column is used as label, starting from row 2
labels = Reference(sheet, min_col=1, min_row=2, max_row=3) ← 3) Specify the label and
the data range

# first row is used for header, that is why min_row is 1
data = Reference(sheet, min_col=3, min_row=1, max_row=3)

chart.add_data(data, titles_from_data=True)
chart.set_categories(labels) ← 4) Specify values for title x-axis
and y-axis for the chart
chart.title = "Bar Chart"
chart.x_axis.title = "Name"
chart.y_axis.title = "Height"
chart.series[0].SeriesLabel = "height"

sheet.add_chart(chart, 'E1')
workbook.save('bmi_chart.xlsx') ← 5) Add the chart to the
sheet, and save the file
in another excel file.
```



More Explanation on Chart Reference

- Write a script to list read an Excel file and output every even rows to a csv file.

```
data = Reference(sheet, min_col=3,
min_row=1, max_row=3)
```


	A	B	C
1	name	weight	height
2	alan	65	1.75
3	peter	70	1.8



```
labels = Reference(sheet, min_col=1
min_row=2, max_row=3)
```



min_col = 3 ← height
Min_col = 2 ← weight






Exercise

- **Write code to achieve the following:**

1. Refer to the documentation at
<https://openpyxl.readthedocs.io/en/stable/charts/pie.html#id1>
2. Follow the instruction to create the following pie chart.





Typical Workflow for Excel Automation





Image Processing with Python



Image Processing



The screenshot shows the official website for Pillow, a Python Imaging Library fork. The header features the Pillow logo (a stylized icon followed by the word "pillow") and the tagline "The friendly PIL fork". Below the header, there are four main sections: "Welcome", "Code", "Documentation", and a central image example.

- Welcome:** This section explains that Pillow is the friendly PIL fork. It links to the Python Imaging Library and provides a link to save the day if you're worried about PIL's future.
- Code:** This section links to the code on GitHub and mentions Travis CI, AppVeyor, Coveralls, Landscape, and PyPI.
- Documentation:** This section links to the documentation on readthedocs.io, which includes installation instructions, handbook, API reference, release notes, and more.
- Central Image Example:** A colorful, abstract image titled "Random psychedelic art made with PIL".

For the next section we are going to use the Python Image Library, or in short Pillow.

Install using the following command:
pip install pillow

The documentation is at:

<https://pillow.readthedocs.io/en/stable/handbook/overview.html>



Image Processing

```
import os
from PIL import Image

filename = "img/clungup.jpg"

im = Image.open(filename)
print ("%s - %s" % (im.size, im.mode))

# show the image
im.show()

# close the file
im.close()
```




As a start we need to import it:
`import Image`

We can open images with
`im = Image.open(fullname)`

Then we can display the image using
`im.show()`

Print some info about the image using
`im.size` and `im.mode`



Size: 800 x 600, Mode: RGB

image_show_info.py



Image Processing

```
import os
from PIL import Image, ImageFilter

filename = "img/clungup.jpg"

im = Image.open(filename)

out = im.filter(ImageFilter.BLUR)

im.show()
out.show()
```




Pillow has many conversion and filters, to use filters we need to extend our import:
`from PIL import Image, ImageFilter`

The way you can apply filters is :
`out = im.filter(ImageFilter.BLUR)`

Try other different filters!



Image processing - filters



```
image = image.filter(ImageFilter.FIND_EDGES)
```



```
image = ImageOps.solarize(image)
```

```
image = ImageOps.grayscale(image)
```



```
image = image.filter(ImageFilter.CONTOUR)
```



* Remember to include
ImageOps in your import statement



Image processing - filters

```
import os
from PIL import Image, ImageFilter, ImageOps

filename = "img/clungup.jpg"

im = Image.open(filename)

# Filter
#out = im.filter(ImageFilter.BLUR)
#out = im.filter(ImageFilter.FIND_EDGES)
#out = im.filter(ImageFilter.CONTOUR)

# ImageOps
out = ImageOps.grayscale(im)
#out = ImageOps.solarize(im)

im.show()
out.show()
```



* Remember to include
ImageOps in your import statement



Image Processing - Rotating

Flipping the image horizontally or vertically

```
out = im.transpose(Image.FLIP_LEFT_RIGHT)  
out = im.transpose(Image.FLIP_TOP_BOTTOM)
```

} Flip images

Rotating the image

```
out = im.transpose(Image.ROTATE_90)  
out = im.transpose(Image.ROTATE_180)  
out = im.transpose(Image.ROTATE_270)
```

} Rotate images

Contrast

First add ImageEnhance to our imports:

```
from PIL import Image, ImageFilter,  
ImageEnhance
```

Then:

```
enh = ImageEnhance.Contrast(im)  
out = enh.enhance(1.3)
```

make image brighter by
changing the contrast



Image Processing - Writing

```
import os
from PIL import Image, ImageFilter, ImageOps

filename = "clungup.jpg"

src_folder = "img/"
out_folder = "out/"

im = Image.open(src_folder + filename) # img/clungup.jpg
out = im.filter(ImageFilter.BLUR)

outFilename = out_folder + filename # out/clungup.jpg

out.save(outFilename)
```

You can see the image, but it's not being saved !

All you need to do to save the images in the "out" folder is:
out.save(the name of the output file)



Image processing – Converting

```
>>> fname1 = "holiday.gif"
>>> fname2 = fname1.split(".")[0] + ".jpg"
>>> print(fname2)
holiday.jpg
>>>
```

```
>>> fname1 = "holiday.gif"
>>> f, e = os.path.splitext(fname1)
>>> fname2 = f + ".jpg"
>>> print(fname2)
holiday.jpg
>>>
```

Maybe you want to keep all your photos in the same format.

We have some gif files and maybe you would have bmp or png images.

Pillow understands the output file, and will convert if the output file is different from the input.

fname1		fname2
holiday.gif	->	holiday.jpg

How can we convert the string holiday.gif to holiday.jpg ?



Image processing – Converting

```
import os
from PIL import Image, ImageFilter, ImageOps

filename = "clungup.jpg"

src_folder = "img/"
out_folder = "out/"

im = Image.open(src_folder + filename) # img/clungup.jpg
out = im.filter(ImageFilter.BLUR)

# split the filename and the extension
f, e = os.path.splitext(filename)

# add the gif extension to the filename
fname2 = f + ".gif"

outFilename = out_folder + fname2 # out/clungup.gif

out.save(outFilename)
```

`os.path.splitext(file)` returns a list.
We are only interested in `f` which is
the first item in the list.



Image processing – Watermark

Create the mark image

You can reduce the size to 100,100

```
mark = Image.open("img\\watermark.png")
mark = mark.resize((100,100))
```

Create a new function called

```
def watermark(im, mark, position):
```

....

It takes the original image, the watermark image and the desired position that we want the watermark to appear. The function will return the result.

We can use this function like:

```
watermark(im, mark, (0, 50)).show()
```

or

```
imOut = watermark(im, mark, (0,50))
imOut.save(fileOut)
```

Maybe you want to leave a small footprint on your images, called watermark.

In this case we can use the \\img\\watermark.png and place it in each image on the bottom right.





Image processing – Watermark

```
from PIL import Image

def watermark(im, mark, position):
    layer = Image.new("RGBA", im.size, (0,0,0,0))
    layer.paste(mark, position)
    return Image.composite(layer, im, layer)

im = Image.open("img\\clungup.jpg")
mark = Image.open("img\\watermark.png")
mark = mark.resize((100,100))
mark.putalpha(128)

out = watermark(im, mark, (0,0))
out.show()
```



First we need to create a new layer with the size of the original image.

Then we paste the watermark image at the desired position and we return the composite.

Finally we merge the image and the layer together and return the result.

Then you can use it like this:



Use Case I: Batch Resize

1. Find all the files in “img” folder with “.jpg” extension
1. Resize all the file to 60 x 90.
1. Save all the files to the resized folder

```
import os
from PIL import Image, ImageFilter, ImageOps

files = os.listdir('img')
size = 60, 90

for file in files:
    if file.lower().endswith('.jpg'):
        im = Image.open("img/" + file)
        im.thumbnail(size, Image.ANTIALIAS)
        im.save("resized/" + file, "JPEG")
```



Use Case II: Batch Rename

1. Find all the files in “img” folder with “.jpg” extension
1. Copy all the files to the renamed folder
1. Rename all the files with the “s-” prefix.

```
import os
import shutil

files = os.listdir('img')

for file in files:
    if file.lower().endswith('.jpg'):
        shutil.copyfile("img/" + file, "renamed/s-" + file[:-4] + ".jpg")
```

Web Automation with Python



Connecting to the Web

- requests – download files and web pages from the Web

pip install requests

```
import requests
```

```
url="https://api.data.gov.sg/v1/environment/24-hour-weather-forecast"
req=requests.get(url)
print(req.text)
```

Get the required information from
the given URL



Economy



Education



Environment



Finance



Health



Infrastructure



Society



Technology



Transport

web_request.py



Connecting to the Web


- Data is in JSON format
- Use a JSON formatter tool to present the data in a nicer form

<http://jsonviewer.stack.hu/>

```
import requests

url="https://api.data.gov.sg/v1/environment/24-hour-weather-forecast"
req=requests.get(url)
print(req.text)

{
  "items": [
    {
      "update_timestamp": "2020-07-22T14:51:18+08:00",
      "timestamp": "2020-07-22T14:25:00+08:00",
      "valid_period": {
        "start": "2020-07-22T12:00:00+08:00",
        "end": "2020-07-23T12:00:00+08:00"
      },
      "general": {
        "forecast": "Thunder Showers",
        "relative_humidity": {
          "low": 70,
          "high": 95
        },
        "temperature": {
          "low": 22,
          "high": 28
        },
        "wind": {
          "speed": {
            "low": 10,
            "high": 20
          },
          "direction": "ESE"
        }
      },
      "periods": [
        {
          "start": "2020-07-22T12:00:00+08:00",
          "end": "2020-07-22T18:00:00+08:00",
          "regions": [
            {
              "west": "Moderate Rain",
              "east": "Moderate Rain",
              "central": "Light Rain"
            },
            {
              "north": "Light Rain"
            }
          ],
          "time": {
            "start": "2020-07-22T12:00:00+08:00",
            "end": "2020-07-23T06:00:00+08:00"
          }
        },
        {
          "start": "2020-07-22T18:00:00+08:00",
          "end": "2020-07-23T12:00:00+08:00",
          "regions": [
            {
              "west": "Partly Cloudy (Night)",
              "east": "Partly Cloudy (Night)",
              "central": "Partly Cloudy (Night)"
            },
            {
              "north": "Partly Cloudy (Night)"
            }
          ],
          "time": {
            "start": "2020-07-22T18:00:00+08:00",
            "end": "2020-07-23T06:00:00+08:00"
          }
        }
      ]
    }
  ]
}
```





Connecting to the Web

- To work with JSON data, import json first
- Use json.loads() to load the data in JSON format
- Extract and retrieve the required data

```
import json
import requests

url="https://api.data.gov.sg/v1/environment/24-hour-weather-forecast"
req=requests.get(url)

data = json.loads(req.text)

# print update timestamp
update_time = data["items"][0]["update_timestamp"]
print("Update time: " + update_time)

# print forecast
forecast = data["items"][0]["general"]["forecast"]
print("Forecast: " + forecast)
```

Update time: 2020-07-22T14:51:18+08:00
Forecast: Thundery Showers




Connecting to the Web

- Beautiful Soup – a third party module that parses HTML (web pages)

Web Scraping – download and process Web content

- Install Beautiful Soup 4 - **pip install beautifulsoup4**





Connecting to the Web

- What's the URL?

<https://www.fortytwo.sg/dining/dining-tables/landon-regular-dining-table-coffee.html>

Enquiries: +65 6777 7667 | Mon - Fri (10am - 6pm)

The screenshot shows the FORTYTWO website. At the top, there is a phone icon followed by the text "Enquiries: +65 6777 7667 | Mon - Fri (10am - 6pm)". Below this is the FORTYTWO logo. To the right of the logo is a search bar with the placeholder "Search furniture, mattress, home & decor..." and a magnifying glass icon. Further to the right are user icons (person) and a shopping cart icon with a red notification bubble showing "0".

Navigation menu: New, Furniture ▾, Bedding & Mattresses ▾, Décor | Essentials ▾, Kitchen | Dining ▾, Lightings | Fans ▾, Sale ▾.

Breadcrumbs: Home > Dining Room Furniture > Dining Tables > Landon Regular Dining Table Coffee

Product details for "Landon Regular Dining Table Coffee":

- Image: A dark wood rectangular dining table with four legs.
- Name: Landon Regular Dining Table Coffee
- Rating: ★★★★☆ 6 customer reviews
- Price: S\$129.90 (crossed out), S\$69.90
- Warranty: 1 Year
- Delivery: Standard Delivery
- Other options: Add to Cart, Add to Wishlist, Email to a Friend, 100 Day Free Returns, Free Assembly Included

Below the main product image are four smaller thumbnail images of different dining tables.




Connecting to the Web

- Get the url

<https://www.fortytwo.sg/dining/dining-tables/landon-regular-dining-table-coffee.html>

- Select the element to extract, right-click "Inspect"
- Right-click "Copy" "Copy selector"





Connecting to the Web

- Get the url
- Select the element to extract, right-click "Inspect"
- Right-click "Copy" → "Copy selector"


```
import bs4
import requests

requestObj = requests.get("https://www.fortytwo.sg/dining/dining-tables/landon-regular-dining-table-coffee.html")
requestObj.raise_for_status()
soup = bs4.BeautifulSoup(requestObj.text, 'html.parser')

elements = soup.select("#product-price-46728") # $69.90
print("Current Price: " + elements[0].text)

elements = soup.select("#old-price-46728") # $129.90
print("\nOld Price: " + elements[0].text)

elements = soup.select("div.earliest-delivery-date") # Earliest by Sunday, 31 May 2020
print("\nDelivery Date: " + elements[0].text)
```




Debug I/O	Python Shell	Messages	OS Cc
Debug I/O (stdin, stdout, stderr) appears below			
Current Price: S\$69.90			
Old Price: S\$129.90			
Delivery Date:			
Earliest by			
Sunday, 31 May 2020			

Email Automation with Python



Send Email




- SMTP (Simple Mail Transfer Protocol) is used for sending and delivering from a client to a server via port 25, 465 or 587: it's the **outgoing server**.
- IMAP and POP are two methods to access email. IMAP is the recommended method when you need to check your emails from several different devices, such as a phone, laptop, and tablet.

<https://www.mailgun.com/blog/which-smtp-port-understanding-ports-25-465-587/>

<https://serversmtp.com/what-is-smtp-server/>



Send Email



- **Note:** The SMTP servers used when you send your emails- Hotmail, Gmail , Yahoo Mail – are **shared among users**
- Common providers establish some **strict limits** on the number of emails you can send (e.g. Yahoo's restriction is 100 emails per hour).
- If you plan to send a bulk email or set up an email campaign you should opt for a professional outgoing email server like turboSMTP,
- which guarantees a controlled IP and ensure that all your messages reach their destination.



Send Email using Gmail

Incoming Mail (IMAP) Server	imap.gmail.com Requires SSL: Yes Port: 993
Outgoing Mail (SMTP) Server	smtp.gmail.com Requires SSL: Yes Requires TLS: Yes (if available) Requires Authentication: Yes Port for SSL: 465 Port for TLS/STARTTLS: 587
Full Name or Display Name	Your name
Account Name, User name, or Email address	Your full email address
Password	Your Gmail password

Note: If you are using your office network, most port numbers, including 587, may be blocked.



Send Email using Gmail

- Import `smtplib` module
- Specify Gmail email & password, receiver's email address, email title & content
- Connect to SMTP server using Port 587
- Call `starttls()` to enable encryption for your connection
- Login using email and password
- Call `sendmail()`
- Call `quit()` to disconnect from the SMTP server

```
import smtplib

sender_email_address = "your_email_address@gmail.com"
sender_email_password = "xxxxxxxxxxxxxx"
receiver_email_address = "another_email_address@gmail.com"
email_title_content = "Subject: Sending Email Using Python\nThis is a test email."

email_title_content = "Subject: Sending Email Using Python\nThis is a test email.

print("Trying to connect to Gmail SMTP server")
smtpObj = smtplib.SMTP("smtp.gmail.com", 587)
smtpObj.starttls()

print("Connected. Logging in...")
smtpObj.login(sender_email_address, sender_email_password)

smtpObj.sendmail(sender_email_address, receiver_email_address, email_title_content)
print("Email sent successfully...")


smtpObj.quit()
```

➤ The start of the email body must begin with "Subject:" for the subject line. The "\n" newline character separates the subject line from the main body content.



Send Email using Gmail

- Google may block attempted sign-in from unknown devices that don't meet their security standards!



```
C:\Users\denise_quek\AppData\Local\Programs\Python\Python37\python.exe D:/CET_Python/Denise/TestEmail.py
Trying to connect to Gmail SMTP server
Connected. Logging in...
Traceback (most recent call last):
  File "D:/CET_Python/Denise/TestEmail.py", line 13, in <module>
    smtpObj.login(sender_email_address, sender_email_password)
  File "C:\Users\denise_quek\AppData\Local\Programs\Python\Python37\lib\smtplib.py", line 730, in login
    raise last_exception
  File "C:\Users\denise_quek\AppData\Local\Programs\Python\Python37\lib\smtplib.py", line 721, in login
    initial_response_ok=initial_response_ok)
  File "C:\Users\denise_quek\AppData\Local\Programs\Python\Python37\lib\smtplib.py", line 642, in auth
    raise SMTPAuthenticationError(code, resp)
smtplib.SMTPAuthenticationError: (534, b'5.7.9 Application-specific password required. Learn more at\n5.7.9')
```

Process finished with exit code 1



Send Email using Gmail

Steps To Create Google App Password

Step 1: Login to Gmail. Go to Account □ Signing in to Google

Step 2: Make sure that 2-Step Verification is on

Step 3: Create an App password

[App passwords](#)

App passwords let you sign in to your Google Account from apps on devices that don't support 2-Step Verification. You'll only need to enter it once so you don't need to remember it. [Learn more](#)

You don't have any app passwords.

Select the app and device you want to generate the app password for.

Mail Windows Computer

Generated app password

Your app password for Windows Computer

[View app password](#)

Add your Google account

Enter the information below to connect to your Google account.

Email address:

Password:

Include your Google contacts and calendars

How to use it

1. Open the "Mail" app.
2. Open the "Settings" menu.
3. Select "Accounts" and then select your Google Account.
4. Replace your password with the 16-character password shown above.

Just like your normal password, this app password grants complete access to your Google Account. You won't need to remember it, so don't write it down or share it with anyone. [Learn more](#)

DONE



Send Email using Gmail

Screenshot of the Google Account Security settings page.

The left sidebar shows navigation links: Home, Personal info, Data & personalisation, **Security** (highlighted with a red box), People & sharing, Payments & subscriptions, Help, and Send feedback.

The main content area is titled "Security" and describes settings to keep the account secure.

Security issues found

Protect your account now by resolving these issues



[Secure account](#)

Signing in to Google



Last changed 10 Jan 2018

2-Step Verification On

App passwords 1 password

Ways that we can verify that it's you

These can be used to make sure that it's really you



Show all X



Send Email using Gmail

- Replace your actual password with the App password

```
import smtplib

sender_email_address = "your_email_address@gmail.com"
sender_email_password = "xxxxxxxxxxxxxx"
receiver_email_address = "another_email_address@gmail.com"
email_title_content = "Subject: Sending Email Using Python\nThis is a test email."
```

- Run your email program

```
C:\Users\denise_quek\AppData\Local\Programs\Python\Python37\python.exe D:/CET_Python/Denise/TestEmail.py
Trying to connect to Gmail SMTP server
Connected. Logging in...
Email sent successfully...

Process finished with exit code 0
```



Use Case: Send emails to students

- Send email to students who were absent

	A	B	C
1	Student	Email	Status
2	Alicia	code.musically@gmail.com	Present
3	Bryan	code.musically@gmail.com	Present
4	Carol	code.musically@gmail.com	Absent
5	David	code.musically@gmail.com	Absent
6	Evelyn	code.musically@gmail.com	Present
7			


```
1 #! python3
2
3 import openpyxl, smtplib
4
5 def sendEmail(name, emailTo):
6     email_body = "Subject: Your attendance. \nDear %s, \nYou were absent for class.\n" %(name)
7
8     smtpObj = smtplib.SMTP("smtp.gmail.com", 587)
9     smtpObj.starttls()
10    smtpObj.login("code.musically@gmail.com", "xxxxxxxxxxxx")
11    smtpObj.sendmail('code.musically@gmail.com', emailTo, email_body)
12
13    smtpObj.quit()
```



Use Case: Send Emails to Students

- Open an Excel file
- Send email to students who were absent

```
16     workbook = openpyxl.load_workbook("D:\\CET_Python\\students_attendance.xlsx")
17     sheet = workbook["Sheet1"]
18
19     max_row = sheet.max_row
20     max_column = sheet.max_column
21
22     for i in range(1, max_row+1):
23
24         attendance = sheet.cell(row=i, column=3).value
25
26         if attendance == "Absent":
27             name = sheet.cell(row=i, column=1).value
28             email = sheet.cell(row=i, column=2).value
29
30             print(name + " is absent.")
31             sendEmail(name, email)
32             print("Email sent to " + email)
33             print()
34
```

Generate PDF Report with Python



PDF

PyFPDF

Search docs

Project Home

- Home
- FPDF for Python
- Main features
- Installation
- Support
- ProjectHome
- Reference manual
- Tutorial
- Tutorial (Spanish translation)
- FAQ (Frequently asked questions)
- Python 3
- Templates
- Unicode
- Web2Py framework
- Testing
- Development
- Reference manual
- accept_page_break
- add_font
- add_link
- add_page
- alias_nb_pages
- cell
- close
- dashed_line

[Docs](#) » Project Home » Home

[Edit on GitHub](#)

FPDF for Python

PyFPDF is a library for PDF document generation under Python, ported from PHP (see [FPDF](#): "Free"-PDF, a well-known PDFlib-extension replacement with many examples, scripts and derivatives).

Latest Released Version: 1.7 (August 15th, 2012) - Current Development
Version: 1.7.1



Main features

- Easy to use (and easy to extend)
- Many simple examples and scripts available in many languages
- No external dependencies or extensions (optionally PIL for GIF support)
- No installation, no compilation or other libraries (DLLs) required
- Small and compact code, useful for testing new features and teaching

This repository is a fork of the library's [original port by Max Pat](#), with the following enhancements:

- Python 2.5 to 3.4+ support (see [Python3 support](#))
- [Unicode](#) (UTF-8) TrueType font subset embedding (Central European, Cyrillic, Greek, Baltic, Thai, Chinese, Japanese, Korean, Hindi and almost any other language in the world) **New!** based on [sPDF](#) LGPL3 PHP version from [ian Back](#)
- Improved installers (`setup.py`, `py2exe`, `PyPI`) support
- Barcode 128f5 and code39, QR code coming soon ...
- PNG, GIF and JPG support (including transparency and alpha channel) **New!**
- Exceptions support, other minor fixes, improvements and PEP8 code cleanups
- Port of the [Tutorial](#) and [ReferenceManual](#) (Spanish translation available)

FPDF original features:

- **Install fpdf**
- **pip install fpdf**

<https://pyfpdf.readthedocs.io/en/latest/Tutorial/index.html>



PDF – Basic document

```
import fpdf

#create a new pdf
document = fpdf.FPDF()

#define font and color for title and add the first page
document.set_font("Times","B", 14)
document.set_text_color(19,83,173)
document.add_page()

#write the title of the document
document.cell(0,5,"PDF Test Document")
document.ln()

#write a long paragraph
document.set_font("Times", "", 11)
document.set_text_color(0)
document.multi_cell(0,10, "This is an example of a long paragraph. \n" * 10)
document.ln()

#save the document
document.output("pdf_report.pdf")
```

- Import fpdf
- Create a new pdf document
- Add page
- Add text
- Save file

PDF Test Document
This is an example of a long paragraph.
This is an example of a long paragraph.



PDF – adding images

```
import fpdf

#create a new pdf
document = fpdf.FPDF()

#define font and color for title and add the first page
document.set_font("Times","B", 14)
document.set_text_color(19,83,173)
document.add_page()

#add a image
document.image("rp_logo.png", x=10, y=5, w=23)

document.set_y(40);

#write the title of the document
document.cell(0,5,"PDF Test Document")
document.ln()

#write a long paragraph
document.set_font("Times", "", 11)
document.set_text_color(0)
document.multi_cell(0,5, "This is an example of a long paragraph. " * 10)
document.ln()

#save the document
document.output("pdf_report.pdf")
```

- Import fpdf
- Create a new pdf document
- Add page
- Add text, logo
- Save file



PDF Test Document

This is an example of a long paragraph. This is an example of a long paragraph.



PDF – Adding password

```
import fpdf  
import PyPDF2
```

```
#create a new pdf  
document = fpdf.FPDF()
```

```
#define font and color for title and add the first page  
document.set_font("Times", "B", 14)  
document.set_text_color(19,83,173)  
document.add_page()
```

```
#write the title of the document  
document.cell(0,5,"PDF Test Document")  
document.ln()
```

```
#save the document  
document.output("pdf_report_before_pw.pdf")
```

```
#save the document into a new password protected/encrypted pdf  
pdffile = open(r"pdf_report_before_pw.pdf", "rb")  
pdfReader = PyPDF2.PdfFileReader(pdffile)  
pdfWriter = PyPDF2.PdfFileWriter()  
for pageNum in range(pdfReader.numPages):  
    pdfWriter.addPage(pdfReader.getPage(pageNum))
```

```
pdfWriter.encrypt('123') ←  
resultPDF = open(r"pdf_report_after_pw.pdf", "wb")  
pdfWriter.write(resultPDF)  
resultPDF.close()  
pdffile.close()
```

- pip install PyPDF2

Password is 123

<https://pythonhosted.org/PyPDF2/>



Use Cases

- Automation:
 - Generation of reports with data from spreadsheet or database
 - Generation of Course Certificates in PDF format
 - Password protection of banking statement in PDF file

Charting/Visualisation with Python



Charting




[home](#) | [examples](#) | [tutorials](#) | [API](#) | [docs](#) »

Gallery

This gallery contains examples of the many things you can do with Matplotlib. Click on any image to see the full image and source code.

For longer tutorials, see our [tutorials page](#). You can also find [external resources](#) and a [FAQ](#) in our user guide.

Lines, bars and markers



<https://matplotlib.org/index.html>



[modules](#) | [index](#)

Quick search Go

Table of Contents

Gallery

- Lines, bars and markers
- Images, contours and fields
- Subplots, axes and figures
- Statistics
- Pie and polar charts
- Text, labels and annotations
- Pyplot
- Color
- Shapes and collections
- Style sheets
- Axes Grid
- Axis Artist
- Showcase
- Animation
- Event handling
- Front Page
- Miscellaneous
- 3D plotting
- Our Favorite Recipes
- Scales
- Specialty Plots
- Ticks and spines
- Units
- Embedding Matplotlib in


`pip install matplotlib`

Full documentation:
<https://matplotlib.org/>



Charting

```
1 import matplotlib.pyplot as plt
2
3 #set up values
4 VALUES = [100,150,125,170]
5 POS = [0,1,2,3]
6 LABELS = ['Q1 2018','Q2 2018','Q3 2018','Q4 2018']
7
8 #set up the chart
9 plt.bar(POS,VALUES)
10 plt.xticks(POS, LABELS)
11 plt.ylabel('Sales')
12
13 #to display the chart
14 plt.show()
```



- Install matplotlib
- Prepare data
- Create bar graph
- Display the chart


https://matplotlib.org/api/_as_gen/matplotlib.pyplot.bar.html



Charting - Formatting

```
1 import matplotlib.pyplot as plt
2 from matplotlib.ticker import FuncFormatter
3
4 def value_format(value, position):
5     return '$ {}'.format(int(value))
6
7 # set up values
8 VALUES = [100, 150, 125, 170]
9 POS = [0,1,2,3]
10 LABELS = ['Q1 2018', 'Q2 2018', 'Q3 2018', 'Q4 2018']
11
12 # set up the chart
13 # Colors can be specified in multiple formats, as
14 # described in https://matplotlib.org/api/colors_api.html
15 # https://xkcd.com/color/rgb/
16 plt.bar(POS,VALUES, color='xkcd:moss green')
17 plt.xticks(POS, LABELS)
18 plt.ylabel('Sales')
19
20 # retreive the current axes and apply formatter |
21 axes = plt.gca()
22 axes.yaxis.set_major_formatter(FuncFormatter(value_format))
23
24 # to display the chart
25 plt.show()
```

- Install matplotlib
- Prepare data
- Customise graph options
- Create bar graph
- Display the chart





Charting - Subplots


```

1 import matplotlib.pyplot as plt
2
3 #set up values
4 VALUESA = [100,150,125,170]
5 VALUESB = [0,15,40,80]
6 VALUESC = [3,5,7,3]
7 POS = [0,1,2,3]
8 LABELS = ['Q1 2018','Q2 2018','Q3 2018','Q4 2018']
9
10 # Create the first plot
11 plt.subplot(2,1,1) ←
12
13 #creata a bar graph with informaton about VALUESA
14 plt.bar(POS,VALUESA)
15 plt.ylabel('Sales')
16
17 #create a different Y axis, and add information
18 #about VALUESB as a line plot
19 plt.twinx()
20 plt.plot(POS,VALUESB,'o-',color='red')
21 plt.xticks(POS, LABELS)
22 plt.ylabel('Sales B')
23 plt.xticks(POS, LABELS)
24
25 #create another subplot and fill it iwth VALUESC
26 plt.subplot(2,1,2)
27 plt.plot(POS, VALUESC)
28 plt.gca().set_ylim(bottom=0)
29 plt.xticks(POS,LABELS)
30
31 plt.show()

```

- Multiple charts

2 rows, 1 column, index starting from 1)



https://matplotlib.org/api/_as_gen/matplotlib.pyplot.subplot.html




Charting – Scatter Plot

```
1 import csv
2 import matplotlib.pyplot as plt
3 from matplotlib.ticker import FuncFormatter
4
5 def format_minutes(value, pos):
6     return '{}m'.format(int(value))
7
8 def format_dollars(value, pos):
9     return '${}'.format(value)
10
11 # read data from csv
12 fp = open("scatter.csv","r", newline='')
13 reader = csv.reader(fp)
14 data = list(reader)
15
16 data_x=[]
17 data_y=[]
18 for x, y in data:
19     data_x.append(float(x))
20     data_y.append(float(y))
21
22 plt.scatter(data_x, data_y)
23
24 plt.gca().xaxis.set_major_formatter(FuncFormatter(format_minutes))
25 plt.xlabel('Time in website')
26 plt.gca().yaxis.set_major_formatter(FuncFormatter(format_dollars))
27 plt.ylabel('Spending')
28
29 plt.show()
```

- To save a plot:
plt.savefig(*filename*)

- Save the plot before you display





End of Day 2

This concludes the Introduction to Python,
I hope you enjoyed it.

Thank you !

QUESTIONS ?





Survey Form

jason_lim@rp.edu.sg

florian_muljono@rp.edu.sg

Survey Form Link: <https://forms.office.com/r/rPXE0r4aTh>





Where to go from here ?

Getting started step by step

<http://www.python.org/about/gettingstarted/>

Run through the python tutorials:

<http://docs.python.org/tutorial/index.html>

Keep the API doc under your pillow:

<http://docs.python.org/library/index.html>

Advanced examples:

<http://www.diveintopython.org/toc/index.html>



Where to go from here ?

MOOC:
DataCamp
<https://www.datacamp.com/>

Edx
<https://www.edx.org/>

Udemy (freemium course)
<https://t.me/freecourse>

THE COUNTDOWN IS ON!
Get 15% off your purchase.

[Start Exploring](#)



Where to go from here ?



Think Python is an introduction to Python programming for beginners. It starts with basic concepts of programming, and is carefully designed to define all terms when they are first used and to develop each new concept in a logical progression. Larger pieces, like recursion and object-oriented programming are divided into a sequence of smaller steps and introduced over the course of several chapters.

Think Python is a Free Book. It is available under the [Creative Commons Attribution-NonCommercial 3.0 Unported License](#), which means that you are free to copy, distribute, and modify it, as long as you attribute the work and don't use it for commercial purposes.
<http://greenteapress.com/thinkpython/thinkpython.pdf>

Lifelong Learning



Scan me



- <https://www.rp.edu.sg/soi/lifelong-learning>

Short Courses



SOI offers an extensive variety of short, industry-relevant courses for ICT skills upgrading and skills acquisition. Our courses are categorized under different areas, ranging from Artificial Intelligence (AI), Business Intelligence / Business Analytics (BI/BA), Business Processes (BP), Unmanned Aerial Vehicle (UAV), IT Security, New/ Digital Media, Software Development to the Internet of Things (IoT). To view our short course offerings, click on the relevant tab below.

[AI](#) [Data Analytics](#) [IT Security](#) [DevOps](#) [Software Development](#) [New/ Digital Media](#) [UAV](#) [RPA](#)

+ [Artificial Intelligence for Everyone - A Practical Experience \(1 day Beginner\)](#)

+ [Artificial Intelligence for Techies - A Hands-On Approach \(1 day Beginner\)](#)

+ [An Introduction to Code-Free Machine Learning \(1 day Beginner\)](#)