mrtral julo [pits] 0.0004 - 0.0003 - 0.0002 - 0.0001 - 0.0000 -	Glucose -110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS	90.0003 - 0.0002 - 0.0001 - 0.0000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
mutnal info [bits] 0.0002 - 0.0000 -	Xylose  -110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS	0.0008 - 0.0006 - 0.0004 - 0.0002 - 0.0000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
0.0004 - 0.0003 - 0.0002 - 0.0001 - 0.0000 -	Arabinose  -110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS	0.0004 - 0.0003 - 0.0002 - 0.0001 - 0.0000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
mutual info [bits] - 0.00050 - 0.00000 -	Galactose  -110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS	(3) 0.0004 - 0.0003 - 0.0002 - 0.00001 - 0.0000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
mutual info [bits] - 0.0000 -	Sodium Salicytate  -110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS	0.0002 - 0.0000 - 0.0
0.0003 - 0.0002 - 0.0001 - 0.0000 -	Ethanol (2.5 %)  -110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS	0.0002 - 0.00000 - 0.0000 - 0.0000 - 0.0000 - 0.0000 - 0.0000 - 0.0000 - 0.00000 - 0.0000 - 0
- 0.004 - 0.002 - 0.000 -	Stationary Phase (1d)  -110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS	0.008 - 0.006 - 0.004 - 0.002 - 0.000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
mutual info [bits] - 0.000 -	Stationary Phase (3d)  -110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS	0.006 - 0.005 - 0.004 - 0.003 - 0.0001 - 0.0001 - 0.000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
0.0006 - 0.0005 - 0.0003 - 0.0002 - 0.0000 - 0.0000 -	Cold Shock (1h at 10C)  -110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Ampicillin	$\begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \\ \\ \\ \\ \end{array} \end{array} \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \end{array} \\ \\ \\ \\ $
mutral info [bits] 0.0002 - 0.0000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Heatshock	0.00015 - 0.00005 - 0.00005 - 0.00000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
mntral iulo [pits] 0.00020 - 0.00015 - 0.00005 - 0.00000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  H2O2 (0.1mM 30min)	0.0003 - 0.0002 - 0.0000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
mutral info [bits] - 0.0000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS	0.0004 - 0.0003 - 0.0002 - 0.00001 - 0.0000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
mutal info (bits) 0.00020 - 0.00005 - 0.00000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Nirtogen starvation	$\begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \\ \\ \\ \\ \end{array} \end{array} \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \end{array} \\ \begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$
mutral info [pits] 0.0020 - 0.0005 - 0.0000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Magnesium starvation	0.0020 - 0.0015 - 0.0005 - 0.0000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
mrtnal info [bits] 0.0008 - 0.0004 - 0.0002 - 0.0000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Sulphur starvation	0.0015 - 0.0005 - 0.0005 - 0.0000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
- 0.0000 - 0.0000 - 0.0000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Sodium Salicytate (induction)	0.0008 - 0.0006 - 0.0004 - 0.0002 - 0.0000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
- 200.0 200.0 200.0 200.0	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Ampicillin (induction)	0.0005 - 0.0000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
0.00015 - 0.00010 - 0.00005 - 0.00000 - 0.00000 - 0.00003 - 0.000003 - 0.000003 - 0.000003 - 0.000003 - 0.000003 - 0.000003 - 0.000003 - 0.000003 - 0.000003 - 0.000000 - 0.000003 - 0.0000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.00000000	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Ethanol (induction)	0.0001 - 0.0000 110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
0.0003 - 0.0002 - 0.00000 - 0.000000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.000000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.000000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.000000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000000	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Glutamic acid (pH 2.5)	0.00005 - 0.00005 - 0.00000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
ts] mutual info [bits] - 0.0000 - 0.00000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Leucine (10mM)	0.0025 - 0.0000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
pits] mutual info [bits] - 200000 - 200000 - 200000 - 200000 - 200000 - 200000 - 200000 - 200000 - 200000 - 200000 - 200000 - 20000000 - 2000000 - 2000000 - 20000000 - 20000000 - 20000000 - 200000000	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  2pH (HCl)	0.0003 - 0.0000 - 0.0
- 0.002 - untral info - 0.000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Medium Cold shock 19C	0.0005 110-100-90 - 80 - 70 - 60 - 50 - 40 - 30 - 20 - 10 0 10 20 30 40 position relative to TSS
oits] - 0.00015 - 0.000000 - 0.0000000 - 0.00000000	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  2,2-Dipyridyl	0.00015 - 0.00005 - 0.00005 - 0.00000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
nfo [bits] mutual info [bits] - 0.0000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.00000000	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Phenazine Methosulfate	0.0003 - 0.0001 - 0.0000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
0.00025 - 0.00000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS	0.0000 - 0.0
	H2O2 (2.5mM, 10min)	
mutral info 0.0003 - 0.0002 - 0.0000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Gentamicin	0.0004 - 0.0003 - 0.0001 - 0.0000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
0.0004 - 0.0003 - 0.0002 - 0.0001 - 0.0000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Copper Sulfate (500μM)	0.00025 - 0.00000 110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
- 0.003 - 0.002 - 0.001 - 0.000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  HOCI (4mM)	0.0002 - 0.0000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
rts] mutual info [bits]	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Spermidine	0.00015 - 0.00005 - 0.00000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
oits] - 2000.0 mutnal info [bits] - 0000.0 mitnal info [bits]	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Serine Hydroxamate	0.0001 - 0.0000 110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
pits] 0.00015 - 0.000010 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.000000 - 0.000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.000000 - 0.0000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.0000000 - 0.0000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.00000000	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Anaerobic	90.0002 - 0.0001 - 0.0000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
pits] 0.0003 - 0.0002 - 0.00000 - 0.000000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.000000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.000000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.000000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000000	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Low Osmolarity	0.0003 - 0.0000 - 0.0
[bits] mutual info [bits] - 0.0000 - 0.0000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  LB + 0.75M NaCl	10.0003 -   0.0002 -   0.0001 -   0.0000 -   -110-100-90 -80 -70 -60 -50 -40 -30 -20 -10   0   10   20   30   40   position relative to TSS
[bits] mutual info [bits] 0.0000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.0000000 - 0.00000000	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Low Phosphate	0.0015 - 0.0010 - 0.0005 - 0.0000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
mutaal info [bits] 0.00020 - 0.00010 - 0.00005 - 0.00000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Copper Sulfate (2mM)	0.00015 - 0.00005 - 0.00005 - 0.00000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
- 2000.0   pits]   mutual info [bits]   - 1000.0   - 21	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Acetate	0.00005 - 0.00000110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
[bits] 0.0015 - 0.0000 - 0.0000 - 0.0000 - 0.0000 - 0.0000 - 0.0000 - 0.0000 - 0.0000 - 0.0000 - 0.0000 - 0.0000 - 0.000000 - 0.000000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.00000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.00000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.000000 - 0.0000000 - 0.000000 - 0.0000000 - 0.00000000	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Nitrate	0.0004 - 0.0002 - 0.0000 110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
[bits] mutual info [bits] 0.0000 - 0.0000 - 0.0000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS  Anaerobic + Nitrate	0.00015 - 0.00005 - 0.00000 110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS
- 200002 - 0.0001 - 0.0000 - 0.00000 -	-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40 position relative to TSS	0.0000 - 0.0