$yqjE_yqjK_yqjD_yqjC_predicted$

Nitrate - Acetate - Copper Sulfate (2mM) -
Copper Sulfate (2mM) -
Low Phosphate - LB + 0.75M NaCl - Low Osmolarity - Anaerobic - Serine Hydroxamate - Spermidine - HOCI (4mM) - Copper Sulfate (500µM) - Gentamicin - H2O2 (2.5mM, 10min) - Phenazine Methosulfate - 2,2-Dipyridyl - Medium Cold shock 19C - 2pH (HCl) - Leucine (10mM) - Glutamic acid (pH 2.5) - Ethanol (induction) - Ampicillin (induction) - Sodium Salicytate (induction) - Nirtogen starvation - Nirtogen starvation - Nirtogen starvation - Nirtogen starvation - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
LB + 0.75M NaCl - Low Osmolarity - Anaerobic - Serine Hydroxamate - Spermidine - HOCI (4mM) - Copper Sulfate (500µM) - Gentamicin - H2O2 (2.5mM, 10min) - Phenazine Methosulfate - 2,2-Dipyridyl - Medium Cold shock 19C - 2pH (HCl) - Leucine (10mM) - Glutamic acid (pH 2.5) - Ethanol (induction) - Ampicillin (induction) - Ampicillin (induction) - Sodium Salicytate (induction) - Magnesium starvation - Nirtogen starvation - Nirtogen starvation - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Low Osmolarity -
Anaerobic - Serine Hydroxamate - Spermidine - HOCI (4mM) - Copper Sulfate (500µM) - Gentamicin - H2O2 (2.5mM, 10min) - Phenazine Methosulfate - 2,2-Dipyridyl - Medium Cold shock 19C - 2pH (HCI) - Leucine (10mM) - Glutamic acid (pH 2.5) - Ethanol (induction) - Ampicillin (induction) - Sodium Salicytate (induction) - Magnesium starvation - Magnesium starvation - Nirtogen starvation - Nirtogen starvation - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) -
Serine Hydroxamate -
Spermidine - HOCI (4mM) - Copper Sulfate (500µM) - Gentamicin - H2O2 (2.5mM, 10min)
Spermidine - HOCI (4mM) - Copper Sulfate (500µM) - Gentamicin - H2O2 (2.5mM, 10min)
HOCI (4mM) - Copper Sulfate (500µM) - Gentamicin - H2O2 (2.5mM, 10min) - Phenazine Methosulfate - 2,2-Dipyridyl - Medium Cold shock 19C - 2pH (HCI) - Leucine (10mM) - Glutamic acid (pH 2.5) - Ethanol (induction) - Ampicillin (induction) - Sodium Salicytate (induction) - Magnesium starvation - Nirtogen starvation - Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Copper Sulfate (500µM) - Gentamicin - H2O2 (2.5mM, 10min) - Phenazine Methosulfate - 2,2-Dipyridyl - Medium Cold shock 19C - 2pH (HCl) - Leucine (10mM) - Glutamic acid (pH 2.5) - Ethanol (induction) - Ampicillin (induction) - Sodium Salicytate (induction) - Magnesium starvation - Magnesium starvation - Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Gentamicin - H2O2 (2.5mM, 10min) - Phenazine Methosulfate - 2,2-Dipyridyl - Medium Cold shock 19C - 2pH (HCl)
Phenazine Methosulfate - 2,2-Dipyridyl - Medium Cold shock 19C - 2pH (HCl) - Leucine (10mM) - Glutamic acid (pH 2.5) - Ethanol (induction) - Ampicillin (induction) - Sodium Salicytate (induction) - Sulphur starvation - Magnesium starvation - Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Phenazine Methosulfate - 2,2-Dipyridyl - Medium Cold shock 19C - 2pH (HCl) - Leucine (10mM) - Glutamic acid (pH 2.5) - Ethanol (induction) - Ampicillin (induction) - Sodium Salicytate (induction) - Sulphur starvation - Magnesium starvation - Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
2,2-Dipyridyl - Medium Cold shock 19C - 2pH (HCl) - Leucine (10mM) - Glutamic acid (pH 2.5) - Ethanol (induction) - Ampicillin (induction) - Sulphur starvation - Magnesium starvation - Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
2,2-Dipyridyl - Medium Cold shock 19C - 2pH (HCl) - Leucine (10mM) - Glutamic acid (pH 2.5) - Ethanol (induction) - Ampicillin (induction) - Sulphur starvation - Magnesium starvation - Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
2,2-Dipyridyl - Medium Cold shock 19C - 2pH (HCl) - Leucine (10mM) - Glutamic acid (pH 2.5) - Ethanol (induction) - Ampicillin (induction) - Sulphur starvation - Magnesium starvation - Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Medium Cold shock 19C - 2pH (HCl) - Leucine (10mM) - Glutamic acid (pH 2.5) - Ethanol (induction) - Ampicillin (induction) - Sodium Salicytate (induction) - Sulphur starvation - Magnesium starvation - Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
2pH (HCl) - Leucine (10mM) - Glutamic acid (pH 2.5) - Ethanol (induction) - Ampicillin (induction) - Sodium Salicytate (induction) - Sulphur starvation - Magnesium starvation - Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Leucine (10mM) - Glutamic acid (pH 2.5) - Ethanol (induction) - Ampicillin (induction) - Sodium Salicytate (induction) - Sulphur starvation - Magnesium starvation - Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Glutamic acid (pH 2.5) - Ethanol (induction) - Ampicillin (induction) - Sodium Salicytate (induction) - Sulphur starvation - Magnesium starvation - Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Ethanol (induction) - Ampicillin (induction) - Sodium Salicytate (induction) - Sulphur starvation - Magnesium starvation - Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Ampicillin (induction) - Sodium Salicytate (induction) - Sulphur starvation - Magnesium starvation - Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Sodium Salicytate (induction) - Sulphur starvation - Magnesium starvation - Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Sulphur starvation - Magnesium starvation - Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Magnesium starvation - Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Nirtogen starvation - LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
LB - H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
H2O2 (0.1mM 30min) - Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Heatshock - Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Ampicillin - Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Cold Shock (1h at 10C) - Stationary Phase (3d) - Stationary Phase (1d) -
Stationary Phase (3d) - Stationary Phase (1d) -
Stationary Phase (1d) -
Ethanol (2.5 %) -
Sodium Salicytate -
Galactose -
Arabinose -
Xylose -
Glucose
-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40
120 120 70 00 70 00 10 10 10 10 10 10