

Red Pick Music — Lesson Portal

Project Handover Document

Last updated: May 2026

What This Is

A web-based lesson management portal for Red Pick Music (guitar lessons).

Built as a single HTML file that connects to Google Apps Script, which reads/writes:

- **Google Calendar** (RPM - Weekly, RPM - Biweekly, RPM - Trial)
 - **Students Google Sheet** (one tab per student, logs lessons and payments)
 - **RPM Counter Sheet** (tracks lesson cycle counts)
 - **Gmail** (reads trial lesson inquiry emails)
-

Current File Structure

Right now everything lives in **one HTML file** (`portal.html`) plus the Apps Script (`code.gs`).

```
project/
├── portal.html      ← entire frontend (HTML + CSS + JS)
├── code.gs          ← Google Apps Script (backend)
├── assets/
│   └── Portal Logo.png
```

Planned Refactor Structure

When ready to split into multiple files (for GitHub Pages hosting):

```

red-pick-portal/
|
├─ index.html          ← structure only, loads all scripts/css
|
├─ core/               ← SHARED WAREHOUSE (all tabs depend on this)
|   └─ state.js        ← shared data: weekStudents, loggedKeys, lessonCounts,
etc.
|   └─ api.js          ← all fetch calls to Apps Script
|   └─ storage.js      ← localStorage logic (week key, logged tracking)
|   └─ utils.js        ← helpers: isReal, formatEventDate, playBeep, addLog
|
├─ tabs/               ← ONE FILE PER TAB (independent)
|   └─ lessons.js      ← Lessons tab (today grid, week pills, log panel, mic)
|   └─ payments.js     ← Payments tab
|   └─ past.js         ← Past tab
|   └─ week.js         ← Week tab
|   └─ general.js      ← General tab
|   └─ financial.js    ← Financial tab (in development)
|   └─ inquiries.js    ← Inquiries tab
|
├─ css/
|   └─ styles.css      ← all CSS
|
└─ assets/
    └─ Portal Logo.png

```

Load Order in index.html

html

```

<link rel="stylesheet" href="css/styles.css">

<!-- Core first - tabs depend on these -->
<script src="core/state.js"></script>
<script src="core/storage.js"></script>
<script src="core/utils.js"></script>
<script src="core/api.js"></script>

<!-- Tabs after -->
<script src="tabs/lessons.js"></script>
<script src="tabs/payments.js"></script>
<script src="tabs/past.js"></script>
<script src="tabs/week.js"></script>
<script src="tabs/general.js"></script>
<script src="tabs/financial.js"></script>
<script src="tabs/inquiries.js"></script>

```

The Golden Rule

| Tabs read from core. Core never imports from tabs. One-way dependency only.

Adding a New Data Source (Sheet, Email, etc.)

When a new Google Sheet or data source is added:

1. Add the fetch call in `core/api.js`
 2. Add any new shared state in `core/state.js`
 3. Create a new tab file in `tabs/` if needed
 4. No existing tab files need to change
-

Data Sources

Source	Type	Used By
Google Calendar (RPM - Weekly/Biweekly/Trial)	Calendar	Lessons, Week, General tabs
Students Sheet (<code>SHEET_ID</code>)	Google Sheets	Lessons (log), Past, Payments tabs
RPM Counter Sheet (<code>CYCLE_SHEET_ID</code>)	Google Sheets	Lessons tab (cycle badge)

Source	Type	Used By
Gmail (subject: "TRIAL LESSON")	Email	Inquiries tab
(planned) New Sheet	Google Sheets	TBD

Apps Script Actions

All actions are called via GET request: `[SCRIPT_URL]?action=ACTION_NAME¶m=value`

Action	Description
<code>getWeekStudents</code>	All calendar events Mon-Sun, no dedup
<code>getTodayStudents</code>	Today's calendar events only
<code>getAllStudents</code>	All sheet names (student list)
<code>logLesson</code>	Write lesson to student sheet
<code>logTrial</code>	Write trial lesson to student sheet
<code>logPaymentNote</code>	Mark payment + add note
<code>getPastLessons</code>	Last N lessons for a student
<code>getStudentLoad</code>	Weekly/biweekly counts + income calc
<code>getInquiries</code>	Trial inquiry emails from Gmail
<code>getCycleCounters</code>	Lesson cycle counts from RPM sheet

Key Frontend Logic

Logged State (localStorage)

- Key format: `logged_YYYY-MM-DD` (using that week's Monday date)
- Value: JSON object `{ "StudentName||2026-05-19": true, ... }`
- Resets automatically each Monday (new key = clean slate)
- Used to hide already-logged students from pills/grid on refresh

Week Pills (This Week section)

- Shows all students Mon-Sun EXCEPT today's (today = shown in Today grid)
- Sorted chronologically by event date
- Gray style for past unlogged days
- Disappear when logged

Today Grid

- Only shows students whose calendar event is today
- Gold/yellow color theme
- Disappear when logged

Tabs Overview

Tab	Status	Purpose
Lessons	☒ Active	Main logging tab — today grid + week pills + mic recording
Payments	☒ Active	Log payment notes per student
Past	☒ Active	View last 4 lessons for any student
Week	☒ Active	Full week view grouped by day
General	☒ Active	Student load stats + income
Financial	☐ Planned	Financial tracking (coming soon)
Inquiries	☒ Active	Trial lesson inquiry emails
(new tabs)	☐ Planned	TBD

Design System

Token	Value	Used For
--bg	☒ #0f0f0f	Page background

Token	Value	Used For
--surface	 #1a1a1a	Cards, panels
--surface2	#222	Inputs, nested surfaces
--accent	 #e8463a	Red — primary accent, active tabs
--accent2	 #f0a500	Gold — today buttons, dates
--green	 #2ecc71	Logged/paid state
--blue	 #4a9eff	Trial students
--muted	#555	Inactive text
--border	 #2a2a2a	Borders

Fonts:

- Bebas Neue — logo/headers
- Syne — student names, card titles
- DM Mono — everything else (monospace data)

Hosting

- **Current:** Single HTML file opened directly in browser
- **Planned:** GitHub Pages (free) — enables multi-file structure
- Apps Script URL stored in localStorage under key scriptUrl
- Settings accessible via ⚙ gear icon at bottom of page

Working on a Specific Tab (After Refactor)

1. Open a new chat
2. Paste only the relevant tab file (e.g. tabs/payments.js)
3. Make fixes
4. Copy result back into that file only
5. Nothing else breaks