Q. What is GitHub?

Ans: GitHub is code repositary tool.

Q. What is mean by repositary?


Ans: It is a memory or storage place where all project related files are maintained.

.html files, .css files, .xml files, .js files, .properties .java,.c files,

We have different code repositary tool lik -SVN, GitHub, BitBucket, IBM Relational

Rational Case(CC), Accurev


GitHub Architecture / Git Flow



- 1) Create an Empty Folder --> Git_work_space
- 2) Mark this Folder as git folder or Local Repositary through the git bash command

Open git bash and type git init command and press enter

Ones this command executed successfully then one new folder get created named with .git



- 2. Create 2/3 Text Files like Abc.txt, Fiel1.txt, File2.txt
- 3. Then check git repositary status using git status command after executing git status command we will get repositary status and in that status following information will display
 - i) Untracked Files > The files which are modified or newly added Al these Untracked Files are displyed in Red color
 - ii) Staged files or Tracked files --> Files present in staging area.

 The files which are present in staging area are displayed in green color

The files which are Untracked those files we can add into staging area by using git add command and syntax of git add command is as below

Syntax

git add File_name

Example

git add Abc.txt

git add --all

```
To send files from staging area to Local Repositary

1) to send files from staging area to local repositary we use command git commit

Syntax: -> git commit -m "Commit Message"

Example: -> git commit -m "My initial commit"

Ones this command executed all staging area files get added into local repositary
```

```
To send files from Local Repositary to Central or Remote Repositary or Git Hub

Case 1: If we have created local repositary manually using git init command and if you are sending local repositary files into Remote Repositary first time then use below command

git remote add origin Remote_repositary_url

Example :

git remote add origin https://github.com/rrd-tnp/demo-01.git

Above command create link between local repositary and Remote Rpositary

But actual files get pushed using below command

git push -u origin master
```

```
From second time onwords if we want to send local repositary files to Remote repositary then use push command syntax:
git push
```

If we are unable to pus files into central repository then we need to do some configuration like user name configuration and email configuration to configure user name then use below command

```
To configure user name

git config --global user.name "rrd-tnp"

To configure email

git config --global user.email "MY_NAME@example.com"
```