



## About

This chatbot uses **RAG (Retrieval-Augmented Generation)** with Azure OpenAI and FAISS to answer medical FAQs.

## Settings

Number of documents to search:



Clear Chat History

 **Disclaimer:** This chatbot is for *informational purposes only* and not a substitute for professional medical advice.



# RAG-based Medical FAQ Chatbot

Get quick, factual answers to your medical questions

What foods are good for heart health

Foods that are good for heart health include:

- **Fat-free or low-fat dairy products:** Examples include skim milk and low-fat yogurt.
- **Fish high in omega-3 fatty acids:** Salmon, tuna, and trout are excellent choices, and it's recommended to eat them about twice a week.
- **Fruits:** Apples, bananas, oranges, pears, prunes, and other fresh fruits are heart-healthy options.
- **Legumes:** Kidney beans, lentils, chickpeas, black-eyed peas, and lima beans are rich in fiber and beneficial for heart health.
- **Vegetables:** Broccoli, cabbage, carrots, and other nutrient-rich veggies support cardiovascular health.
- **Whole grains:** Foods like oatmeal, brown rice, and corn tortillas are good sources of fiber and nutrients that help maintain a healthy heart.

Additionally, you should avoid certain foods, such as:

- A lot of red meat
- Palm and coconut oils

- Sugary foods and beverages
- Foods high in saturated fat, which mostly come from animal products

By focusing on these heart-healthy options, you can support and maintain cardiovascular health effectively!

### What are the early symptoms of diabetes

The early symptoms of diabetes can be mild and sometimes go unnoticed. Common early signs include:

- **Extreme thirst** (being very thirsty)
- **Frequent urination**
- **Feeling very hungry** even after eating
- **Fatigue** or feeling very tired
- **Unexplained weight loss**
- **Sores that heal slowly**
- **Dry, itchy skin**
- **Loss of feeling or tingling in the feet**
- **Blurry eyesight**

It's worth noting that some people with diabetes may have no noticeable symptoms, especially in the case of type 2 diabetes, which can develop gradually. If you suspect you might have diabetes or are experiencing these symptoms, it's important to consult a healthcare professional for evaluation and testing.

### Can children take paracetamol

Yes, children can safely take paracetamol (also known as acetaminophen) to treat pain or fever,

but there are specific guidelines and precautions to follow:

## Guidelines for Children:

1. **Correct Dosage:** The dosage must be appropriate for the child's age and weight. Always check the label or consult a healthcare provider to ensure the correct dose.
2. **Formulation:** Paracetamol comes in various forms, including liquid suspensions, chewable tablets, and suppositories. Choose the form that is easiest for the child to take.
3. **Age Restrictions:** Paracetamol is generally safe for children over 2 months old, but for infants under 3 months, consult a doctor before giving it.
4. **Frequency:** Paracetamol can usually be given every 4 to 6 hours, but no more than 4 doses in 24 hours. Avoid giving a higher dose or more frequent doses than recommended.
5. **Avoid Overdosing:** Too much paracetamol can be harmful or even cause liver damage. Ensure you're not combining it with other medications that also contain paracetamol.

## Precautions:

- **Read Labels Carefully:** Ensure you are using a formulation designed for children and follow the instructions.
- **Use a Measuring Device:** Use the provided measuring cup or oral syringe for liquid forms to ensure accuracy.
- **Avoid Mixing Medications:** Do not give paracetamol alongside other medications containing paracetamol or acetaminophen to prevent accidental overdose.

- **Consult a Doctor:** If the child's symptoms persist after 48 hours, or if you are unsure about the dosage, consult a healthcare provider.

By adhering to these guidelines and precautions, paracetamol can be a safe and effective option for managing pain or fever in children.

Ask a medical question...

