

Report for Debadrita(12Y/F)

Tests asked Crp, Hemogram - 6 Part (Diff) + 2 Others

Test date 17 Oct 2024

Report status Complete Report



6^{STEP} quality control to ensure 100% report accuracy



Qualified and trained technicians



Temperature-controlled containers to store samples



Strict quality checks on samples before processing



Regular monitoring of lab analyzers by experts



Assured machine inspection on a daily basis



Verified reports by qualified pathologists



25+ Years of Trust & Experience



NABL Accredited Labs



100+ Crore Samples Processed

Name : DEBADRITA(12Y/F)

Ref. By : SELF

ADDRESS :

A5-026 DLF WESTEND HIGHTS NEW TOWN
AKSHYA NAGAR NEAR CENTRAL SILK BOARD
BENGALURU

Report Availability Summary

☒ Full Report Available**Note :** This is summary page. Please refer to the table below for the details

Test	Report Status
C-REACTIVE PROTEIN (CRP)	☒ Available
COMPLETE URINE ANALYSIS	☒ Available
DENGUE NS1 ANTIGEN RAPID TEST	☒ Available
HEMOGRAM - 6 PART (DIFF)	☒ Available

NAME : DEBADRITA(12Y/F)
REF. BY : SELF
TEST ASKED : COMPLETE URINE ANALYSIS,CRP,HEMOGRAM,DGNS1

HOME COLLECTION :
A5-026 DLF WESTEND HIGHTS NEW TOWN
AKSHYA NAGAR NEAR CENTRAL SILK BOARD
BENGALURU

TEST NAME	TECHNOLOGY	VALUE	UNITS
C-REACTIVE PROTEIN (CRP)	IMMUNOTURBIDIMETRY	2.12	mg/L

Bio. Ref. Interval. :-

Acute phase determination : < 5 mg/L

Clinical Significance:

It's a protein present in the sera of acutely ill patients that bound cell wall C-polysaccharide of streptococcus pneumoniae and agglutinates the organisms. CRP is one of the strongest acute -phase reactants, with plasma concentrations rising up after myocardial infarction, stress, trauma, infection, inflammation, surgery, or neoplastic proliferation.

Concentrations >5 mg/L suggest the presence of an infection or inflammatory process. Concentrations are generally higher in bacterial than viral infection. The increase in peak is proportional to tissue damage. Determination of CRP is clinically useful to screen activity of inflammatory diseases such as rheumatoid arthritis; SLE;Leukemia;after surgery;to detect rejection in renal allograft recipients;to detect neonatal septicemia and meningitis. However, it is a nonspecific marker and cannot be interpreted without other clinical information.


Reference:

Tietz Textbook of clinical chemistry and molecular diagnosis fifth edition chapter 21 P538-539

Please correlate with clinical conditions.

Method:- FULLY AUTOMATED LATEX AGGLUTINATION – BECKMAN COULTER

Sample Collected on (SCT) : 16 Oct 2024 18:15
Sample Received on (SRT) : 17 Oct 2024 09:51
Report Released on (RRT) : 17 Oct 2024 11:30
Sample Type : SERUM
Labcode : 1710040075/DG007
Barcode : CW279486



Dr Ishant Anand MD(Path)

NAME : DEBADRITA(12Y/F)
REF. BY : SELF
TEST ASKED : COMPLETE URINE ANALYSIS,CRP,HEMOGRAM,DGNS1

HOME COLLECTION :
 A5-026 DLF WESTEND HIGHTS NEW TOWN
 AKSHYA NAGAR NEAR CENTRAL SILK BOARD
 BENGALURU

TEST NAME	TECHNOLOGY	VALUE
DENGUE NS1 ANTIGEN RAPID TEST	IMMUNOASSAY	NEGATIVE

Positive : Presence of Dengue Ns1 Antigen
 Negative : Absence of Dengue Ns1 Antigen

Clinical Significance :

1. This is a screening and Qualitative test and a positive report does not confirm diagnosis. All positive cases should be verified by confirmatory methods like ELISA.
2. A false negative test can be seen in early course of the disease
3. The tests should be interpreted in conjunction with patient's clinical history and other findings
4. All positive tests should be reconfirmed after 7-10 days of fever onset with Dengue IgG and IgM test
5. Dengue NS1 antigen can be detected in first five days of fever.

Sensitivity : 92.9% ; Specificity : 98.7%

References :


Dengue Guidelines for Diagnosis and treatment, prevention and control. WHO . New edition 2009"

Note: This is a screening test and a positive report does not confirm diagnosis. All positive cases should be verified by confirmatory methods.

Please correlate with clinical conditions.

Method:- RAPID IMMUNOCHROMATOGRAPHIC ASSAY

Sample Collected on (SCT) : 16 Oct 2024 18:15
Sample Received on (SRT) : 17 Oct 2024 09:51
Report Released on (RRT) : 17 Oct 2024 11:30
Sample Type : SERUM
Labcode : 1710040075/DG007
Barcode : CW279486



Dr Ishant Anand MD(Path)

Page : 2 of 5

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd

NAME : DEBADRITA(12Y/F)
REF. BY : SELF
TEST ASKED : COMPLETE URINE ANALYSIS,CRP,HEMOGRAM,DGNS1

HOME COLLECTION :
A5-026 DLF WESTEND HIGHTS NEW TOWN
AKSHYA NAGAR NEAR CENTRAL SILK BOARD
BENGALURU

TEST NAME	METHODOLOGY	VALUE	UNITS	Bio. Ref. Interval.
HEMOGLOBIN	SLS-Hemoglobin Method	12.3	g/dL	11.5-15.5
Hematocrit (PCV)	CPH Detection	40.7	%	35.0-45.0
Total RBC	HF & EI	4.02	X 10 ⁶ /μL	4.0-5.2
Mean Corpuscular Volume (MCV)	Calculated	<u>101.2</u>	fL	77.0-95.0
Mean Corpuscular Hemoglobin (MCH)	Calculated	30.6	pq	25.0-33.0
Mean Corp.Hemo. Conc (MCHC)	Calculated	<u>30.2</u>	g/dL	31.0-37.0
Red Cell Distribution Width - SD (RDW-SD)	Calculated	<u>50.4</u>	fL	39-46
Red Cell Distribution Width (RDW - CV)	Calculated	13.4	%	11.6-14.0
TOTAL LEUCOCYTE COUNT (WBC)	HF & FC	5.02	X 10 ³ / μL	5.0- 13.0
DIFFERENTIAL LEUCOCYTE COUNT				
Neutrophils Percentage	Flow Cytometry	74.3	%	40-75
Lymphocytes Percentage	Flow Cytometry	<u>15.7</u>	%	25-54
Monocytes Percentage	Flow Cytometry	9.4	%	2-10
Eosinophils Percentage	Flow Cytometry	<u>0.2</u>	%	1-6
Basophils Percentage	Flow Cytometry	0.2	%	0-1
Immature Granulocyte Percentage (IG%)	Flow Cytometry	0.2	%	0.0-0.4
Nucleated Red Blood Cells %	Flow Cytometry	0.01	%	0.0-5.0
ABSOLUTE LEUCOCYTE COUNT				
Neutrophils - Absolute Count	Calculated	3.74	X 10 ³ / μL	2.0-8.0
Lymphocytes - Absolute Count	Calculated	<u>0.79</u>	X 10³ / μL	1.0-5.0
Monocytes - Absolute Count	Calculated	0.47	X 10 ³ / μL	0.2-1.0
Basophils - Absolute Count	Calculated	0.01	X 10 ³ / μL	0.01-0.1
Eosinophils - Absolute Count	Calculated	<u>0.01</u>	X 10³ / μL	0.1-1.0
Immature Granulocytes (IG)	Calculated	0.01	X 10 ³ / μL	0.0-0.3
Nucleated Red Blood Cells	Calculated	0.01	X 10 ³ / μL	0.0-0.5
PLATELET COUNT	HF & EI	<u>159</u>	X 10³ / μL	170-450
Mean Platelet Volume (MPV)	Calculated	<u>13.1</u>	fL	7.5-8.3
Platelet Distribution Width (PDW)	Calculated	<u>18.4</u>	fL	9.6-15.2
Platelet to Large Cell Ratio (PLCR)	Calculated	<u>49.6</u>	%	19.7-42.4
Plateletcrit (PCT)	Calculated	0.21	%	0.19-0.39

Clinical history is asked for all the relevant abnormalities detected and in absence / failure of receiving of clinical history, results are rechecked twice and released. Advised clinical correlation.

Method : Fully automated bidirectional analyser (6 Part Differential SYSMEX XN-1000)

(Reference : *FC- flowcytometry, *HF- hydrodynamic focussing, *EI- Electric Impedence, *Hb- hemoglobin, *CPH- Cumulative pulse height)

Sample Collected on (SCT) : 16 Oct 2024 18:15
Sample Received on (SRT) : 17 Oct 2024 09:52
Report Released on (RRT) : 17 Oct 2024 11:53
Sample Type : EDTA Whole Blood
Labcode : 1710065074/DG007
Barcode : CV792818



Dr Ishant Anand MD(Path)

Page : 3 of 5

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd

NAME : DEBADRITA(12Y/F)
REF. BY : SELF
TEST ASKED : COMPLETE URINE ANALYSIS

HOME COLLECTION :
A5-026 DLF WESTEND HIGHTS NEW TOWN AKSHYA
NAGAR NEAR CENTRAL SILK BOARD BENGALURU

TEST NAME	METHODOLOGY	VALUE	UNITS	Bio. Ref. Interval.
Complete Urinogram				
<u>Physical Examination</u>				
VOLUME	Visual Determination	3	mL	-
COLOUR	Visual Determination	PALE YELLOW	-	Pale Yellow
APPEARANCE	Visual Determination	CLEAR	-	Clear
SPECIFIC GRAVITY	pKa change	1.01	-	1.003-1.030
PH	pH indicator	6	-	5-8
<u>Chemical Examination</u>				
URINARY PROTEIN	PEI	ABSENT	mg/dL	Absent
URINARY GLUCOSE	GOD-POD	ABSENT	mg/dL	Absent
URINE KETONE	Nitroprusside	ABSENT	mg/dL	Absent
URINARY BILIRUBIN	Diazo coupling	ABSENT	mg/dL	Absent
UROBILINOGEN	Diazo coupling	Normal	mg/dL	<=0.2
BILE SALT	Hays sulphur	ABSENT	-	Absent
BILE PIGMENT	Ehrlich reaction	ABSENT	-	Absent
URINE BLOOD	Peroxidase reaction	ABSENT	-	Absent
NITRITE	Diazo coupling	ABSENT	-	Absent
LEUCOCYTE ESTERASE	Esterase reaction	ABSENT	-	Absent
<u>Microscopic Examination</u>				
MUCUS	Microscopy	ABSENT	-	Absent
RED BLOOD CELLS	Microscopy	ABSENT	cells/HPF	0-5
URINARY LEUCOCYTES (PUS CELLS)	Microscopy	ABSENT	cells/HPF	0-5
EPITHELIAL CELLS	Microscopy	6	cells/HPF	0-5
CASTS	Microscopy	ABSENT	-	Absent
CRYSTALS	Microscopy	ABSENT	-	Absent
BACTERIA	Microscopy	ABSENT	-	Absent
YEAST	Microscopy	ABSENT	-	Absent
PARASITE	Microscopy	ABSENT	-	Absent

(Reference : *PEI - Protein error of indicator, *GOD-POD - Glucose oxidase-peroxidase)

~~ End of report ~~

Sample Collected on (SCT) : 16 Oct 2024 18:15
Sample Received on (SRT) : 17 Oct 2024 09:52
Report Released on (RRT) : 17 Oct 2024 10:47
Sample Type : URINE
Labcode : 1710065096/DG007
Barcode : CV094598




Dr Ishant Anand MD(Path)

Page : 4 of 5

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd

CONDITIONS OF REPORTING


- ✓ The reported results are for information and interpretation of the referring doctor only.
- ✓ It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- ✓ Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- ✓ Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- ✓ Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- ✓ This report is not valid for medico-legal purpose.
- ✓ Docon Technologies Private Limited,Thyrocare Technologies Limited and its employees/representatives do not assume any liability,responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.

EXPLANATIONS

- ✓ **Name** - The name is as declared by the client and recorded by the personnel who collected the specimen.
- ✓ **Ref.By** - The name of the doctor who has recommended testing as declared by the client.
- ✓ **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- ✓ **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- ✓ **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- ✓ **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- ✓ **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- ✓ **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- ✓ Values out of reference range requires reconfirmation before starting any medical treatment.
- ✓ Retesting is needed if you suspect any quality shortcomings.
- ✓ For suggestions, complaints or feedback, write to us at grievance-office@docon.co.in or call us on 7022000900.



The advertisement banner for PharmEasy features a central image of a smiling male delivery person in a blue uniform and cap, giving a thumbs up while holding a PharmEasy delivery card. The background is split into teal and yellow sections. On the teal side, the PharmEasy logo is at the top, followed by the slogan 'Here's to a healthier you!'. Below this, it says 'Order Medicines from PharmEasy,' and then a large yellow box highlights 'GET FLAT 25% OFF + FREE DELIVERY' with a plus sign icon. Underneath, it specifies 'on first 3 medicine orders' and provides a code box: 'Use code: 25GET'. On the yellow side, it says 'Download the app' and shows 'Available on the App Store' and 'GET IT ON Google Play' buttons. Below these is an 'OR' separator, followed by 'Scan the QR code' and a large QR code. At the bottom right, small text reads '*T&C Apply | Min. order value ₹1000'.