RRAZ Depth

Photographer's notes · draft placeholder · Affinity 3 · version 1.0.0

> **These notes are not written yet.**
> This placeholder exists so that the link from the release and the filter list works, and so the folder can be checked end to end before the notes are finished. It will be replaced; the file name stays the same.

What the filter does

Depth takes the active 16-bit pixel layer and replaces it with a 16-bit greyscale depth map of the same size. The map is produced on this computer's processor, with no upload and no account.

Before you run it

- Duplicate the layer first: the filter replaces the pixels it is given, and the original is not kept.
- The layer must be 16-bit (**RGB (16 bit)** or **Grey (16 bit)**). On 8-bit or 32-bit documents the menu entry is greyed out; if it runs anyway the layer becomes flat mid-grey, which is a refusal, not a result.
- Installation, the Affinity folder and the full checklist are in the installation sheet, not in these notes.

What the finished notes will cover

- Reading the map: what the brightness means and which way round it runs.
- Using it as a mask or a correction layer at partial opacity.
- Where it helps: separation, atmospheric depth, replacing a sky, and where it does not.
- Working size, running time on the processor, and what changes on a very large layer.
- Worked examples on real photographs.

Where things are

- Plug-in folder: `%LOCALAPPDATA%\RRAZ\Affinity`
- Engine: `%LOCALAPPDATA%\RRAZ\Depth`
- Log: `%LOCALAPPDATA%\RRAZ\Affinity\depth.log`
- All RRAZ filters, sheets and images: https://github.com/RRaz/Filters/