



Tehisarukas
vabakond:
võimendus või
müra?





CLEAN
ENERGY
CLEAN AIR
BRIGHTER
TOMORROW


PEOPLE
NATURE
TECHNOLOGY
A BRIGHTER
TOMORROW

A CLEANER
KINDER
BRIGHTER
TOMORROW


GREENER
HEALTHIER
HAPPIER
STRONGER
TOGETHER

A CLEANER
KINDER
BRIGHTER
TOMORROW

Figure 1. Monthly Submission Volume at *Organization Science* from January 2013 Until the End of 2025



Note. The dashed vertical line marks the launch of ChatGPT in November 2022 and the start of the COVID-19 pandemic in March 2020.




Kogemused tehisaru kasutamisel

- Kui palju olete kasutanud?
- Milleks?
- Mis on olnud kasulik ja mis puudulik?


Kus tehisaru võib olla kasulik?

UNIVERSAALNE




Põhimõtteid

- säilita oma agentsus
 - sina vastutad
 - tähelepanu, püsivus
- kasuta teadlikult
- kvaliteet loeb
- ole andmete omanik
- ole valmis kasutama uusi tööriistu
- infoturve pole kadunud
 - promptisüst
- kas mina kasutan või mind kasutatakse?



Kui tahad katsetada

- Tee teadlik valik:
 - Kuhu läheb palju aega?
 - Kus on suured riskid?
 - Mida tehakse regulaarselt ja on tüütu?
 - Mida me peame tegema, aga ei jõua?
 - Kus on mõttekas automatiseerida?
 - Mis on sinu unikaalne väärtus?
- Eksperimenteeri




Praktilisi nippe

- agendid, skillid, pluginad ja MCPd
- halda ise oma skille ja vajalikke prompte jne
- Eesti MCPd ja skillid:

<https://amperly.com/eesti-mcp-skills/>

Allikas:


<https://www.dailydoseofds.com/p/visual-guide-to-model-context-protocol-mcp/>



Veel praktilisi nippe

- planeeri enne tegemist
- valideeri (vahe)tulemusi
- vali mudel ning *reasoning effort* vastavalt ülesandele

Illustrative Daily Cost by Latest Observed Model Variant
(10M input + 2M output tokens)



Allikas: <https://www.silicondata.com/use-cases/anthropic-claude-api-pricing-2026>

Ideid, kus kasutada

- koodi genereerimine
- andmete analüüs
- suurtest andmehulkadest info otsimine, kokkuvõtmine
- rutiinsed tööd
 - aruannete täitmine, kokkuvõtete tegemine
- töö kontrollimine
- mõtete põrgatamine vastu teist rolli
- bürokraatiast arusaamine ja tootmine
- õppimine
 - aktiivne õpipartner
 - uuest valdkonnast kiire ülevaate saamine
- NB! kvaliteet sõltub sinu oskuste tasemest

Näiteid




- maakasutuse analüüs:

<https://medium.com/@ristohinno/maakasutuse-optimeerimine-d6f21d1ff520>

- toidujulgeolek:

<https://medium.com/@ristohinno/toidujulgeoleku-men%C3%BC%C3%BC-a9b4fde6272e>

Configurations of firm, worker(s), and agent

#	Configuration	Description
1		Delegation. The worker hands a task to an agent she directs, and checks the result.
2		Automation of existing work. The firm runs the agent directly, on work people already do.
3		Automation of new work. The firm runs the agent directly, on work no human was doing.
4		Augmentation of existing work. The worker and an agent do a task together, in the loop.
5		Augmentation into new work. The same, on work no human was doing.
6		Teammate. The manager directs the worker and the agent separately; the two then work as peers. The agent's line to management is its own, not the worker's.
7		Ambient agent. The firm deploys the agent across the whole workspace. It automatically provides help and context by observing what the workers are doing, without needing to be explicitly invoked .
8		Algorithmic management. The agent stands between the firm and the worker, directing and evaluating the work.
9		Portable human capital. The worker uses agent for upskilling, with no employer in the picture.
10		Mediation / collective intelligence. The agent helps the team collaborate better with each other.
11		Exception handling. The agent does the routine work and escalates what it cannot handle.

Allikas:

<https://lnkd.in/p/dNeuhwJW>