

AUTHORIZED PRODUCT PREVIEW / 14 SEPTEMBER 2026

FREIGHT DECISIONS. BACKED BY CARBON DATA.

A cinematic product experience for India's sustainability and supply-chain teams.




FIG. 01 Production-build desktop and mobile captures. The opening connects a freight story to a working decision; the narrow layout gives the estimator priority.

4 story chapters / 4 transport modes / 501 company records

I built a cinematic landing page around a working shipment-analysis product. The visual revision brings calculation, comparison and evidence into the opening while preserving the company directory, analysis workspace, API and reporting workflow.

Company names come from the official NIFTY 500 snapshot. Scenario activity is synthetic; company selection does not imply a customer relationship or actual company emissions.

02 / DESIGN & ENGINEERING

TRY THE PRODUCT. KEEP THE CONTEXT.

The landing offers a useful first decision, then opens the evidence behind it.




FIG. 02 Production-build landing analytics and the existing public workspace expose the same synthetic FMCG sample at different levels of detail.

Follow the story. Connect, Measure, Compare and Report chapters link inputs to a baseline, an alternative and reporting evidence. Pause and manual chapter selection keep the pace in the visitor's hands.

Carry the decision forward. Freight weight, distance and rail share recalculate immediately. The primary CTA carries all three through the URL into an editable monthly road baseline and its mode-shift comparison.

Inspect the detail. Sector examples show calculated shipment legs and mode contributions. The landing report switches between modes and months, with exact chart data available before opening the full workspace.

Motion pauses when the hero leaves view or the tab is hidden. Reduced-motion and supported data-saving preferences use manual playback. Native inputs, keyboard tabs and visible focus support access.

03 / DESIGN & ENGINEERING

FROM SHIPMENT ROWS TO EVIDENCE.

The demonstration does real calculation work, with explicit validation and a reporting trail.




FIG. 03 Production-build pipeline, with the valid sample completed. The missing-load control lets the visitor inspect how an exception changes the total.

Validate. Toggle a missing load, then run the three-row sample. The complete two-leg shipment is excluded until corrected. The calculation trail shows accepted rows and validation exceptions.

Calculate. Each accepted leg uses tonnes × kilometres × a published WTW factor. The full browser and API engines share unrounded TypeScript calculations; accepted legs aggregate by mode, month and subsidiary.

Export. Filtered results become CSV, a PDF report and a Power BI import pack. The files preserve factor context and active filters. The pack is an import workflow, not a live Power BI connection.

Methodology boundary: GLEC v3.2 defaults support scenario estimates. This separate demo engine is not the certified TEM T product, a carrier measurement system or a complete corporate inventory.

04 / DESIGN & ENGINEERING

BUILT TO BE INSPECTED.

A small, transparent architecture keeps the landing immediate and makes the server-side work demonstrable.

01 / Static frontend. Next.js, React and Tailwind export to Render's CDN. Local image and font assets, CSS animation, SVG scenes, Recharts and Lucide shape the experience.

02 / Stateless API. Express processes requested analyses in memory, with request limits, validation and CORS. It does not persist shipments or log request bodies.

03 / Shared calculator. One versioned package serves the browser and API. If the free backend is waking, local processing remains available and its origin is shown.

Verification	Observed result
Automated tests	112 passed
TypeScript and source integrity	Passed
Production frontend and API builds	Passed
Live server analysis	Exact 1-leg parity; 1.82 ms engine
Lighthouse performance	100 desktop / 91 mobile
Lighthouse accessibility	100 desktop / 100 mobile
Largest contentful paint	0.6 s desktop / 2.9 s mobile
Total blocking time	0 ms desktop / 50 ms mobile
Cumulative layout shift	0 desktop / 0 mobile

Results describe the tested build and conditions. They are not an uptime SLA, a latency guarantee or evidence of customer emissions reductions.

Lighthouse 13.4.1 on the public site, 14 September 2026. Mobile: simulated 4× CPU slowdown, 150 ms RTT. Project performance floors of 95 desktop and 90 mobile were met. These are lab observations, not field measurements.

Warm quick-scenario API: 66,300 kgCO_{2e}; 112.83 ms including response transfer, 1.82 ms engine. Exact client/server parity. Initial health request: 23.25 s with unknown prior idle time, not a controlled cold-start test.

Release engineering: locked dependencies, a retained NSE source snapshot, pinned CI actions and separate Render services keep the implementation reproducible.

[View the successful CI run for the validated release](#)

05 / DESIGN & ENGINEERING

A PRODUCT CONVERSATION, READY TO OPEN.

The handoff includes the live experience, editable source and concrete examples of the reporting workflow.

[Live product: temt-iimb-sample.onrender.com](https://temt-iimb-sample.onrender.com)

[Explore the working scenario](#)

[Download the sample PDF report](#)

[Download the Power BI import pack](#)

[Download the sample shipment CSV](#)

[Review the source repository](#)

THE DECISIONS THAT MATTER

Personalization with clear boundaries. Real company names make the demonstration relevant. Synthetic labels prevent example activity from looking like confidential company data.

A traceable commercial story. Institutional references open the original evidence. Product verification is scoped to its published version, while demonstration factors and assumptions remain inspectable.

An expressive, useful opening. Four chapters make the freight story visible. The estimator stays usable while the scene plays, and its inputs continue into the workspace. The static landing loads independently of the API.

SELECTED REFERENCES

[IIMB: DPIIT adoption and ULIP](#)

[TEM v1.3: SGS validation statement](#)

[Smart Freight Centre: GLEC v3.2](#)

[NSE: constituent snapshot](#)

Sources and design rationale: docs/SOURCES.md and docs/ux-research.md. Photography: CHUTTERSNAPE / Unsplash. Fonts: Barlow Condensed, Manrope and IBM Plex Mono under their included licenses.

Validated release 81f7a0b / 14 September 2026