TEMT

TRANSPORTATION EMISSION MEASUREMENT TOOL · IIM BANGALORE

SAMPLE DATA · 169 synthetic shipments for demonstration

Freight emissions report

Sample FMCG company (synthetic data)

FY 2025–26 · TEMT emission factors


Total emissions (WTW)	Emission intensity	Shipments	vs FY 2024–25
334.5	**23**	**169**	**-8.8%**
t CO2e	g CO2e / t-km	334 legs	366.9 t previously

Where the emissions arise



Tank-to-wheel (vehicle operation)	**249.7 t**	75%
Well-to-tank (energy provision)	**79.67 t**	24%
Hubs and terminals	**5.19 t**	2%

Emissions by transport mode




Road	**228 t**	68.2%
Rail	**22.43 t**	6.7%
Air	**10.73 t**	3.2%
Sea	**68.15 t**	20.4%
Hubs and terminals	**5.19 t**	1.6%

Generated 27 September 2026 · TEMT emission factors · engine temt-engine-2.0.0. Prepared with TEMT, developed by the TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore. Emissions are quantified to ISO 14083:2023 on a well-to-wheel basis with TEMT's India-specific emission factors.

MONTHLY PROFILE

How emissions moved through the year



KEY INSIGHTS

What the data says

1. Road is your largest source. 68% of emissions from 24% of tonne-kilometres.
2. Your heaviest lane. Hosur -> Delhi accounts for 11% of emissions across 6 shipments.
3. Move long road hauls to rail: up to 156.1 t CO2e avoidable. 53 road legs of 500 km or more with at least 8 t of cargo could move by rail with 30 km road drayage at each end. Biggest lanes: Hosur -> Delhi; Baddi -> Chennai; Baddi -> Hyderabad. Check rail access, capacity and transit time before committing.
4. Replace short air legs with road: up to 9.86 t CO2e avoidable. 2 air legs of up to 2,500 km. Moving time-flexible consignments to an intermediate truck would avoid most of their emissions.

SCOPES

GHG Protocol classification

Scope	t CO2e	Share
Scope 3 · Category 4	289.7	86.6%
Scope 3 · Category 9	42.6	12.7%
Scope 1 · own fleet fuel	2.17	0.6%
Scope 2 · own fleet electricity	0.04	0%

BUSINESS UNITS, LANES AND VEHICLES

Breakdown

Business units

	t CO2e	Share	Tonne-km	g/t-km
Personal Care	115.7	34.6%	49,67,250	23.3
Home Care	113.4	33.9%	53,13,805	21.3
Foods	105.4	31.5%	42,85,895	24.6

Top lanes

	t CO2e	Share	Tonne-km	g/t-km
Hosur -> Delhi	37.99	11.4%	16,01,320	23.7
Hosur -> Rotterdam	20.24	6.1%	17,60,073	11.5
Hosur -> Kochi	20.15	6%	7,30,877	27.6
Hosur -> Jaipur	20.12	6%	7,70,691	26.1
Baddi -> Chennai	19.13	5.7%	4,71,662	40.5
Baddi -> Hyderabad	15.86	4.7%	2,94,057	53.9
Baddi -> Rotterdam	14.06	4.2%	10,80,446	13
Silvassa -> Delhi	13.82	4.1%	10,19,633	13.6
Baddi -> Kolkata	13.62	4.1%	2,62,205	51.9
Hosur -> Chennai	11.19	3.3%	3,53,541	31.6

Road vehicle classes

	t CO2e	Share	Tonne-km	g/t-km
Tractor-trailer · diesel	124.1	54.4%	22,15,390	56
Multi-axle heavy truck · diesel	51.92	22.8%	7,95,537	65.3
Heavy rigid truck · diesel	44.66	19.6%	4,47,395	99.8
Medium rigid truck · diesel	3.49	1.5%	40,635	85.9
Intermediate rigid truck · diesel	2.06	0.9%	17,629	117.1
Small commercial vehicle · diesel	1.02	0.4%	5,540	183.5
Light commercial vehicle · diesel	0.6	0.3%	2,080	288.2
Intermediate rigid truck · CNG	0.15	0.1%	1,313	117

Data quality

	t CO2e	Share	Tonne-km	g/t-km
Default factors	332.3	99.3%	1,45,41,912	22.9
Primary data (measured fuel, energy or carrier value)	2.21	0.7%	25,038	88.2

RECALCULATED WITH THE SAME ENGINE

Reduction opportunities

Move long road hauls to rail

53 road legs of 500 km or more with at least 8 t of cargo could move by rail with 30 km road drayage at each end. Biggest lanes: Hosur -> Delhi; Baddi -> Chennai; Baddi -> Hyderabad. Check rail access, capacity and transit time before committing.

-156.1 t
CO2e potential

Replace short air legs with road

2 air legs of up to 2,500 km. Moving time-flexible consignments to an intermediate truck would avoid most of their emissions.

-9.86 t
CO2e potential

Consolidate long hauls into larger trucks

6 long-haul legs use trucks of 12 t GVW or less. Consolidating loads into a 12–20 t truck lowers emissions per tonne-kilometre.

-0.45 t
CO2e potential

Replace default factors with primary data

98% of emissions use default factors. Ask your top carriers for fuel or energy records; ISO 14083 prefers primary data and it usually shows the effect of your own improvements.

SEBI BUSINESS RESPONSIBILITY AND SUSTAINABILITY REPORT

BRSR mapping

Indicator	Value	Note
Principle 6 · Scope 3 GHG emissions (freight share)	332.31 t CO2e	Leadership indicator. Category 4 and Category 9 transport, well-to-wheel.
Principle 6 · Scope 1 and 2 GHG emissions (own fleet share)	2.21 t CO2e	Own fleet fuel (Scope 1) and electricity for own electric vehicles (Scope 2). Add to your site-level Scope 1 and 2 inventory.
Freight emission intensity	23.0 g CO2e per tonne-km	Physical intensity for year-on-year comparison.
Freight emissions per INR crore of revenue	0.027 t CO2e	Revenue entered in Settings: INR 12,500 crore.
Methodology	TEMT factors	ISO 14083-aligned; factor sources listed in the methodology section.

Year-on-year

	FY 2024–25	FY 2025–26	Change
Total t CO2e	366.9	334.5	-8.8%
Intensity g CO2e/t-km	26.6	23	-13.5%
Shipments	161	169	

TRANSPARENT BY DESIGN

Methodology and factors

TEMT emission factors

TEMT's India-specific emission factors, validated through its ISO 14083 certification. Where TEMT does not publish its own value, such as container trade lanes, inland waterways and most hub operations, the ISO 14083-aligned GLEC Framework v3.2 default is used.

- This selection includes 169 synthetic sample shipments generated for demonstration. They are not the organisation's actual freight.
- Emissions are reported well-to-wheel (WTW) in kg or tonnes CO2e, split into tank-to-wheel (vehicle operation), well-to-tank (energy provision) and hub operations, following ISO 14083:2023 with TEMT's India-specific emission factors.
- Default factors are estimates for typical operations. Replace them with primary fuel or energy data from carriers where available.
- Distance type follows ISO 14083: road, rail, waterway and sea legs use the shortest feasible distance (SFD), estimated unless an actual distance was supplied; air legs use the great-circle distance (GCD) with the standard routing allowance.
- Scope classification follows the GHG Protocol: own fleet -> Scope 1/2; purchased transport -> Scope 3 Category 4; customer-paid downstream transport -> Scope 3 Category 9.
- TEMT is certified to ISO 14083 (December 2024) and its information security to ISO/IEC 27001:2022.

Factor	WTT	TTW	Unit	Source	Legs
Multi-axle heavy truck, 30–50 t GVW, diesel	0.014	0.048	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Road vehicle table	61
Heavy rigid truck, 20–30 t GVW, diesel	0.023	0.077	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Road vehicle table	48
Indian Railways average, mixed diesel/electric traction	0.0062	0.0041	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Rail default	44
Tractor-trailer, 30–60 t GVW, diesel	0.013	0.043	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Road vehicle table	39
Medium rigid truck, 12–20 t GVW, diesel	0.019	0.063	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Road vehicle table	23
Courier first-mile default	0.067	0.224	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Courier first-mile default	18
Courier mid-mile default	0.019	0.063	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Courier mid-mile default	18
Courier last-mile default	0.067	0.224	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Courier last-mile default	18
Container, Intra Middle East / India (coastal and regional), dry	0.00141	0.00648	kg CO2e/t-km	Smart Freight Centre, Sea Table 18, container end-user values	14
Intermediate rigid truck, 5–12 t GVW, diesel	0.027	0.089	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Road vehicle table	12
Small commercial vehicle, 3–5 t GVW, diesel	0.041	0.138	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Road vehicle table	10
Diesel (HSD)	0.97	3.24	kg CO2e/kg	Smart Freight Centre, Module 1, Indian sources	9
Container, Europe (North & Med) <-> Middle East / India, dry	0.0013	0.00604	kg CO2e/t-km	Smart Freight Centre, Sea Table 18, container end-user values	4
Container, Industry average (lane unknown), dry	0.00127	0.0059	kg CO2e/t-km	Smart Freight Centre, Sea Table 18, container end-user values	3
Intermediate rigid truck, 5–12 t GVW, CNG	0.034	0.083	kg	TCI–IIMB Supply Chain Sustainability Lab, IIM	3

Factor	WTT	TTW	Unit	Source	Legs
			CO2e/t-km	Bangalore, Road vehicle table	
Grid electricity, India	0.71	0	kg CO2e/kWh	Central Electricity Authority, Ministry of Power, Weighted average, FY 2024–25	2
Container, Intra Middle East / India (coastal and regional), dry	0.00205	0.0094	kg CO2e/t-km	Smart Freight Centre, Sea Table 18, container end-user values	2
Container, Asia <-> Middle East / India, dry	0.00138	0.00645	kg CO2e/t-km	Smart Freight Centre, Sea Table 18, container end-user values	2
Light commercial vehicle, up to 3.5 t GVW, diesel	0.053	0.179	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Road vehicle table	2
Air freight, domestic	0.2444	1.508	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Air domestic default	2

Sources

TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore (2024). TEMT emission factors. https://www.iimb.ac.in/tci-supply-chain-sustainability-lab

Central Electricity Authority, Ministry of Power (2025). CO2 Baseline Database for the Indian Power Sector, Version 21.0. https://cea.nic.in/cdm-co2-baseline-database/?lang=en

Smart Freight Centre (2025). Global Logistics Emissions Council Framework v3.2. https://smartfreightcentre.org/news/13311209

International Organization for Standardization (2023). ISO 14083:2023 Greenhouse gases — Quantification and reporting of GHG emissions arising from transport chain operations. https://www.iso.org/standard/78864.html

World Resources Institute and WBCSD (2011). Corporate Value Chain (Scope 3) Accounting and Reporting Standard. https://ghgprotocol.org/corporate-value-chain-scope-3-standard

APPENDIX

Shipment register

Reference	Date	Route	Modes	Cargo t	km	t CO2e	Quality
FMC-2603-0323	2026-03-24	Nagpur -> Hosur	Road + Rail	22.7	1,141	0.385	Default
FMC-2603-0330	2026-03-21	Chennai -> Chennai distributors	Road	4.6	170	0.109	Default
FMC-2603-0318	2026-03-20	Chennai -> Chennai retail cluster	Road	1.5	77	0.018	Primary
FMC-2603-0320	2026-03-20	Baddi -> Patna	Road	13.4	252	0.213	Primary
FMC-2603-0321	2026-03-12	Silvassa -> Kolkata	Road + Rail	59.4	1,904	1.278	Default
FMC-2603-0324	2026-03-12	Silvassa -> Lucknow	Road + Rail	46	1,306	0.735	Default
FMC-2603-0319	2026-03-11	Silvassa -> Jaipur	Road	25.5	966	1.528	Default
FMC-2603-0328	2026-03-10	Baddi -> Chennai	Road	16.6	2,463	4.098	Default
FMC-2603-0325	2026-03-08	Hosur -> Jaipur	Road + Rail	26.6	1,883	0.677	Default
FMC-2603-0326	2026-03-06	Silvassa -> Kolkata	Road + Sea	154.8	1,389	3.818	Default
FMC-2603-0329	2026-03-06	Nagpur -> Hosur	Road	15.2	1,152	1.751	Default
FMC-2603-0327	2026-03-02	Silvassa -> Lucknow	Road + Sea	106	3,035	3.815	Default
FMC-2603-0322	2026-03-01	Baddi -> New York / New Jersey	Road + Sea	22.4	16,354	4.171	Default
FMC-2602-0317	2026-02-24	Hosur -> Kolkata	Road + Rail	24.1	1,848	0.607	Default
FMC-2602-0306	2026-02-22	Baddi -> Hyderabad	Road	11.7	260	0.234	Primary
FMC-2602-0311	2026-02-22	Baddi -> Delhi	Road	10	255	0.213	Primary
FMC-2602-0310	2026-02-20	Guwahati -> Guwahati distributors	Road	5.3	246	0.152	Default
FMC-2602-0314	2026-02-15	Kolkata -> Kolkata distributors	Road	5.5	40	0.026	Default
FMC-2602-0307	2026-02-12	Chennai -> Chennai distributors	Road	2.5	140	0.024	Primary
FMC-2602-0309	2026-02-12	Hosur -> Chennai	Road	22.9	328	0.465	Default
FMC-2602-0303	2026-02-11	Indore -> Baddi	Road	15.7	1,124	1.765	Default
FMC-2602-0304	2026-02-11	Baddi -> Kolkata	Road	18.2	1,804	3.29	Default
FMC-2602-0312	2026-02-09	Patna -> Patna distributors	Road	3.7	216	0.092	Default
FMC-2602-0315	2026-02-06	Hosur -> Kochi	Road + Sea	90.1	3,611	10.079	Default
FMC-2602-0316	2026-02-05	Chennai -> Chennai distributors	Road	5	214	0.124	Default
FMC-2602-0305	2026-02-03	Baddi -> Patna	Road	13.4	318	0.266	Primary
FMC-2602-0308	2026-02-01	Silvassa -> Jebel Ali	Road + Sea	63.6	2,344	2.272	Default
FMC-2602-0313	2026-02-01	Jaipur -> Jaipur distributors	Road	3.6	251	0.164	Default
FMC-2601-0295	2026-01-26	Hosur -> Jaipur	Road + Rail	44.1	1,883	1.017	Default
FMC-2601-0294	2026-01-24	Delhi -> Delhi distributors	Road	7.6	222	0.196	Default
FMC-2601-0302	2026-01-23	Baddi -> Hyderabad	Road + Rail	42.4	1,800	1.037	Default

Reference	Date	Route	Modes	Cargo t	km	t CO2e	Quality
FMC-2601-0296	2026-01-21	Baddi -> Guwahati	Road	24.3	1,906	3.475	Default
FMC-2601-0300	2026-01-19	Hosur -> Rotterdam	Road + Sea	52.4	12,663	7.58	Default
FMC-2601-0297	2026-01-18	Silvassa -> Guwahati	Road + Rail	59.4	2,424	1.659	Default
FMC-2601-0299	2026-01-16	Ahmedabad -> Hosur	Road + Rail	20.9	1,515	0.436	Default
FMC-2601-0301	2026-01-15	Jaipur -> Jaipur distributors	Road	3.5	158	0.098	Default
FMC-2601-0298	2026-01-05	Lucknow -> Lucknow distributors	Road	4.6	183	0.097	Default
FMC-2601-0291	2026-01-04	Silvassa -> Kochi	Road + Rail	21.7	1,435	0.434	Default
FMC-2601-0292	2026-01-03	Baddi -> Guwahati	Road + Rail	59.9	1,850	1.287	Default
FMC-2601-0293	2026-01-02	Hosur -> Rotterdam	Road + Sea	63.9	12,663	9.257	Default
FMC-2512-0282	2025-12-27	Baddi -> Guwahati	Road + Rail	22.6	1,850	0.547	Default
FMC-2512-0287	2025-12-23	Silvassa -> Lucknow	Road	0.5	637	0.04	Default
FMC-2512-0280	2025-12-20	Silvassa -> Guwahati	Road	22.9	2,517	3.566	Default
FMC-2512-0285	2025-12-17	Indore -> Baddi	Road	30.7	1,124	2.14	Default
FMC-2512-0290	2025-12-16	Hosur -> Jaipur	Road + Rail	21.4	1,883	0.526	Default
FMC-2512-0281	2025-12-14	Hosur -> Patna	Road + Rail	23.2	1,917	0.578	Default
FMC-2512-0283	2025-12-13	Baddi -> Hyderabad	Road	16	1,853	2.965	Default
FMC-2512-0289	2025-12-13	Baddi -> Hyderabad	Road	16.8	1,853	3.111	Default
FMC-2512-0284	2025-12-12	Hosur -> Hyderabad	Road + Rail	31.4	655	0.421	Default
FMC-2512-0288	2025-12-10	Hosur -> Singapore	Road + Sea	38.9	3,281	1.576	Default
FMC-2512-0286	2025-12-07	Baddi -> Chennai	Road + Sea	132.7	2,905	14.314	Default
FMC-2511-0266	2025-11-24	Delhi -> Delhi distributors	Road	3.2	139	0.078	Default
FMC-2511-0269	2025-11-24	Hosur -> Jebel Ali	Road + Sea	60.9	3,219	5.032	Default
FMC-2511-0264	2025-11-20	Hosur -> Jaipur	Road + Sea	69.1	6,642	9.534	Default
FMC-2511-0275	2025-11-16	Indore -> Baddi	Road	20.1	1,124	2.255	Default
FMC-2511-0267	2025-11-15	Baddi -> Delhi	Road	25.7	317	0.506	Default
FMC-2511-0263	2025-11-14	Hosur -> Patna	Road	14.8	1,978	2.918	Default
FMC-2511-0268	2025-11-14	Silvassa -> Singapore	Road + Sea	84.5	4,310	8.404	Default
FMC-2511-0273	2025-11-13	Hyderabad -> Hyderabad distributors	Road	8.5	47	0.039	Default
FMC-2511-0277	2025-11-13	Silvassa -> Pune	Road	1.1	611	0.073	Default
FMC-2511-0262	2025-11-11	Nagpur -> Baddi	Road	17.9	1,360	2.432	Default
FMC-2511-0265	2025-11-10	Hosur -> Chennai	Road + Rail	60.2	366	0.473	Default
FMC-2511-0271	2025-11-09	Silvassa -> Guwahati	Road	1	741	0.091	Default
FMC-2511-0278	2025-11-09	Silvassa -> Kolkata	Road	24.5	1,964	2.98	Default
FMC-2511-0272	2025-11-08	Silvassa -> Chennai	Road + Rail	27.4	1,335	0.565	Default

Reference	Date	Route	Modes	Cargo t	km	t CO2e	Quality
FMC-2511-0270	2025-11-06	Silvassa -> Guwahati	Road	1.1	741	0.09	Default
FMC-2511-0276	2025-11-06	Kolkata -> Kolkata distributors	Road	2.7	258	0.122	Default
FMC-2511-0279	2025-11-05	Silvassa -> New York / New Jersey	Road + Sea	65.1	15,481	9	Default
FMC-2511-0274	2025-11-03	Hosur -> Pune	Road	27.2	940	1.585	Default
FMC-2510-0254	2025-10-25	Hyderabad -> Hyderabad distributors	Road	2.7	118	0.058	Default
FMC-2510-0249	2025-10-23	Hosur -> Hyderabad	Road + Rail	46.8	655	0.513	Default
FMC-2510-0255	2025-10-22	Hosur -> Chennai	Road + Sea	89.6	3,673	9.933	Default
FMC-2510-0257	2025-10-22	Hosur -> Kochi	Road	1.1	2,006	0.195	Default
FMC-2510-0260	2025-10-21	Silvassa -> Chennai	Road + Rail	48.5	1,335	0.858	Default
FMC-2510-0244	2025-10-20	Hosur -> Chennai	Road + Rail	30.7	366	0.318	Default
FMC-2510-0252	2025-10-19	Baddi -> Delhi	Road + Rail	57.6	356	0.451	Default
FMC-2510-0253	2025-10-16	Hosur -> New York / New Jersey	Road + Sea	31	16,662	5.965	Default
FMC-2510-0250	2025-10-15	Delhi -> Bengaluru (BLR)	Road + Air	1.4	1,833	4.406	Default
FMC-2510-0259	2025-10-15	Chennai -> Chennai distributors	Road	3	228	0.124	Default
FMC-2510-0258	2025-10-12	Chennai -> Chennai distributors	Road	3	228	0.124	Default
FMC-2510-0261	2025-10-12	Silvassa -> Lucknow	Road + Rail	24.2	1,306	0.474	Default
FMC-2510-0247	2025-10-10	Silvassa -> Lucknow	Road + Sea	155.4	3,035	5.841	Default
FMC-2510-0256	2025-10-05	Baddi -> Patna	Road	0.4	2,046	0.083	Default
FMC-2510-0248	2025-10-03	Ahmedabad -> Silvassa	Road	25.9	377	0.604	Default
FMC-2510-0246	2025-10-02	Silvassa -> Kochi	Road + Rail	58.7	1,435	1.099	Default
FMC-2510-0245	2025-10-01	Baddi -> Patna	Road	7	259	0.259	Primary
FMC-2510-0251	2025-10-01	Baddi -> Jaipur	Road	26.5	561	0.922	Default
FMC-2509-0236	2025-09-26	Delhi -> Guwahati (GAU)	Road	2.2	1,762	0.441	Default
FMC-2509-0240	2025-09-22	Hosur -> Pune	Road + Rail	40.3	942	0.556	Default
FMC-2509-0239	2025-09-21	Hosur -> Jaipur	Road + Rail	24.5	1,883	0.626	Default
FMC-2509-0238	2025-09-18	Hosur -> Jaipur	Road	25.6	1,941	3.72	Default
FMC-2509-0231	2025-09-11	Baddi -> Jaipur	Road	19.1	561	1.296	Default
FMC-2509-0233	2025-09-08	Ahmedabad -> Hosur	Road	16.7	1,550	2.584	Default
FMC-2509-0241	2025-09-07	Silvassa -> Jaipur	Road + Sea	84	3,035	3.025	Default
FMC-2509-0242	2025-09-07	Baddi -> Delhi	Road + Rail	53	356	0.411	Default
FMC-2509-0243	2025-09-07	Baddi -> Hyderabad	Road	26	1,853	3.614	Default
FMC-2509-0232	2025-09-06	Baddi -> Chennai	Road	0.2	2,019	0.04	Default
FMC-2509-0234	2025-09-06	Silvassa -> Delhi	Road + Sea	177	5,461	13.088	Default
FMC-2509-0235	2025-09-02	Silvassa -> Hyderabad	Road	28.8	803	1.432	Default

Reference	Date	Route	Modes	Cargo t	km	t CO2e	Quality
FMC-2509-0237	2025-09-01	Indore -> Hosur	Road	19.5	1,378	2.691	Default
FMC-2508-0223	2025-08-24	Lucknow -> Lucknow distributors	Road	7.3	192	0.161	Default
FMC-2508-0227	2025-08-22	Hosur -> Kochi	Road	19.6	433	0.525	Default
FMC-2508-0226	2025-08-20	Delhi -> Delhi distributors	Road	2.7	218	0.105	Default
FMC-2508-0225	2025-08-16	Hosur -> Jaipur	Road	31.1	1,941	3.743	Default
FMC-2508-0221	2025-08-15	Indore -> Hosur	Road	22.9	1,378	1.96	Default
FMC-2508-0224	2025-08-14	Baddi -> Chennai	Road + Rail	22.7	2,373	0.673	Default
FMC-2508-0229	2025-08-12	Hyderabad -> Hyderabad distributors	Road	8.2	253	0.241	Default
FMC-2508-0230	2025-08-11	Silvassa -> Chennai	Road	1.2	2,147	0.243	Default
FMC-2508-0219	2025-08-10	Hosur -> Hyderabad	Road + Rail	29.9	655	0.403	Default
FMC-2508-0228	2025-08-08	Baddi -> Jaipur	Road + Rail	30	585	0.361	Default
FMC-2508-0220	2025-08-06	Silvassa -> Hyderabad	Road	1.1	878	0.108	Default
FMC-2508-0222	2025-08-02	Lucknow -> Lucknow distributors	Road	6.4	200	0.148	Default
FMC-2507-0204	2025-07-28	Hosur -> Delhi	Road + Rail	56.7	2,088	1.451	Default
FMC-2507-0215	2025-07-28	Silvassa -> Lucknow	Road	1.2	636	0.091	Default
FMC-2507-0214	2025-07-27	Silvassa -> Lucknow	Road	1.2	636	0.09	Default
FMC-2507-0217	2025-07-26	Indore -> Hosur	Road	19.7	1,378	2.72	Default
FMC-2507-0203	2025-07-25	Hosur -> Delhi	Road + Rail	57.8	2,088	1.477	Default
FMC-2507-0206	2025-07-25	Baddi -> Hyderabad	Road	30	1,853	4.173	Default
FMC-2507-0205	2025-07-22	Baddi -> Hyderabad	Road + Rail	28.6	1,800	0.725	Default
FMC-2507-0210	2025-07-21	Nagpur -> Silvassa	Road	15.6	782	1.216	Default
FMC-2507-0211	2025-07-15	Baddi -> Delhi	Road	1.4	2,156	0.268	Default
FMC-2507-0208	2025-07-14	Hosur -> Delhi	Road + Sea	63	6,642	8.624	Default
FMC-2507-0207	2025-07-11	Hosur -> Delhi	Road + Sea	63	6,642	8.683	Default
FMC-2507-0202	2025-07-10	Hosur -> Kolkata	Road	1.7	640	0.133	Default
FMC-2507-0213	2025-07-09	Silvassa -> Chennai	Road	1.3	888	0.126	Default
FMC-2507-0201	2025-07-06	Hosur -> Delhi	Road	0.5	1,642	0.082	Default
FMC-2507-0209	2025-07-06	Indore -> Baddi	Road	22.6	1,124	1.572	Default
FMC-2507-0218	2025-07-05	Baddi -> Guwahati	Road + Rail	42.6	1,850	0.979	Default
FMC-2507-0212	2025-07-04	Silvassa -> Kochi	Road + Rail	29.3	1,435	0.625	Default
FMC-2507-0200	2025-07-03	Silvassa -> Chennai	Road + Rail	20.9	1,335	0.397	Default
FMC-2507-0216	2025-07-03	Delhi -> Bengaluru (BLR)	Road	0.8	2,097	0.202	Default
FMC-2506-0192	2025-06-27	Hosur -> Patna	Road	0.5	1,389	0.07	Default
FMC-2506-0198	2025-06-26	Hosur -> Kochi	Road + Sea	107.1	3,910	8.651	Default

Reference	Date	Route	Modes	Cargo t	km	t CO2e	Quality
FMC-2506-0197	2025-06-23	Baddi -> Kolkata	Road	15.1	1,804	2.719	Default
FMC-2506-0199	2025-06-22	Silvassa -> Chennai	Road	6.9	247	0.206	Primary
FMC-2506-0193	2025-06-19	Baddi -> Guwahati	Road + Rail	16.8	1,850	0.413	Default
FMC-2506-0196	2025-06-19	Silvassa -> Guwahati	Road + Rail	28.3	2,424	0.9	Default
FMC-2506-0195	2025-06-14	Silvassa -> Kochi	Road	6.4	234	0.21	Primary
FMC-2506-0194	2025-06-13	Baddi -> Rotterdam	Road + Sea	82.4	13,304	14.059	Default
FMC-2506-0190	2025-06-06	Hosur -> Pune	Road + Rail	27	942	0.448	Default
FMC-2506-0191	2025-06-05	Silvassa -> Delhi	Road + Rail	44.3	1,234	0.734	Default
FMC-2506-0189	2025-06-01	Hosur -> Lucknow	Road	22.4	1,953	2.709	Default
FMC-2505-0175	2025-05-28	Patna -> Patna distributors	Road	2.3	147	0.072	Default
FMC-2505-0174	2025-05-27	Patna -> Patna distributors	Road	2.3	147	0.072	Default
FMC-2505-0177	2025-05-27	Silvassa -> Pune	Road	18.3	262	0.479	Default
FMC-2505-0178	2025-05-27	Hosur -> Rotterdam	Road + Sea	23.5	12,663	3.407	Default
FMC-2505-0180	2025-05-27	Delhi -> Chennai (MAA)	Road	0.5	2,157	0.13	Default
FMC-2505-0184	2025-05-27	Delhi -> Delhi distributors	Road	6.4	47	0.035	Default
FMC-2505-0188	2025-05-25	Baddi -> Guwahati	Road	11.4	381	0.349	Primary
FMC-2505-0187	2025-05-24	Hosur -> Jaipur	Road	0.3	2,158	0.06	Default
FMC-2505-0179	2025-05-19	Hosur -> Pune	Road + Rail	60.4	942	0.772	Default
FMC-2505-0182	2025-05-10	Delhi -> Delhi distributors	Road	9.5	207	0.162	Default
FMC-2505-0185	2025-05-09	Baddi -> Pune	Road	22.6	1,725	2.413	Default
FMC-2505-0186	2025-05-06	Baddi -> Guwahati	Road + Rail	45.8	1,850	1.008	Default
FMC-2505-0181	2025-05-05	Indore -> Baddi	Road + Rail	28.1	1,115	0.514	Default
FMC-2505-0183	2025-05-05	Hosur -> Patna	Road	22.5	1,978	2.759	Default
FMC-2505-0176	2025-05-02	Hosur -> Kochi	Road	16.1	433	0.698	Default
FMC-2504-0167	2025-04-25	Baddi -> Kolkata	Road + Sea	70.4	2,905	7.61	Default
FMC-2504-0170	2025-04-22	Kochi -> Kochi distributors	Road	8.5	174	0.121	Default
FMC-2504-0172	2025-04-22	Delhi -> Guwahati (GAU)	Road + Air	2.3	1,579	6.347	Default
FMC-2504-0162	2025-04-20	Ahmedabad -> Silvassa	Road	25.4	377	0.594	Default
FMC-2504-0168	2025-04-15	Hosur -> Guwahati	Road	0.5	1,696	0.083	Default
FMC-2504-0166	2025-04-14	Lucknow -> Lucknow distributors	Road	4.5	117	0.061	Default
FMC-2504-0164	2025-04-12	Indore -> Hosur	Road + Rail	17.7	1,353	0.343	Default
FMC-2504-0165	2025-04-06	Hosur -> Pune	Road	19.3	940	1.81	Default
FMC-2504-0169	2025-04-06	Hosur -> Delhi	Road + Sea	160.1	3,673	17.669	Default
FMC-2504-0163	2025-04-04	Nagpur -> Silvassa	Road	30.2	782	1.466	Default

Reference	Date	Route	Modes	Cargo t	km	t CO2e	Quality
FMC-2504-0171	2025-04-02	Silvassa -> Kolkata	Road + Rail	52.4	1,904	1.186	Default
FMC-2504-0173	2025-04-01	Hosur -> Jaipur	Road	8.2	242	0.217	Primary