TEMT

TRANSPORTATION EMISSION MEASUREMENT TOOL · IIM BANGALORE

SAMPLE DATA · 169 synthetic shipments for demonstration

Freight emissions report

Sample FMCG company (synthetic data)

FY 2025–26 · TEMT emission factors


Total emissions (WTW)	Emission intensity	Shipments	vs FY 2024–25
332.5	**22.8**	**169**	**-7.9%**
t CO2e	g CO2e / t-km	334 legs	361.2 t previously

Where the emissions arise



Tank-to-wheel (vehicle operation)	**240.9 t**	72%
Well-to-tank (energy provision)	**86.4 t**	26%
Hubs and terminals	**5.21 t**	2%

Emissions by transport mode




Road	**228 t**	68.6%
Rail	**23.82 t**	7.2%
Air	**7.26 t**	2.2%
Sea	**68.15 t**	20.5%
Hubs and terminals	**5.21 t**	1.6%

Generated 27 September 2026 · TEMT emission factors · engine temt-engine-2.1.0. Prepared with TEMT, developed by the TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore. Emissions are quantified to ISO 14083:2023 on a well-to-wheel basis with TEMT's India-specific emission factors.

MONTHLY PROFILE

How emissions moved through the year



KEY INSIGHTS

What the data says

1. Road is your largest source. 69% of emissions from 24% of tonne-kilometres.
2. Your heaviest lane. Hosur -> Delhi accounts for 11% of emissions across 6 shipments.
3. Move long road hauls to rail: up to 154.2 t CO2e avoidable. 53 road legs of 500 km or more with at least 8 t of cargo could move by rail with 30 km road drayage at each end. Biggest lanes: Hosur -> Delhi; Baddi -> Chennai; Baddi -> Hyderabad. Check rail access, capacity and transit time before committing.
4. Replace short air legs with road: up to 6.45 t CO2e avoidable. 2 air legs of up to 2,500 km. Moving time-flexible consignments to an intermediate truck would avoid most of their emissions.

SCOPES

GHG Protocol classification

Scope	t CO2e	Share
Scope 3 · Category 4	287.7	86.5%
Scope 3 · Category 9	42.6	12.8%
Scope 1 · own fleet fuel	2.17	0.7%
Scope 2 · own fleet electricity	0.05	0%

BUSINESS UNITS, LANES AND VEHICLES

Breakdown

Business units

	t CO2e	Share	Tonne-km	g/t-km
Personal Care	114.1	34.3%	49,67,029	23
Home Care	112.4	33.8%	53,13,673	21.1
Foods	106	31.9%	42,85,895	24.7

Top lanes

	t CO2e	Share	Tonne-km	g/t-km
Hosur -> Delhi	38.14	11.5%	16,01,320	23.8
Hosur -> Jaipur	20.26	6.1%	7,70,691	26.3
Hosur -> Rotterdam	20.24	6.1%	17,60,073	11.5
Hosur -> Kochi	20.15	6.1%	7,30,877	27.6
Baddi -> Chennai	19.16	5.8%	4,71,662	40.6
Baddi -> Hyderabad	15.94	4.8%	2,94,057	54.2
Baddi -> Rotterdam	14.06	4.2%	10,80,446	13
Silvassa -> Delhi	13.86	4.2%	10,19,633	13.6
Baddi -> Kolkata	13.62	4.1%	2,62,205	51.9
Hosur -> Chennai	11.21	3.4%	3,53,541	31.7

Road vehicle classes

	t CO2e	Share	Tonne-km	g/t-km
Tractor-trailer · diesel	124.1	54.4%	22,15,390	56
Multi-axle heavy truck · diesel	51.92	22.8%	7,95,537	65.3
Heavy rigid truck · diesel	44.66	19.6%	4,47,395	99.8
Medium rigid truck · diesel	3.49	1.5%	40,635	85.9
Intermediate rigid truck · diesel	2.06	0.9%	17,629	117.1
Small commercial vehicle · diesel	1.02	0.4%	5,540	183.5
Light commercial vehicle · diesel	0.6	0.3%	2,080	288.2
Intermediate rigid truck · CNG	0.15	0.1%	1,313	117

Data quality

	t CO2e	Share	Tonne-km	g/t-km
Default factors	330.3	99.3%	1,45,41,559	22.7
Primary data (measured fuel, energy or carrier value)	2.22	0.7%	25,038	88.6

RECALCULATED WITH THE SAME ENGINE

Reduction opportunities

Move long road hauls to rail

53 road legs of 500 km or more with at least 8 t of cargo could move by rail with 30 km road drayage at each end. Biggest lanes: Hosur -> Delhi; Baddi -> Chennai; Baddi -> Hyderabad. Check rail access, capacity and transit time before committing.

-154.2 t
CO2e potential

Replace short air legs with road

2 air legs of up to 2,500 km. Moving time-flexible consignments to an intermediate truck would avoid most of their emissions.

-6.45 t
CO2e potential

Consolidate long hauls into larger trucks

6 long-haul legs use trucks of 12 t GVW or less. Consolidating loads into a 12–20 t truck lowers emissions per tonne-kilometre.

-0.45 t
CO2e potential

Replace default factors with primary data

98% of emissions use default factors. Ask your top carriers for fuel or energy records; ISO 14083 prefers primary data and it usually shows the effect of your own improvements.

SEBI BUSINESS RESPONSIBILITY AND SUSTAINABILITY REPORT

BRSR mapping

Indicator	Value	Note
Principle 6 · Scope 3 GHG emissions (freight share)	330.26 t CO2e	Leadership indicator. Category 4 and Category 9 transport, well-to-wheel.
Principle 6 · Scope 1 and 2 GHG emissions (own fleet share)	2.22 t CO2e	Own fleet fuel (Scope 1) and electricity for own electric vehicles (Scope 2). Add to your site-level Scope 1 and 2 inventory.
Freight emission intensity	22.8 g CO2e per tonne-km	Physical intensity for year-on-year comparison.
Freight emissions per INR crore of revenue	0.027 t CO2e	Revenue entered in Settings: INR 12,500 crore.
Methodology	TEMT factors	ISO 14083-aligned; factor sources listed in the methodology section.

Year-on-year

	FY 2024–25	FY 2025–26	Change
Total t CO2e	361.2	332.5	-7.9%
Intensity g CO2e/t-km	26.1	22.8	-12.7%
Shipments	161	169	

TRANSPARENT BY DESIGN

Methodology and factors

TEMT emission factors

TEMT's India-specific emission factors from the TCI–IIMB Supply Chain Sustainability Lab: its own road and courier values, validated through TEMT's ISO 14083 certification, and the Lab's GLEC Framework v3.3 India values for rail, domestic air and electric trucks. Where neither has a value, such as container trade lanes, inland waterways and hub operations, the ISO 14083-aligned GLEC default is used.

- This selection includes 169 synthetic sample shipments generated for demonstration. They are not the organisation's actual freight.
- Emissions are reported well-to-wheel (WTW) in kg or tonnes CO2e, split into tank-to-wheel (vehicle operation), well-to-tank (energy provision) and hub operations, following ISO 14083:2023 and the GLEC Framework v3.3 with TEMT's India-specific emission factors.
- Default factors are estimates for typical operations. Replace them with primary fuel or energy data from carriers where available.
- Distance type follows ISO 14083: road, rail, waterway and sea legs use the shortest feasible distance (SFD), estimated unless an actual distance was supplied; air legs use the great-circle distance (GCD), with GLEC's 95 km routing allowance for international flights (GLEC v3.3's Indian domestic air value already includes routing).
- Scope classification follows the GHG Protocol: own fleet -> Scope 1/2; purchased transport -> Scope 3 Category 4; customer-paid downstream transport -> Scope 3 Category 9.
- TEMT is certified to ISO 14083 (December 2024) and its information security to ISO/IEC 27001:2022.

Factor	WTT	TTW	Unit	Source	Legs
Multi-axle heavy truck, 30–50 t GVW, diesel	0.014	0.048	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Road vehicle table	61
Heavy rigid truck, 20–30 t GVW, diesel	0.023	0.077	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Road vehicle table	48
Indian Railways average, mixed diesel/electric traction	0.0094	0.00154	kg CO2e/t-km	Smart Freight Centre, Rail, Region: India (mixed diesel and electric traction, FY 2022–23 to 2024–25)	44
Tractor-trailer, 30–60 t GVW, diesel	0.013	0.043	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Road vehicle table	39
Medium rigid truck, 12–20 t GVW, diesel	0.019	0.063	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Road vehicle table	23
Courier first-mile default	0.067	0.224	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Courier first-mile default	18
Courier mid-mile default	0.019	0.063	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Courier mid-mile default	18
Courier last-mile default	0.067	0.224	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Courier last-mile default	18
Container, Intra Middle East / India (coastal and regional), dry	0.00141	0.00648	kg CO2e/t-km	Smart Freight Centre, Sea Table 18, container end-user values	14
Intermediate rigid truck, 5–12 t GVW, diesel	0.027	0.089	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Road vehicle table	12
Small commercial vehicle, 3–5 t GVW, diesel	0.041	0.138	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Road vehicle table	10
Diesel (HSD)	0.97	3.24	kg CO2e/kg	Smart Freight Centre, Module 1, Indian sources	9
Container, Europe (North & Med) <-> Middle East / India, dry	0.0013	0.00604	kg CO2e/t-km	Smart Freight Centre, Sea Table 18, container end-user values	4

Factor	WTT	TTW	Unit	Source	Legs
Container, Industry average (lane unknown), dry	0.00127	0.0059	kg CO2e/t-km	Smart Freight Centre, Sea Table 18, container end-user values	3
Intermediate rigid truck, 5–12 t GVW, CNG	0.034	0.083	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Road vehicle table	3
Grid electricity, India	0.903	0	kg CO2e/kWh	Central Electricity Authority, Ministry of Power, FY 2025–26 at the point of use (GLEC v3.3 Indian method)	2
Container, Intra Middle East / India (coastal and regional), dry	0.00205	0.0094	kg CO2e/t-km	Smart Freight Centre, Sea Table 18, container end-user values	2
Container, Asia <-> Middle East / India, dry	0.00138	0.00645	kg CO2e/t-km	Smart Freight Centre, Sea Table 18, container end-user values	2
Light commercial vehicle, up to 3.5 t GVW, diesel	0.053	0.179	kg CO2e/t-km	TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore, Road vehicle table	2
Air freight, Indian domestic (aircraft type unknown)	0.216	1.043	kg CO2e/t-km	Smart Freight Centre, Air, Indian domestic (aircraft type unknown, FY 2022–23 to 2024–25)	2

Sources

TCI–IIMB Supply Chain Sustainability Lab, IIM Bangalore (2024). TEMT emission factors. https://www.iimb.ac.in/tci-supply-chain-sustainability-lab

Smart Freight Centre (2026). Global Logistics Emissions Council Framework v3.3. https://www.smartfreightcentre.org/en/our-programs/global-logistics-emissions-council/

Central Electricity Authority, Ministry of Power (2026). CO2 Baseline Database for the Indian Power Sector, Version 22.0. https://cea.nic.in/cdm-co2-baseline-database/?lang=en

Smart Freight Centre (2025). Global Logistics Emissions Council Framework v3.2. https://smartfreightcentre.org/news/13311209

International Organization for Standardization (2023). ISO 14083:2023 Greenhouse gases — Quantification and reporting of GHG emissions arising from transport chain operations. https://www.iso.org/standard/78864.html

World Resources Institute and WBCSD (2011). Corporate Value Chain (Scope 3) Accounting and Reporting Standard. https://ghgprotocol.org/corporate-value-chain-scope-3-standard

APPENDIX

Shipment register

Reference	Date	Route	Modes	Cargo t	km	t CO2e	Quality
FMC-2603-0323	2026-03-24	Nagpur -> Hosur	Road + Rail	22.7	1,141	0.4	Default
FMC-2603-0330	2026-03-21	Chennai -> Chennai distributors	Road	4.6	170	0.109	Default
FMC-2603-0318	2026-03-20	Chennai -> Chennai retail cluster	Road	1.5	77	0.023	Primary
FMC-2603-0320	2026-03-20	Baddi -> Patna	Road	13.4	252	0.213	Primary
FMC-2603-0321	2026-03-12	Silvassa -> Kolkata	Road + Rail	59.4	1,904	1.34	Default
FMC-2603-0324	2026-03-12	Silvassa -> Lucknow	Road + Rail	46	1,306	0.768	Default
FMC-2603-0319	2026-03-11	Silvassa -> Jaipur	Road	25.5	966	1.528	Default
FMC-2603-0328	2026-03-10	Baddi -> Chennai	Road	16.6	2,463	4.098	Default
FMC-2603-0325	2026-03-08	Hosur -> Jaipur	Road + Rail	26.6	1,883	0.708	Default
FMC-2603-0326	2026-03-06	Silvassa -> Kolkata	Road + Sea	154.8	1,389	3.818	Default
FMC-2603-0329	2026-03-06	Nagpur -> Hosur	Road	15.2	1,152	1.751	Default
FMC-2603-0327	2026-03-02	Silvassa -> Lucknow	Road + Sea	106	3,035	3.815	Default
FMC-2603-0322	2026-03-01	Baddi -> New York / New Jersey	Road + Sea	22.4	16,354	4.171	Default
FMC-2602-0317	2026-02-24	Hosur -> Kolkata	Road + Rail	24.1	1,848	0.635	Default
FMC-2602-0306	2026-02-22	Baddi -> Hyderabad	Road	11.7	260	0.234	Primary
FMC-2602-0311	2026-02-22	Baddi -> Delhi	Road	10	255	0.213	Primary
FMC-2602-0310	2026-02-20	Guwahati -> Guwahati distributors	Road	5.3	246	0.152	Default
FMC-2602-0314	2026-02-15	Kolkata -> Kolkata distributors	Road	5.5	40	0.026	Default
FMC-2602-0307	2026-02-12	Chennai -> Chennai distributors	Road	2.5	140	0.03	Primary
FMC-2602-0309	2026-02-12	Hosur -> Chennai	Road	22.9	328	0.465	Default
FMC-2602-0303	2026-02-11	Indore -> Baddi	Road	15.7	1,124	1.765	Default
FMC-2602-0304	2026-02-11	Baddi -> Kolkata	Road	18.2	1,804	3.29	Default
FMC-2602-0312	2026-02-09	Patna -> Patna distributors	Road	3.7	216	0.092	Default
FMC-2602-0315	2026-02-06	Hosur -> Kochi	Road + Sea	90.1	3,611	10.079	Default
FMC-2602-0316	2026-02-05	Chennai -> Chennai distributors	Road	5	214	0.124	Default
FMC-2602-0305	2026-02-03	Baddi -> Patna	Road	13.4	318	0.266	Primary
FMC-2602-0308	2026-02-01	Silvassa -> Jebel Ali	Road + Sea	63.6	2,344	2.272	Default
FMC-2602-0313	2026-02-01	Jaipur -> Jaipur distributors	Road	3.6	251	0.164	Default
FMC-2601-0295	2026-01-26	Hosur -> Jaipur	Road + Rail	44.1	1,883	1.068	Default
FMC-2601-0294	2026-01-24	Delhi -> Delhi distributors	Road	7.6	222	0.196	Default
FMC-2601-0302	2026-01-23	Baddi -> Hyderabad	Road + Rail	42.4	1,800	1.083	Default

Reference	Date	Route	Modes	Cargo t	km	t CO2e	Quality
FMC-2601-0296	2026-01-21	Baddi -> Guwahati	Road	24.3	1,906	3.475	Default
FMC-2601-0300	2026-01-19	Hosur -> Rotterdam	Road + Sea	52.4	12,663	7.58	Default
FMC-2601-0297	2026-01-18	Silvassa -> Guwahati	Road + Rail	59.4	2,424	1.745	Default
FMC-2601-0299	2026-01-16	Ahmedabad -> Hosur	Road + Rail	20.9	1,515	0.455	Default
FMC-2601-0301	2026-01-15	Jaipur -> Jaipur distributors	Road	3.5	158	0.098	Default
FMC-2601-0298	2026-01-05	Lucknow -> Lucknow distributors	Road	4.6	183	0.097	Default
FMC-2601-0291	2026-01-04	Silvassa -> Kochi	Road + Rail	21.7	1,435	0.453	Default
FMC-2601-0292	2026-01-03	Baddi -> Guwahati	Road + Rail	59.9	1,850	1.35	Default
FMC-2601-0293	2026-01-02	Hosur -> Rotterdam	Road + Sea	63.9	12,663	9.257	Default
FMC-2512-0282	2025-12-27	Baddi -> Guwahati	Road + Rail	22.6	1,850	0.573	Default
FMC-2512-0287	2025-12-23	Silvassa -> Lucknow	Road	0.5	637	0.041	Default
FMC-2512-0280	2025-12-20	Silvassa -> Guwahati	Road	22.9	2,517	3.566	Default
FMC-2512-0285	2025-12-17	Indore -> Baddi	Road	30.7	1,124	2.14	Default
FMC-2512-0290	2025-12-16	Hosur -> Jaipur	Road + Rail	21.4	1,883	0.551	Default
FMC-2512-0281	2025-12-14	Hosur -> Patna	Road + Rail	23.2	1,917	0.605	Default
FMC-2512-0283	2025-12-13	Baddi -> Hyderabad	Road	16	1,853	2.965	Default
FMC-2512-0289	2025-12-13	Baddi -> Hyderabad	Road	16.8	1,853	3.111	Default
FMC-2512-0284	2025-12-12	Hosur -> Hyderabad	Road + Rail	31.4	655	0.433	Default
FMC-2512-0288	2025-12-10	Hosur -> Singapore	Road + Sea	38.9	3,281	1.576	Default
FMC-2512-0286	2025-12-07	Baddi -> Chennai	Road + Sea	132.7	2,905	14.314	Default
FMC-2511-0266	2025-11-24	Delhi -> Delhi distributors	Road	3.2	139	0.078	Default
FMC-2511-0269	2025-11-24	Hosur -> Jebel Ali	Road + Sea	60.9	3,219	5.032	Default
FMC-2511-0264	2025-11-20	Hosur -> Jaipur	Road + Sea	69.1	6,642	9.534	Default
FMC-2511-0275	2025-11-16	Indore -> Baddi	Road	20.1	1,124	2.255	Default
FMC-2511-0267	2025-11-15	Baddi -> Delhi	Road	25.7	317	0.506	Default
FMC-2511-0263	2025-11-14	Hosur -> Patna	Road	14.8	1,978	2.918	Default
FMC-2511-0268	2025-11-14	Silvassa -> Singapore	Road + Sea	84.5	4,310	8.404	Default
FMC-2511-0273	2025-11-13	Hyderabad -> Hyderabad distributors	Road	8.5	47	0.039	Default
FMC-2511-0277	2025-11-13	Silvassa -> Pune	Road	1.1	611	0.074	Default
FMC-2511-0262	2025-11-11	Nagpur -> Baddi	Road	17.9	1,360	2.432	Default
FMC-2511-0265	2025-11-10	Hosur -> Chennai	Road + Rail	60.2	366	0.485	Default
FMC-2511-0271	2025-11-09	Silvassa -> Guwahati	Road	1	741	0.092	Default
FMC-2511-0278	2025-11-09	Silvassa -> Kolkata	Road	24.5	1,964	2.98	Default
FMC-2511-0272	2025-11-08	Silvassa -> Chennai	Road + Rail	27.4	1,335	0.588	Default

Reference	Date	Route	Modes	Cargo t	km	t CO2e	Quality
FMC-2511-0270	2025-11-06	Silvassa -> Guwahati	Road	1.1	741	0.092	Default
FMC-2511-0276	2025-11-06	Kolkata -> Kolkata distributors	Road	2.7	258	0.122	Default
FMC-2511-0279	2025-11-05	Silvassa -> New York / New Jersey	Road + Sea	65.1	15,481	9	Default
FMC-2511-0274	2025-11-03	Hosur -> Pune	Road	27.2	940	1.585	Default
FMC-2510-0254	2025-10-25	Hyderabad -> Hyderabad distributors	Road	2.7	118	0.058	Default
FMC-2510-0249	2025-10-23	Hosur -> Hyderabad	Road + Rail	46.8	655	0.53	Default
FMC-2510-0255	2025-10-22	Hosur -> Chennai	Road + Sea	89.6	3,673	9.933	Default
FMC-2510-0257	2025-10-22	Hosur -> Kochi	Road	1.1	2,006	0.196	Default
FMC-2510-0260	2025-10-21	Silvassa -> Chennai	Road + Rail	48.5	1,335	0.897	Default
FMC-2510-0244	2025-10-20	Hosur -> Chennai	Road + Rail	30.7	366	0.324	Default
FMC-2510-0252	2025-10-19	Baddi -> Delhi	Road + Rail	57.6	356	0.462	Default
FMC-2510-0253	2025-10-16	Hosur -> New York / New Jersey	Road + Sea	31	16,662	5.965	Default
FMC-2510-0250	2025-10-15	Delhi -> Bengaluru (BLR)	Road + Air	1.4	1,738	3.002	Default
FMC-2510-0259	2025-10-15	Chennai -> Chennai distributors	Road	3	228	0.124	Default
FMC-2510-0258	2025-10-12	Chennai -> Chennai distributors	Road	3	228	0.124	Default
FMC-2510-0261	2025-10-12	Silvassa -> Lucknow	Road + Rail	24.2	1,306	0.494	Default
FMC-2510-0247	2025-10-10	Silvassa -> Lucknow	Road + Sea	155.4	3,035	5.841	Default
FMC-2510-0256	2025-10-05	Baddi -> Patna	Road	0.4	2,046	0.084	Default
FMC-2510-0248	2025-10-03	Ahmedabad -> Silvassa	Road	25.9	377	0.604	Default
FMC-2510-0246	2025-10-02	Silvassa -> Kochi	Road + Rail	58.7	1,435	1.15	Default
FMC-2510-0245	2025-10-01	Baddi -> Patna	Road	7	259	0.259	Primary
FMC-2510-0251	2025-10-01	Baddi -> Jaipur	Road	26.5	561	0.922	Default
FMC-2509-0236	2025-09-26	Delhi -> Guwahati (GAU)	Road	2.2	1,762	0.441	Default
FMC-2509-0240	2025-09-22	Hosur -> Pune	Road + Rail	40.3	942	0.579	Default
FMC-2509-0239	2025-09-21	Hosur -> Jaipur	Road + Rail	24.5	1,883	0.655	Default
FMC-2509-0238	2025-09-18	Hosur -> Jaipur	Road	25.6	1,941	3.72	Default
FMC-2509-0231	2025-09-11	Baddi -> Jaipur	Road	19.1	561	1.296	Default
FMC-2509-0233	2025-09-08	Ahmedabad -> Hosur	Road	16.7	1,550	2.584	Default
FMC-2509-0241	2025-09-07	Silvassa -> Jaipur	Road + Sea	84	3,035	3.025	Default
FMC-2509-0242	2025-09-07	Baddi -> Delhi	Road + Rail	53	356	0.421	Default
FMC-2509-0243	2025-09-07	Baddi -> Hyderabad	Road	26	1,853	3.614	Default
FMC-2509-0232	2025-09-06	Baddi -> Chennai	Road	0.2	2,019	0.04	Default
FMC-2509-0234	2025-09-06	Silvassa -> Delhi	Road + Sea	177	5,461	13.088	Default
FMC-2509-0235	2025-09-02	Silvassa -> Hyderabad	Road	28.8	803	1.432	Default

Reference	Date	Route	Modes	Cargo t	km	t CO2e	Quality
FMC-2509-0237	2025-09-01	Indore -> Hosur	Road	19.5	1,378	2.691	Default
FMC-2508-0223	2025-08-24	Lucknow -> Lucknow distributors	Road	7.3	192	0.161	Default
FMC-2508-0227	2025-08-22	Hosur -> Kochi	Road	19.6	433	0.525	Default
FMC-2508-0226	2025-08-20	Delhi -> Delhi distributors	Road	2.7	218	0.105	Default
FMC-2508-0225	2025-08-16	Hosur -> Jaipur	Road	31.1	1,941	3.743	Default
FMC-2508-0221	2025-08-15	Indore -> Hosur	Road	22.9	1,378	1.96	Default
FMC-2508-0224	2025-08-14	Baddi -> Chennai	Road + Rail	22.7	2,373	0.707	Default
FMC-2508-0229	2025-08-12	Hyderabad -> Hyderabad distributors	Road	8.2	253	0.241	Default
FMC-2508-0230	2025-08-11	Silvassa -> Chennai	Road	1.2	2,147	0.245	Default
FMC-2508-0219	2025-08-10	Hosur -> Hyderabad	Road + Rail	29.9	655	0.415	Default
FMC-2508-0228	2025-08-08	Baddi -> Jaipur	Road + Rail	30	585	0.37	Default
FMC-2508-0220	2025-08-06	Silvassa -> Hyderabad	Road	1.1	878	0.109	Default
FMC-2508-0222	2025-08-02	Lucknow -> Lucknow distributors	Road	6.4	200	0.148	Default
FMC-2507-0204	2025-07-28	Hosur -> Delhi	Road + Rail	56.7	2,088	1.525	Default
FMC-2507-0215	2025-07-28	Silvassa -> Lucknow	Road	1.2	636	0.092	Default
FMC-2507-0214	2025-07-27	Silvassa -> Lucknow	Road	1.2	636	0.092	Default
FMC-2507-0217	2025-07-26	Indore -> Hosur	Road	19.7	1,378	2.72	Default
FMC-2507-0203	2025-07-25	Hosur -> Delhi	Road + Rail	57.8	2,088	1.552	Default
FMC-2507-0206	2025-07-25	Baddi -> Hyderabad	Road	30	1,853	4.173	Default
FMC-2507-0205	2025-07-22	Baddi -> Hyderabad	Road + Rail	28.6	1,800	0.757	Default
FMC-2507-0210	2025-07-21	Nagpur -> Silvassa	Road	15.6	782	1.216	Default
FMC-2507-0211	2025-07-15	Baddi -> Delhi	Road	1.4	2,156	0.269	Default
FMC-2507-0208	2025-07-14	Hosur -> Delhi	Road + Sea	63	6,642	8.624	Default
FMC-2507-0207	2025-07-11	Hosur -> Delhi	Road + Sea	63	6,642	8.683	Default
FMC-2507-0202	2025-07-10	Hosur -> Kolkata	Road	1.7	640	0.135	Default
FMC-2507-0213	2025-07-09	Silvassa -> Chennai	Road	1.3	888	0.128	Default
FMC-2507-0201	2025-07-06	Hosur -> Delhi	Road	0.5	1,642	0.083	Default
FMC-2507-0209	2025-07-06	Indore -> Baddi	Road	22.6	1,124	1.572	Default
FMC-2507-0218	2025-07-05	Baddi -> Guwahati	Road + Rail	42.6	1,850	1.028	Default
FMC-2507-0212	2025-07-04	Silvassa -> Kochi	Road + Rail	29.3	1,435	0.651	Default
FMC-2507-0200	2025-07-03	Silvassa -> Chennai	Road + Rail	20.9	1,335	0.414	Default
FMC-2507-0216	2025-07-03	Delhi -> Bengaluru (BLR)	Road	0.8	2,097	0.202	Default
FMC-2506-0192	2025-06-27	Hosur -> Patna	Road	0.5	1,389	0.07	Default
FMC-2506-0198	2025-06-26	Hosur -> Kochi	Road + Sea	107.1	3,910	8.651	Default

Reference	Date	Route	Modes	Cargo t	km	t CO2e	Quality
FMC-2506-0197	2025-06-23	Baddi -> Kolkata	Road	15.1	1,804	2.719	Default
FMC-2506-0199	2025-06-22	Silvassa -> Chennai	Road	6.9	247	0.206	Primary
FMC-2506-0193	2025-06-19	Baddi -> Guwahati	Road + Rail	16.8	1,850	0.432	Default
FMC-2506-0196	2025-06-19	Silvassa -> Guwahati	Road + Rail	28.3	2,424	0.943	Default
FMC-2506-0195	2025-06-14	Silvassa -> Kochi	Road	6.4	234	0.21	Primary
FMC-2506-0194	2025-06-13	Baddi -> Rotterdam	Road + Sea	82.4	13,304	14.059	Default
FMC-2506-0190	2025-06-06	Hosur -> Pune	Road + Rail	27	942	0.463	Default
FMC-2506-0191	2025-06-05	Silvassa -> Delhi	Road + Rail	44.3	1,234	0.767	Default
FMC-2506-0189	2025-06-01	Hosur -> Lucknow	Road	22.4	1,953	2.709	Default
FMC-2505-0175	2025-05-28	Patna -> Patna distributors	Road	2.3	147	0.072	Default
FMC-2505-0174	2025-05-27	Patna -> Patna distributors	Road	2.3	147	0.072	Default
FMC-2505-0177	2025-05-27	Silvassa -> Pune	Road	18.3	262	0.479	Default
FMC-2505-0178	2025-05-27	Hosur -> Rotterdam	Road + Sea	23.5	12,663	3.407	Default
FMC-2505-0180	2025-05-27	Delhi -> Chennai (MAA)	Road	0.5	2,157	0.13	Default
FMC-2505-0184	2025-05-27	Delhi -> Delhi distributors	Road	6.4	47	0.035	Default
FMC-2505-0188	2025-05-25	Baddi -> Guwahati	Road	11.4	381	0.349	Primary
FMC-2505-0187	2025-05-24	Hosur -> Jaipur	Road	0.3	2,158	0.061	Default
FMC-2505-0179	2025-05-19	Hosur -> Pune	Road + Rail	60.4	942	0.803	Default
FMC-2505-0182	2025-05-10	Delhi -> Delhi distributors	Road	9.5	207	0.162	Default
FMC-2505-0185	2025-05-09	Baddi -> Pune	Road	22.6	1,725	2.413	Default
FMC-2505-0186	2025-05-06	Baddi -> Guwahati	Road + Rail	45.8	1,850	1.058	Default
FMC-2505-0181	2025-05-05	Indore -> Baddi	Road + Rail	28.1	1,115	0.533	Default
FMC-2505-0183	2025-05-05	Hosur -> Patna	Road	22.5	1,978	2.759	Default
FMC-2505-0176	2025-05-02	Hosur -> Kochi	Road	16.1	433	0.698	Default
FMC-2504-0167	2025-04-25	Baddi -> Kolkata	Road + Sea	70.4	2,905	7.61	Default
FMC-2504-0170	2025-04-22	Kochi -> Kochi distributors	Road	8.5	174	0.121	Default
FMC-2504-0172	2025-04-22	Delhi -> Guwahati (GAU)	Road + Air	2.3	1,484	4.285	Default
FMC-2504-0162	2025-04-20	Ahmedabad -> Silvassa	Road	25.4	377	0.594	Default
FMC-2504-0168	2025-04-15	Hosur -> Guwahati	Road	0.5	1,696	0.084	Default
FMC-2504-0166	2025-04-14	Lucknow -> Lucknow distributors	Road	4.5	117	0.061	Default
FMC-2504-0164	2025-04-12	Indore -> Hosur	Road + Rail	17.7	1,353	0.357	Default
FMC-2504-0165	2025-04-06	Hosur -> Pune	Road	19.3	940	1.81	Default
FMC-2504-0169	2025-04-06	Hosur -> Delhi	Road + Sea	160.1	3,673	17.669	Default
FMC-2504-0163	2025-04-04	Nagpur -> Silvassa	Road	30.2	782	1.466	Default

Reference	Date	Route	Modes	Cargo t	km	t CO2e	Quality
FMC-2504-0171	2025-04-02	Silvassa -> Kolkata	Road + Rail	52.4	1,904	1.245	Default
FMC-2504-0173	2025-04-01	Hosur -> Jaipur	Road	8.2	242	0.217	Primary