

Problem Scenario:

There is a parent organization called “**Acmeshell Group**”, which has two child companies named **QuickTechie** and **BlueWorld** . Both the company’s employee information is given in two separate text file as below.

Quicktechie.txt

- 1, Michael, California
- 2, Kris, London
- 3, Martin, Hong Kong
- 4, Carol, Canada
- 5, Sita, India

Blueworld.txt

- 6, John, New York
- 7, Ben, London
- 8, Carl, Tokyo
- 9, Smith, Singapore
- 10, Will, Jordon

Ques 1 : Which command will you use to check all available command line options on HDFS

Answer - hdfs dfs

Ques 2: Get help on individual commands.

Answer – `hdfs dfs -help <command>` e.g. `<mkdir, put, get>`

Ques 3: Create a new empty directory named Employee using command line on hdfs.

Answer – `hdfs dfs -mkdir Employee`

Ques 4: Create a file named quicktechie.txt with the data on local system.

Answer – `touch quicktechie.txt`

`gedit quicktechie.txt`

copy the content given above.

Ques 5: Create a file named Blueworld.txt with the data given on local system.

Answer - `touch Blueworld.txt`

`gedit Blueworld.txt`

copy the content given above for Blueworld.

Ques 6: Put both the files using command line in hdfs.

Answer – `hdfs dfs -put quicktechie.txt Employee`

`hdfs dfs -put Blueworld.txt Employee`

we run `hdfs dfs -ls Employee` and we can see the files inside Employee

Ques 7: Merge all the files in Employee directory and name it as MergedEmployee.txt

Answer – `hdfs dfs -getmerge Employee/quicktechie.txt
Employee/Blueword.txt MergedEmployee.txt`

`hdfs dfs -put MergedEmployee.txt Employee`

Ques 8: Read the content of the file.

Answer – a) `hdfs dfs -cat Employee/MergedEmployee.txt`

Ques 9: Copy the file using command line and make a new file named Copied.txt in local.

Answer - `hdfs dfs -get MergedEmployee.txt Copied.txt`

Ques 10: Add content in the new file created using Hue.

Answer – We created a file named Merged_copied_file

Ques 11. Get the file back from HDFS to local file system.

Answer – `hdfs dfs -ls Employee -- Just to see`

`hdfs dfs -get Employee/Merged_copied_file new_copied_file`