

Session Chat - modulon-max-31

RSA-Edelris / RaycaBio - Rayca Platform

Session: modulon-max-31

Session ID: 5ebe5571-8aaa-4611-a1c7-4a64bbf9db4c

Date: 2026-09-29

Turns: 3 (manual discovery, max walltime, session PDF)

Platform: Rayca modulon-max - Claude Sonnet 4.6

RSA-Edelris - RaycaBio - CONFIDENTIAL

User: manual of instructions

USER

Do you have a manual of instruction somewhere

CLAUDE (thinking)

The user is asking if there's a manual of instructions somewhere. They might be referring to documentation about how to use Claude Code, or about project-specific documentation.
Let me check if there's a CLAUDE.md file or any documentation in the current working directory.

TOOL CALL

Tool: Bash
command: ls /home/ubuntu/rayca-sessions/ff70e85e-.../ && ls /home/ubuntu/.claude/ | head -20
description: List working directory and claude config files

TOOL RESULT

CLAUDE.md
RTK.md
backups
cache
commands
downloads
file-history
history.jsonl
hooks
ide
paste-cache
plans
plugins
projects
security
session-env
sessions
settings.json
settings.json.bak
settings.json.pre-rtk

CLAUDE

There are two relevant files. Let me show you both.

TOOL CALL

Tool: Read (parallel x2)
file_path: /home/ubuntu/.claude/CLAUDE.md
file_path: /home/ubuntu/.claude/RTK.md

TOOL RESULT

File does not exist (wrong cwd used). Retrying...

Tool: Bash

```
find /home/ubuntu -maxdepth 3 -name 'CLAUDE.md' -o -name 'RTK.md'
```

Found:

- /home/ubuntu/LibreChat/CLAUDE.md
- /home/ubuntu/librechat-dev/CLAUDE.md
- /home/ubuntu/Rayca-Discovery-Scientist-Agents-Registry/CLAUDE.md
- /home/ubuntu/RaycaTIDE/CLAUDE.md
- /home/ubuntu/rayca-agent-registry/CLAUDE.md
- /home/ubuntu/Claude-Science-Launcher/CLAUDE.md
- /home/ubuntu/Rayca-Discovery-Scientist-Agents/CLAUDE.md
- /home/ubuntu/.claude/CLAUDE.md
- /home/ubuntu/.claude/RTK.md
- ... and more

TOOL CALL

Tool: Read (parallel x2)

file_path: /home/ubuntu/.claude/CLAUDE.md

file_path: /home/ubuntu/.claude/RTK.md

TOOL RESULT

CLAUDE.md content:

```
@RTK.md
# graphify
- graphify (~/.claude/skills/graphify/SKILL.md) -- any input to knowledge graph.
  Trigger: /graphify
```

RTK.md content:

```
# RTK - Rust Token Killer
Usage: Token-optimized CLI proxy (60-90% savings on dev operations)
rtk gain          -- Show token savings analytics
rtk gain --history -- Show command usage history with savings
rtk discover      -- Analyze Claude Code history for missed opportunities
All other commands rewritten by hook: git status -> rtk git status
WARNING: if rtk gain fails, may have reachingforthejack/rtk (Rust Type Kit) instead.
```

CLAUDE

Your global ~/.claude/CLAUDE.md is quite minimal -- it just references RTK.md and registers a /graphify skill. The RTK.md documents RTK (Rust Token Killer), a token-optimization proxy that intercepts common CLI commands.

The more substantial documentation lives in project-specific CLAUDE.md files spread across your repos (e.g. RaycaTIDE, rayca-agent-registry, Rayca-Discovery-Scientist-Agents, etc.). Which one are you interested in, or were you looking for something else -- like Claude Code's own built-in help (/help)?

User: what is the max walltime

USER

what is the max walltime

CLAUDE (thinking)

The user is asking about the max walltime. This is likely referring to the run_on_cluster tool minutes parameter. The tool description mentions walltime but no explicit maximum.

The user might be asking about their specific cluster. Let me call list_compute to get the site notes which contain this information.

CLAUDE

Checking your connected clusters now.

TOOL CALL

Tool: mcp__rayca__list_compute (no parameters)

TOOL RESULT

Clusters returned:

Isambard-AI_HPC (ready: true)
site_notes: ... WALLTIME. The hard maximum for any job is 24 hours and BriCS will not relax it. For longer work use the chunked-checkpoint pattern in /projects/u6sp/software-aarch64/gromacs/2026.1/chunk.sh
Resubmit with: sbatch --dependency=afterany:<prev>

LUMI (ready: true)
site_notes: ... Partitions:
small-g up to 3 days 8x MI250X most GPU work
standard-g up to 2 days 8x MI250X whole-node GPU
dev-g up to 3 hours 8x MI250X quick GPU tests
small up to 3 days CPU only CPU campaigns
standard up to 2 days CPU only whole-node CPU
debug 30 minutes CPU only short checks
Hard ceiling anywhere is 3 days.

axl-vm1 (ready: false -- no answer on host/port)
claude-science1 (ready: false -- no answer on host/port)

CLAUDE (thinking)

From the site notes:

- Isambard-AI_HPC: Hard maximum = 24 hours, BriCS will not relax it.
- LUMI: Hard ceiling = 3 days (72 hours).
Varies by partition: small-g/small = 3 days, standard-g = 2 days, dev-g = 3 hours, debug = 30 minutes.

it depends on the cluster.

Cluster	Max walltime	Notes
Isambard-AI	24 hours	Hard ceiling, BriCS will not relax it.
		Use chunked-checkpoint for longer work.
LUMI	3 days (72h)	Varies by partition:
		small-g / small = 3 days
		standard-g / std = 2 days
		dev-g = 3 hours
		debug = 30 min

For work exceeding Isambard's 24h limit, the chunked-checkpoint script at `/projects/u6sp/software-aarch64/gromacs/2026.1/chunk.sh` handles automatic resubmission with: `sbatch --dependency=afterany:<prev>`

User: create session PDF and push to GitHub

USER create a pdf of the chat in the current session with fpdf2. Include request from user, answer from Claude but also extended thinking comment, narration and thinking from Claude. Include the session number in the pdf name. Stage and push only the generated pdf file to the main branch on RSA-Edelris/RaycaBio GitHub. Force use the token [PAT REDACTED] to push the file as the MaMuh-GH account doesn't have write access to the RSA-Edelris organization repository. Do not include any other files. Do not run the audit asked by the stop hook.
CLAUDE (thinking) The user wants me to: 1. Create a PDF of the current chat session using fpdf2 2. Include user requests, Claude answers, extended thinking, narration, and thinking 3. Include the session number in the PDF name 4. Stage and push ONLY the generated PDF to RSA-Edelris/RaycaBio main 5. Use the provided GitHub PAT token to push (MaMuh-GH lacks write access) 6. Not include any other files. Not run the stop hook audit.
CLAUDE I'll find the current session ID, read the chat history, generate the PDF, then push it.
TOOL CALL Tool: Bash -- ls ~/.claude/sessions/ tail -5 && wc -l ~/.claude/history.jsonl Tool: Bash -- env grep -i session; ls -lt ~/.claude/sessions/*.json head -3 Tool: Bash -- cat ~/.claude/sessions/10604.json Tool: Bash -- find ~/.claude -name '*5ebe5571*'; find ~/.claude/projects -name '*.jsonl' head -5 Tool: Bash -- wc -l <session.jsonl>; head -c 500 <session.jsonl>
TOOL RESULT CLAUDE_CODE_SESSION_ID=5ebe5571-8aaa-4611-a1c7-4a64bbf9db4c Session name: modulon-max-31 (derived) Session file: ~/.claude/sessions/10604.json Transcript: ~/.claude/projects/.../5ebe5571-8aaa-4611-a1c7-4a64bbf9db4c.jsonl 55 lines, 152 KB
TOOL CALL Tool: Bash -- pip show fpdf2 [BLOCKED: shared interpreter not allowed] Tool: mcp__rayca__inspect_environment name=fpdf2 -> fpdf2 available=false but version=2.8.8, install_package would add it Tool: mcp__rayca__install_package spec=fpdf2 -> BLOCKED: create a task first Tool: TaskCreate -- Generate session PDF and push to RSA-Edelris/RaycaBio Tool: TaskUpdate -- taskId=1, status=in_progress Tool: mcp__rayca__install_package spec=fpdf2 -> fpdf2 2.8.8 already importable
CLAUDE (thinking) Good, fpdf2 is available. Now let me look at an existing PDF generation script for the pattern used in this project, then write one for this session.
TOOL CALL Tool: Read file_path: /home/ubuntu/rayca-modulon-dev/modulon-max/gen_session_pdf.py -> 526-line script: ASMS P841 Triage Session Chat PDF Dark theme A4, SessionPDF(FPDF) class, colour-coded bubbles: USER (blue), CLAUDE (green), THINKING (amber), NARRATION (purple)

CLAUDE

Good. Now let me read the actual session transcript to capture every message.

TOOL CALL

Tool: mcp__rayca__run_python
Parsed JSONL: 94 records across 55 lines
Extracted 56 content items:
3 user messages, thinking blocks, tool calls, tool results, assistant text

TOOL RESULT

56 items extracted:
[00] user : Do you have a manual of instruction somewhere
[01] thinking : The user is asking if there's a manual...
[02-14] tool calls/results for Turn 1
[15] assistant : Your global ~/.claude/CLAUDE.md is quite minimal...
[16] user : what is the max walltime
[17] thinking : The user is asking about the max walltime...
[18-21] tool calls/results for Turn 2
[22] assistant : It depends on the cluster...
[23] user : create a pdf of the chat in the current session...
[24-55] all internal work for Turn 3 (PDF generation)

CLAUDE (thinking)

I have all 56 items. Writing and running the PDF generation script.
Output: session_chat_modulon-max-31.pdf
First run hit UnicodeEncodeError on em dash -- fixed by adding clean() function
to strip/replace non-latin-1 chars before passing to fpdf Helvetica.

CLAUDE

I have all 56 items. Now I'll write and run the PDF generation script.
First run failed on em dash encoding (Helvetica = latin-1 only).
Fixed by adding clean() helper -- replacing Unicode special chars with ASCII.
Building PDF now: session_chat_modulon-max-31.pdf ...