6b-Hierarchical.Clustering

November 13, 2024

1 Hierachical Clustering.

[1]:
```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.preprocessing import MinMaxScaler
import scipy.cluster.hierarchy as shc
```

Load the data.

[2]:
```
url = "https://ddc-datascience.s3.amazonaws.com/Wholesale_Data.csv"
data = pd.read_csv( url )
data.head()
```

[2]:

	Channel	Region	Fresh	Milk	Grocery	Frozen	Detergents_Paper	Delicassen
0	2	3	12669	9656	7561	214	2674	1338
1	2	3	7057	9810	9568	1762	3293	1776
2	2	3	6353	8808	7684	2405	3516	7844
3	1	3	13265	1196	4221	6404	507	1788
4	2	3	22615	5410	7198	3915	1777	5185

[3]:
```
data.shape
```

[3]:
```
(440, 8)
```

[4]:
```
data.describe().transpose()
```

[4]:

	count	mean	std	min	25%	50%	\
Channel	440.0	1.322727	0.468052	1.0	1.00	1.0	
Region	440.0	2.543182	0.774272	1.0	2.00	3.0	
Fresh	440.0	12000.297727	12647.328865	3.0	3127.75	8504.0	
Milk	440.0	5796.265909	7380.377175	55.0	1533.00	3627.0	
Grocery	440.0	7951.277273	9503.162829	3.0	2153.00	4755.5	
Frozen	440.0	3071.931818	4854.673333	25.0	742.25	1526.0	
Detergents_Paper	440.0	2881.493182	4767.854448	3.0	256.75	816.5	
Delicassen	440.0	1524.870455	2820.105937	3.0	408.25	965.5	

```
                      75%       max
Channel              2.00       2.0
Region               3.00       3.0
Fresh            16933.75  112151.0
Milk              7190.25   73498.0
Grocery          10655.75   92780.0
Frozen            3554.25   60869.0
Detergents_Paper  3922.00   40827.0
Delicassen        1820.25   47943.0
```

[5]:
```
data.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 440 entries, 0 to 439
Data columns (total 8 columns):
 #   Column            Non-Null Count  Dtype
---  ------            --------------  -----
 0   Channel           440 non-null    int64
 1   Region            440 non-null    int64
 2   Fresh             440 non-null    int64
 3   Milk              440 non-null    int64
 4   Grocery           440 non-null    int64
 5   Frozen            440 non-null    int64
 6   Detergents_Paper  440 non-null    int64
 7   Delicassen        440 non-null    int64
dtypes: int64(8)
memory usage: 27.6 KB
```

[6]:
```
data[["Channel", "Region"]].nunique()
```

[6]:
```
Channel    2
Region     3
dtype: int64
```

[8]:
```
data[["Channel", "Region"]].value_counts( )
```

[8]:
```
Channel  Region
1        3         211
2        3         105
1        1          59
         2          28
2        2          19
         1          18
Name: count, dtype: int64
```

Scale the data.

[9]:
```
# Scale data
scaler = MinMaxScaler()
scaler.fit(data)
data_scaled = scaler.transform(data)
# Convert back to data frame
data_scaled = pd.DataFrame(data_scaled, columns = data.columns)
data_scaled.head()
```

[9]:

	Channel	Region	Fresh	Milk	Grocery	Frozen	Detergents_Paper	Delicassen
0	1.0	1.0	0.112940	0.130727	0.081464	0.003106	0.065427	0.027847
1	1.0	1.0	0.062899	0.132824	0.103097	0.028548	0.080590	0.036984
2	1.0	1.0	0.056622	0.119181	0.082790	0.039116	0.086052	0.163559
3	0.0	1.0	0.118254	0.015536	0.045464	0.104842	0.012346	0.037234
4	1.0	1.0	0.201626	0.072914	0.077552	0.063934	0.043455	0.108093

[10]:
```
data_scaled.describe().transpose()
```

[10]:

	count	mean	std	min	25%	50%	75%	max
Channel	440.0	0.322727	0.468052	0.0	0.000000	0.000000	1.000000	1.0
Region	440.0	0.771591	0.387136	0.0	0.500000	1.000000	1.000000	1.0
Fresh	440.0	0.106977	0.112774	0.0	0.027863	0.075802	0.150968	1.0
Milk	440.0	0.078173	0.100491	0.0	0.020124	0.048636	0.097154	1.0
Grocery	440.0	0.085671	0.102430	0.0	0.023174	0.051225	0.114821	1.0
Frozen	440.0	0.050078	0.079789	0.0	0.011788	0.024670	0.058005	1.0
Detergents_Paper	440.0	0.070510	0.116790	0.0	0.006216	0.019927	0.095997	1.0
Delicassen	440.0	0.031745	0.058826	0.0	0.008453	0.020077	0.037907	1.0

Create dendogram of the clustering.

[11]:
```
plt.figure(figsize=(10, 7))
plt.title("Dendrograms")
```

```
dend = shc.dendrogram(shc.linkage(data_scaled, method='ward'))
```



Choose an appropriate threshold for the clusters.

[12]:
```
plt.figure(figsize=(10, 7))
plt.title("Dendrograms")
dend = shc.dendrogram(shc.linkage(data_scaled, method='ward'))
plt.axhline(y=6, color='r', linestyle='--') ;
```



Classify all points based on the number of clusters at the threshold you chose.

[13]:
```
from sklearn.cluster import AgglomerativeClustering
cluster = AgglomerativeClustering(n_clusters=3, metric='euclidean',␣
 ↪linkage='ward')
clusterNums = pd.Series(cluster.fit_predict(data_scaled))
```

[14]:
```
clusterNums
```

[14]:
```
0      0
1      0
2      0
3      2
4      0
      ..
435    2
436    2
437    0
438    2
439    2
Length: 440, dtype: int64
```

[15]:
```
clusterNums.value_counts()
```

[15]:
```
2    212
0    142
1     86
Name: count, dtype: int64
```

Visualize the clusters.

[16]:
```
data.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 440 entries, 0 to 439
Data columns (total 8 columns):
 #   Column            Non-Null Count  Dtype
---  ------            --------------  -----
 0   Channel           440 non-null    int64
 1   Region            440 non-null    int64
 2   Fresh             440 non-null    int64
 3   Milk              440 non-null    int64
 4   Grocery           440 non-null    int64
 5   Frozen            440 non-null    int64
 6   Detergents_Paper  440 non-null    int64
 7   Delicassen        440 non-null    int64
dtypes: int64(8)
memory usage: 27.6 KB
```

[17]:
```
cluster.labels_
```

[17]:
```
array([0, 0, 0, 2, 0, 0, 0, 0, 2, 0, 0, 0, 0, 0, 0, 2, 0, 2, 0, 2, 0, 2,
       2, 0, 0, 0, 2, 2, 0, 2, 2, 2, 2, 2, 2, 0, 2, 0, 0, 2, 2, 2, 0, 0,
       0, 0, 0, 0, 0, 0, 2, 2, 0, 0, 2, 2, 0, 0, 2, 2, 0, 0, 0, 0, 2, 0,
       2, 0, 2, 2, 2, 2, 2, 0, 0, 2, 2, 0, 2, 2, 2, 0, 0, 2, 0, 0, 0, 2,
       2, 2, 2, 2, 0, 2, 0, 2, 0, 2, 2, 2, 0, 0, 0, 2, 2, 2, 0, 0, 0, 0,
       2, 0, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 0, 2, 2, 2, 0, 2, 2, 2, 2,
       2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 0, 2, 2, 2, 2, 2, 2, 2, 2,
       2, 0, 0, 2, 0, 0, 0, 2, 2, 0, 0, 0, 0, 2, 2, 2, 0, 0, 2, 0, 2, 0,
       2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 0, 0, 2, 2, 2, 0, 2, 2, 1, 0,
       1, 1, 0, 0, 1, 1, 1, 0, 1, 0, 1, 0, 1, 0, 1, 1, 0, 1, 0, 1, 0, 1,
       1, 1, 1, 0, 1, 1, 0, 1, 1, 1, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
       1, 1, 1, 0, 1, 1, 1, 1, 1, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
       0, 1, 0, 1, 0, 1, 1, 1, 1, 2, 2, 2, 2, 2, 2, 0, 2, 0, 2, 2, 2, 2,
       2, 2, 2, 2, 2, 2, 2, 0, 1, 0, 1, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 1,
       1, 0, 1, 1, 0, 1, 1, 0, 1, 1, 1, 0, 1, 1, 1, 1, 1, 2, 1, 1, 1, 1,
       1, 0, 1, 0, 0, 0, 1, 1, 1, 1, 0, 0, 2, 0, 2, 2, 0, 0, 2, 0, 2, 0,
       2, 0, 2, 2, 2, 0, 2, 2, 2, 2, 2, 2, 2, 0, 2, 2, 2, 2, 0, 2, 2, 0,
       2, 2, 0, 2, 2, 0, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,
       0, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 0, 0, 2, 2, 2, 2, 2, 2, 0, 0, 2,
```

```
       0, 2, 2, 0, 2, 0, 0, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 0, 2, 2])
```

[18]:
```
data['clusters'] = cluster.labels_
```

[19]:
```
data.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 440 entries, 0 to 439
Data columns (total 9 columns):
 #   Column            Non-Null Count  Dtype
---  ------            --------------  -----
 0   Channel           440 non-null    int64
 1   Region            440 non-null    int64
 2   Fresh             440 non-null    int64
 3   Milk              440 non-null    int64
 4   Grocery           440 non-null    int64
 5   Frozen            440 non-null    int64
 6   Detergents_Paper  440 non-null    int64
 7   Delicassen        440 non-null    int64
 8   clusters          440 non-null    int64
dtypes: int64(9)
memory usage: 31.1 KB
```

[20]:
```
sns.pairplot(data, hue = 'clusters') ;
```


Channel
Region
Fresh
Milk
Grocery
Frozen
Detergents_Paper
Delicassen
clusters
0
1
2

[ ]: