Nonmonotonic reasoning in Description Logics. Rational Closure for the ABox

Giovanni Casini, Thomas Meyer, Kody Moodley, and Ivan Varzinczak

Centre for Artificial Intelligence Research
CSIR Meraka Institute and UKZN, South Africa
Email: {GCasini,TMeyer,KMoodley,IVarzinczak}@csir.co.za

Abstract. The introduction of defeasible reasoning in Description Logics has been a main research topic in the field in the last years. Despite the fact that various interesting formalizations of nonmonotonic reasoning for the TBox have been proposed, the application of such a kind of reasoning also to ABoxes is more problematic. In what follows we are going to present the adaptation for the ABox of a classical nonmonotonic form of reasoning, Lehmann and Magidor's Rational Closure. We present both a procedural and a semantical characterization, and we conclude the paper with a comparison between our and other analogous proposals.

1   Introduction

In the last years it has become apparent the need for the introduction of forms of uncertain and non-classical reasoning in the field of formal ontologies; hence, considering the main role of Description logics (DLs), endowing DLs with non-monotonic features is an important problem from the point of view of knowledge representation and reasoning. Indeed, there have been various proposals for the introduction of non-monotonic reasoning in a DL setting, mostly ranging from preferential approaches [15,3,10,6] to circumscription [2], amongst others [1,7].

The preferential approach, that has been formalized for the propositional languages mainly in the 90's [12,14], turns out to be particularly promising for a number of reasons. Firstly, it provides a thorough analysis of the properties that any non-monotonic consequence relation considered 'well-behaved' is supposed to satisfy, which plays a central role in assessing how intuitive the obtained results are; secondly, it allows for many decision problems to be reduced to classical entailment checking, sometimes without blowing up the computational complexity with respect to the classical case, and, thirdly, it has a well-known connection with belief revision [8,11]. It is reasonable to expect that most of these features will transfer to extensions for DLs.

In what follows we are going to present the adaptation for the ABox of a classical nonmonotonic form of reasoning, Lehmann and Magidor's Rational Closure. Elsewhere [4] we have taken under consideration the Rational Closure of a defeasible knowledge base composed only of defeasible inclusion axioms, *i.e.* inclusion axioms $C \sqsubseteq_\sim D$ read as 'an object falling under the concept C typically falls also under the concept D', and we are going to briefly review such a procedure in the following section. Instead, here

we are going to take under consideration knowledge bases composed also of an ABox $\mathcal{A}$ containing information about specific individuals, as $C(a)$ ('the individual a falls under the concept C') or $r(a, b)$ (the individual a is connected to the individual b through the role r): we shall present a procedure defining rational closure for the ABox, giving also a semantic characterization (Section 3). Eventually in Section 4 we shall compare the proposed procedure with other ones in the field.

2 Preliminaries

$\mathcal{ALC}$ **language and semantics.** We shall present our work for the description logic $\mathcal{ALC}$, but it is adaptable also to other more expressive description logics. The language of the description logic $\mathcal{ALC}$ is built up from a finite set of *concept names* $\mathsf{N}_\mathcal{C}$ and a finite set of *role names* $\mathsf{N}_\mathcal{R}$ such that $\mathsf{N}_\mathcal{C} \cap \mathsf{N}_\mathcal{R} = \emptyset$. A concept name is denoted by A and a role name by r. Complex concepts are denoted by $C, D, \ldots$, and are built in the usual way according to the rule:

$$C ::= A \mid \neg C \mid C \sqcap C \mid \exists r.C \mid \top \mid \bot$$

Concepts built with the constructors $\sqcup$ and $\forall$ are defined in terms of the others in the usual way.

The semantics of $\mathcal{ALC}$ is a standard set theoretic semantics. An *interpretation* is a structure $\mathcal{I} := \langle \Delta^\mathcal{I}, \cdot^\mathcal{I} \rangle$, where $\Delta^\mathcal{I}$ is a non-empty set called the *domain*, and $\cdot^\mathcal{I}$ is an *interpretation function* mapping concept names $A \in \mathsf{N}_\mathcal{C}$ into subsets $A^\mathcal{I}$ of $\Delta^\mathcal{I}$, and mapping role names $r \in \mathsf{N}_\mathcal{R}$ into binary relations $r^\mathcal{I}$ over $\Delta^\mathcal{I} \times \Delta^\mathcal{I}$. Given an interpretation $\mathcal{I} = \langle \Delta^\mathcal{I}, \cdot^\mathcal{I} \rangle$, $\cdot^\mathcal{I}$ is extended to interpret complex concepts in the following way: $(\neg C)^\mathcal{I} = \Delta^\mathcal{I} \setminus C^\mathcal{I}$, $(C \sqcap D)^\mathcal{I} = C^\mathcal{I} \cap D^\mathcal{I}$, and $(\exists r.C)^\mathcal{I} = \{x \in \Delta^\mathcal{I} \mid$ for some $y, (x, y) \in r^\mathcal{I}$ and $y \in C^\mathcal{I}\}$.

Given $C, D \in \mathcal{L}$, $C \sqsubseteq D$ is a *subsumption statement*. $C \equiv D$ is an abbreviation for both $C \sqsubseteq D$ and $D \sqsubseteq C$. An $\mathcal{ALC}$ knowledge base $\mathcal{K}$ is composed by a TBox $\mathcal{T}$ and an ABox $\mathcal{A}$. A TBox $\mathcal{T}$ is a finite set of subsumption statements. An interpretation $\mathcal{I}$ *satisfies* $C \sqsubseteq D$ (denoted $\mathcal{I} \Vdash C \sqsubseteq D$) if and only if $C^\mathcal{I} \subseteq D^\mathcal{I}$. $C \sqsubseteq D$ is (classically) *entailed* by a TBox $\mathcal{T}$, denoted $\mathcal{T} \models C \sqsubseteq D$, if and only if $\mathcal{I} \Vdash C \sqsubseteq D$ for every $\mathcal{I}$ such that $\mathcal{I} \Vdash E \sqsubseteq F$ for all $E \sqsubseteq F \in \mathcal{T}$. An *ABox* $\mathcal{A}$ is a set of *assertions* about individuals. Let $\mathfrak{D}$ be a set of individuals $\{a, b, c, \ldots\}$, that are interpreted in $\langle \Delta^\mathcal{I}, \cdot^\mathcal{I} \rangle$ as elements of the domain $\Delta^\mathcal{I}$, *i.e.* $a^\mathcal{I} \in \Delta^\mathcal{I}$. The admissible assertions in $\mathcal{ALC}$ have the form $C(a)$ and $r(a, b)$, where $\mathcal{I} \Vdash C(a)$ if and only if $a^\mathcal{I} \in C^\mathcal{I}$ and $\mathcal{I} \Vdash r(a, b)$ if and only if $\langle a^\mathcal{I}, b^\mathcal{I} \rangle \in r^\mathcal{I}$.

Hence, a classical $\mathcal{ALC}$ knowledge base $\mathcal{K}$ is composed by a finite TBox $\mathcal{T}$ and a finite ABox $\mathcal{A}$ ($\mathcal{K} = \langle \mathcal{A}, \mathcal{T} \rangle$), both of them possibly empty.

Rational Closure of the TBox. In order to formalize defeasible reasoning in DLs, we introduce a form of *defeasible subsumption statements*, indicated as $C \sqsubset\!\!\!\sim D$ and read as 'the individuals falling under the concept C *typically* fall also under the concept D'. Hence, a *defeasible knowledge base* $\mathcal{K}$ is composed also by a DBox $\mathcal{D}$, a finite set of defeasible subsumption statements ($\mathcal{K} = \langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$). Here we recall the procedure to formalize the Rational Closure of a set of inclusion axioms, without considering the information about the individuals, *i.e.* we present the procedure to determine the

Rational Closure of a knowledge base composed only of TBox and Dbox, $\langle \mathcal{T}, \mathcal{D} \rangle$. We shall indicate the inference relation corresponding to the rational closure with $\vdash_{rat}$. The procedure below, appropriate for deciding $\vdash_{rat}$, has been originally presented in [6], and the reader should look at such a paper for a better insight on the procedure.

Step 1. Let $\overline{\mathcal{D}}$ (resp., $\overline{\mathcal{T}}$) be the set containing the *materializations* of the axioms in $\mathcal{D}$ (resp., $\mathcal{T}$), i.e. $\overline{\mathcal{D}} = \{\neg C \sqcup D \mid C \sqsubseteq\!\!\!\!\sim D \in \mathcal{D}\}$ (resp., $\overline{\mathcal{T}} = \{\neg C \sqcup D \mid C \sqsubseteq D \in \mathcal{T}\}$); by *materialization* of an inclusion axiom $C \sqsubseteq\!\!\!\!\sim D$ or $C \sqsubseteq D$ we indicate the concept that expresses in the language the same inclusion relation as the one expressed by the axiom (if an object falls under C, then it falls also under D).

We determine an *exceptionality ranking* of the sequents in $\mathcal{D}$ using $\overline{\mathcal{T}}$ and $\overline{\mathcal{D}}$. A concept is considered *exceptional* in a knowledge base $\langle \mathcal{T}, \mathcal{D} \rangle$ only if

$$\models \bigsqcap \overline{\mathcal{T}} \sqcap \bigsqcap \overline{\mathcal{D}} \sqsubseteq \neg C.$$

If a concept C is exceptional in $\langle \mathcal{T}, \mathcal{D} \rangle$, also all the defeasible inclusion axioms having C as antecedent are considered exceptional. Given a knowledge base $\langle \mathcal{T}, \mathcal{D} \rangle$, we can define a function E that gives back the exceptional axioms in $\mathcal{D}$ ($E(\mathcal{D}) = \{C \sqsubseteq\!\!\!\!\sim D \mid \; \models \bigsqcap \overline{\mathcal{T}} \sqcap \bigsqcap \overline{\mathcal{D}} \sqsubseteq \neg C\}$).[1] Given $\langle \mathcal{T}, \mathcal{D} \rangle$ we can construct a sequence $\mathcal{E}_0, \mathcal{E}_1, \ldots$ starting with $\mathcal{E}_0 = \mathcal{D}$ and setting $\mathcal{E}_{i+1} = E(\mathcal{E}_i)$. Since $\mathcal{D}$ is a finite set, the construction will terminate with a (empty or not-empty) fixed point of E.

Step 2 We define a ranking function r that associates to every axiom in $\mathcal{D}$ a number, representing its level of exceptionality:

$$r(C \sqsubseteq\!\!\!\!\sim D) = \begin{cases} i & \text{if } C \sqsubseteq\!\!\!\!\sim D \in \mathcal{E}_i \text{ and } C \sqsubseteq\!\!\!\!\sim D \notin \mathcal{E}_{i+1} \\ \infty & \text{if } C \sqsubseteq\!\!\!\!\sim D \in \mathcal{E}_i \text{ for every } i \, . \end{cases}$$

We indicate with $\mathcal{D}_i$ the set of the defeasible axioms having i as ranking value. Hence a set $\mathcal{D}$ is partitioned into the sets $\mathcal{D}_1, \ldots, \mathcal{D}_n, \mathcal{D}_\infty$, for some n, and with $\mathcal{D}_\infty$ possibly empty. It is possible to define a new knowledge base $\langle \mathcal{T}', \mathcal{D}' \rangle$, with $\mathcal{T}' = \mathcal{T} \cup \{C \sqsubseteq D \mid C \sqsubseteq\!\!\!\!\sim D \in \mathcal{D}_\infty\}$ and $\mathcal{D}' = \mathcal{D}/\mathcal{D}_\infty$. The only difference between $\langle \mathcal{T}, \mathcal{D} \rangle$ and $\langle \mathcal{T}', \mathcal{D}' \rangle$ is that the classical knowledge that was 'implicitly contained' in $\mathcal{D}$ is now moved into $\mathcal{T}$, and the set $\mathcal{D}'$ is partitioned by the ranking function r into $\mathcal{D}_1, \ldots, \mathcal{D}_n$, without any axiom with ∞ as ranking value. We shall indicate with δ_i the *default concept* obtained from the conjunction of all the materializations of rank i or higher ($\delta_i = \bigsqcap (\bigcup_{i \le j \le n} \overline{\mathcal{D}_j})$).

Step 3. Now, given a knowledge base $\langle \mathcal{T}, \mathcal{D} \rangle$ we can define the inference relation $\vdash_{rat}$.

Definition 1. $\langle \mathcal{T}, \mathcal{D} \rangle \vdash_{rat} C \sqsubseteq\!\!\!\!\sim D$ *iff* $\models \bigsqcap \overline{\mathcal{T}'} \sqcap \delta_i \sqcap C \sqsubseteq D$, *where δ_i is the first element of the sequence $\langle \delta_0, \ldots, \delta_n \rangle$ s.t. $\not\models \bigsqcap \overline{\mathcal{T}'} \sqcap \delta_i \sqsubseteq \neg C$; if there is no such element, $\langle \mathcal{T}, \mathcal{D} \rangle \vdash_{rat} C \sqsubseteq\!\!\!\!\sim D$ iff $\models \bigsqcap \overline{\mathcal{T}'} \sqcap C \sqsubseteq D$. Moreover, $\langle \mathcal{T}, \mathcal{D} \rangle \vdash_{rat} C \sqsubseteq D$ iff $\langle \mathcal{T}, \mathcal{D} \rangle \vdash_{rat} C \sqcap \neg D \sqsubseteq\!\!\!\!\sim \bot$.*

The inference relation $\vdash_{rat}$ satisfies the DL-translation of the properties characterizing rational consequence relations, and, since the entire procedure consists of a finite number of classical decisions, it is implementable using already existing DL reasoners, and the complexity of the decision problem does not increase w.r.t. the classical one (*i.e.*, the it is ExpTime-complete for $\mathcal{ALC}$). The semantic characterization presented

---

[1] This is the only difference between the present procedure and the original one in [6]. The latter is a syntactical procedure still lacking of a semantics, and the condition for the exceptionality of a concept C is $\mathcal{T} \cup \mathcal{D}^{\sqsubseteq} \models \top \sqsubseteq \neg C$ ($\mathcal{D}^{\sqsubseteq} = \{C \sqsubseteq D \mid C \sqsubseteq\!\!\!\!\sim D \in \mathcal{D}\}$), while the semantics presented in what follows suggests that the correct condition is $\models \bigsqcap \overline{\mathcal{T}} \sqcap \bigsqcap \overline{\mathcal{D}} \sqsubseteq \neg C$.

here below strengthens the claim that the above procedure is the DL-correspondent of rational closure.

Semantics. We can give a semantic characterization of the Rational Closure for $\mathcal{ALC}$ using the notion of *minimal ranked model*, defined for the propositional logic by Giordano et al. [9], and here we briefly present a reformulation for $\mathcal{ALC}$. More details about the preferential and ranked models for $\mathcal{ALC}$ and the notion of *minimal ranked entailment* can be found in [4].

First of all, we need to define the notion of ranked interpretation, that in turn is based on the notion of modular order. Given a set X, $\prec \subseteq X \times X$ is a modular order if and only if there is a ranking function $rk : X \longrightarrow \mathbf{N}$ s.t. for every $x, y \in X$, $x \prec y$ iff $rk(x) < rk(y)$.

Definition 2 (Ranked Interpretation). *A ranked interpretation is a structure $\mathcal{R} = \langle \Delta^{\mathcal{R}}, \cdot^{\mathcal{R}}, \prec_{\mathcal{R}} \rangle$, where $\langle \Delta^{\mathcal{R}}, \cdot^{\mathcal{R}} \rangle$ is a DL interpretation (which we denote by $\mathcal{I}_{\mathcal{R}}$), and $\prec_{\mathcal{R}}$ is a modular order on $\Delta^{\mathcal{R}}$ satisfying the smoothness condition (for every $C \in \mathcal{L}$, $\min_{\prec_{\mathcal{R}}}(C^{\mathcal{R}}) \neq \emptyset$).*

As in the propositional case, the order $\prec_{\mathcal{R}}$ is read as a *typicality order*, in this case defined over the objects in the domain, *i.e.*, if we have that, for $a, b \in \Delta^{\mathcal{R}}$, $a \prec_{\mathcal{R}} b$ is in $\mathcal{R}$, then a is considered a more typical object than b in the situation depicted by $\mathcal{R}$; for each concept C, the set $\min_{\prec_{\mathcal{R}}}(C^{\mathcal{R}}) = \{x \in \Delta^{\mathcal{R}} \mid$ there is no $y \in \Delta^{\mathcal{R}}$ s.t. $y \prec_{\mathcal{R}} x\}$ contains the most typical elements of C in $\mathcal{R}$. A ranked interpretation $\mathcal{R} = \langle \Delta^{\mathcal{R}}, \cdot^{\mathcal{R}}, \prec_{\mathcal{R}} \rangle$ satisfies a defeasible subsumption statement $C \mathrel{\vhook\joinrel\subseteq} D$, denoted by $\mathcal{R} \Vdash C \mathrel{\vhook\joinrel\subseteq} D$, if and only if $\min_{\prec_{\mathcal{R}}}(C^{\mathcal{R}}) \subseteq D^{\mathcal{R}}$, with $C^{\mathcal{R}}$ and $D^{\mathcal{R}}$ being the interpretations in $\mathcal{R}$ of the concepts C and D. A knowledge base $\langle \mathcal{T}, \mathcal{D} \rangle$ is *consistent* if and only if there is a ranked model that satisfies all the classical inclusion axioms in $\mathcal{T}$ and all the defeasible inclusion axioms in $\mathcal{D}$. Given a knowledge base $\langle \mathcal{T}, \mathcal{D} \rangle$, consider the ranked models satisfying $\langle \mathcal{T}, \mathcal{D} \rangle$; in order to define the consequence relation we are interested in, we do not take all of them under consideration, but we select just some of them, respecting the following procedure.

For every ranked model $\mathcal{R}$, we can define a function $h_{\mathcal{R}}$ that, given an object in $\Delta^{\mathcal{R}}$, gives back its *height* in $\mathcal{R}$, *i.e.*, $h_{\mathcal{R}}(x)$ is the length of the longest chain $x_0 \prec_{\mathcal{R}}, \dots, \prec_{\mathcal{R}} x$, where $x_0 \in \min_{\prec_{\mathcal{R}}}(\Delta^{\mathcal{R}})$; we shall consider only the *finitely ranked* models, that is, those models in which there is a maximal value for the height of the objects in the domain (actually, we can prove that each ranked model have a preferentially equivalent model that is finitely ranked).

First of all, we need to define a notion of $\mathcal{D}$-compatibility of an interpretation w.r.t. a knowledge base $\langle \mathcal{T}, \mathcal{D} \rangle$. We indicate with $\models_R$ the consequence relation defined in the classical way using *all* the ranked models of $\langle \mathcal{T}, \mathcal{D} \rangle$, that is, $\langle \mathcal{T}, \mathcal{D} \rangle \models_R C \mathrel{\vhook\joinrel\subseteq} D$ if and only if $C \mathrel{\vhook\joinrel\subseteq} D$ is satisfied in all the ranked models satisfying $\langle \mathcal{T}, \mathcal{D} \rangle$.

Definition 3. *For an interpretation $\mathcal{I}$ and an $x \in \Delta^{\mathcal{I}}$, the tuple $\langle \mathcal{I}, x \rangle$ is $\langle \mathcal{T}, \mathcal{D} \rangle$-compatible if and only if $\langle \mathcal{T}, \mathcal{D} \rangle \not\models_R C \mathrel{\vhook\joinrel\subseteq} \bot$ for every $C \in \mathcal{L}$ s.t. $x \in C^{\mathcal{I}}$. $\mathcal{I}$ is said to be $\langle \mathcal{T}, \mathcal{D} \rangle$-compatible if and only if for every $\langle \mathcal{T}, \mathcal{D} \rangle$-compatible tuple $\langle \mathcal{J}, y \rangle$ there is an x in $\Delta^{\mathcal{I}}$ such that, for every $C \in \mathcal{L}$, $x \in C^{\mathcal{I}}$ iff $y \in C^{\mathcal{J}}$. A ranked interpretation $\mathcal{R}$ is $\langle \mathcal{T}, \mathcal{D} \rangle$-compatible if and only if the classical interpretation $\mathcal{I}_{\mathcal{R}}$ associated with it is $\langle \mathcal{T}, \mathcal{D} \rangle$-compatible.*

Given a classical interpretation $\mathcal{I}$, we consider the set $\mathfrak{R}^{\langle \mathcal{I}, \langle \mathcal{T}, \mathcal{D} \rangle \rangle}$ of all the ranked interpretations that agree on $\mathcal{I}$ and satisfy $\langle \mathcal{T}, \mathcal{D} \rangle$. If $\mathcal{I}$ is $\langle \mathcal{T}, \mathcal{D} \rangle$-compatible, also are the interpretations in $\mathfrak{R}^{\langle \mathcal{I}, \langle \mathcal{T}, \mathcal{D} \rangle \rangle}$. We take under consideration as candidate models for our consequence relation exactly the interpretations in all the $\langle \mathcal{T}, \mathcal{D} \rangle$-compatible sets $\mathfrak{R}^{\langle \mathcal{I}, \langle \mathcal{T}, \mathcal{D} \rangle \rangle}$.

Hence, given a set $\mathfrak{R}^{\langle \mathcal{I}, \langle \mathcal{T}, \mathcal{D} \rangle \rangle}$ composed of $\langle \mathcal{T}, \mathcal{D} \rangle$-compatible and finitely ranked interpretations, we define an order $\leq_{\mathcal{I}}$ on such interpretations s.t., given two interpretations $\mathcal{R}, \mathcal{R}' \in \mathfrak{R}^{\langle \mathcal{I}, \langle \mathcal{T}, \mathcal{D} \rangle \rangle}$, $\mathcal{R} \leq_{\mathcal{I}} \mathcal{R}'$ iff for every $x \in \Delta^{\mathcal{I}}$ $h_{\mathcal{R}}(x) \leq h_{\mathcal{R}'}(x)$. Based on such an ordering of the interpretations, we can define the consequence relation $\models^{\leq}_{\mathcal{R}}$.

Definition 4. *For a consistent knowledge base $\langle \mathcal{T}, \mathcal{D} \rangle$, $\langle \mathcal{T}, \mathcal{D} \rangle \models^{\leq}_{\mathcal{R}} C \sqsubseteq\mkern-9mu{\sim} D$ if and only if $\mathcal{R} \Vdash C \sqsubseteq\mkern-9mu{\sim} D$, where $\mathcal{R}$ is the $\leq_{\mathcal{I}}$-minimum ranked interpretation of some $\langle \mathcal{T}, \mathcal{D} \rangle$-compatible interpretation $\mathcal{I}$. If $\langle \mathcal{T}, \mathcal{D} \rangle$ is unsatisfiable then every defeasible subsumption statement $C \sqsubseteq\mkern-9mu{\sim} D$ is in the ranked entailment of $\langle \mathcal{T}, \mathcal{D} \rangle$.*

Such a consequence relation corresponds to $\vdash_r$.

Theorem 1. *For every knowledge base $\langle \mathcal{T}, \mathcal{D} \rangle$ and every defeasible subsumption relation $C \sqsubseteq\mkern-9mu{\sim} D$, $\langle \mathcal{T}, \mathcal{D} \rangle \vdash_{rat} C \sqsubseteq\mkern-9mu{\sim} D$ iff $\langle \mathcal{T}, \mathcal{D} \rangle \models^{\leq}_{\mathcal{R}} C \sqsubseteq\mkern-9mu{\sim} D$.*

3 Rational Extensions of an ABox

Here we consider the extension of the above procedure to knowledge bases containing also an ABox: given information about particular individuals, we want to derive what *presumably* holds about such individuals. Our knowledge base will have a classical ABox, composed of concept and role assertions, but, using the defeasible inclusion axioms in $\mathcal{D}$, we will be able to derive defeasible informations about the individuals: we shall indicate with the expression '$\cdot C(a)$' the conclusion that the individual a *presumably* falls under the concept C. A first attempt for this kind of procedure is presented in [6], and a similar version of the following procedure, specified for a consequence relation different from rational closure, appears in another paper [5], but they both lack of a semantical characterization and the properties of the inference relation are not properly investigated.

The procedure for the ABox is built on top of the procedure for the DBox. Hence we work with a knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$, and from now we assume that we have already applied the above procedure to the knowledge base $\langle \mathcal{T}, \mathcal{D} \rangle$, that is, we assume that in the pair $\langle \mathcal{T}, \mathcal{D} \rangle$ all the strict information has already been moved into the TBox $\mathcal{T}$, *i.e.*, in $\mathcal{D}$, $\mathcal{D}_{\infty}$ is empty and the set has already been partitioned into $\mathcal{D}_0, \ldots, \mathcal{D}_n$, for some finite n. The basic idea of the following procedure is to consider each individual named in the ABox as much typical as possible, that is, to associate to it all the possible defeasible information that is consistent with the rest of the knowledge base. In order to apply the defeasible information locally to each individual, we encode such information using the materializations of the inclusion axioms, *i.e.* the sets $\overline{\mathcal{D}_i}$ and the default concepts δ_i.

Hence, given $\mathcal{D} = \bigcup \{\mathcal{D}_0, \ldots, \mathcal{D}_n\}$, we end up with the sequence of *default concepts* $\Delta = \langle \delta_0, \ldots, \delta_n \rangle$, as specified in in Section 2 at the Step 2 of the Rational Closure procedure. It is easy to see that $\delta_i \models \delta_{i+1}$ for $1 \leq i \leq n$, and we want to be able to

associate to each individual $a \in \mathcal{O}$ (with $\mathcal{O}$ being the set of the individuals named in the ABox) the strongest formula δ_i that is consistent with the knowledge base. In such a way we define a new knowledge base $\widetilde{\mathcal{K}} = \langle \mathcal{A}_\mathcal{D}, \mathcal{T} \rangle$, that we call a *rational ABox extension* of the knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$.

Definition 5 (Rational ABox extension). *Given a knowledge base $\mathcal{K} = \langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ (with $\langle \mathcal{T}, \mathcal{D} \rangle$ already modified in such a way that $\mathcal{D}_\infty = \emptyset$), a knowledge base $\langle \mathcal{A}_\mathcal{D}, \mathcal{T} \rangle$ is a* rational extension *of $\mathcal{K} = \langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ iff*

- *$\langle \mathcal{A}_\mathcal{D}, \mathcal{T} \rangle$ is classically consistent and $\mathcal{A} \subseteq \mathcal{A}_\mathcal{D}$.*
- *For any $a \in \mathcal{O}$, $C(a) \in \mathcal{A}_\mathcal{D} \setminus \mathcal{A}$ iff $C = \delta_i$ for some i and for every δ_h, $h < i$,*

$$\langle \mathcal{T}, \mathcal{A}_\mathcal{D} \cup \{\delta_h(a)\} \rangle \models \bot$$

The above definition identifies the extensions of the original ABox $\mathcal{A}$ s.t. to every individual is associated all the defeasible information that is consistent with the rest of the knowledge base. Using such an approach dealing with the individuals, we remain consistent with the idea behind rational closure: the default information still respects the exceptionality ranking, and we consider each individual as much typical as possible, preserving the general consistency. Also the semantic characterization that is presented here will confirm that the notion of rational ABox extension is consistent with the basic idea of rational closure, that is, 'pushing' the individuals as lower as possible in the model. Still, the main problem is that, since the individuals can be related to each other through roles, the possibility of associating a default concept to an individual is often influenced by the default information associated to other individuals, as shown in the following example.

Example 1. Consider $\mathcal{K} = \langle \mathcal{A}, \mathcal{D} \rangle$, with $\mathcal{A} = \{r(a,b)\}$ and $\mathcal{D} = \mathcal{D}_0 = \{\top \sqsubseteq\mathrel{\mkern-5mu}\raise0.5ex\hbox{$\scriptscriptstyle\sim$} A \sqcap \forall R.\neg A\}$ (hence we have $\Delta = \langle \delta_0 \rangle = \langle A \sqcap \forall r.\neg A \rangle$). If we associate δ_0 to a, we obtain $\neg A(b)$ and we cannot associate δ_0 to b; on the other hand, if we apply δ_0 to b, we derive $A(b)$ and we are not anymore able to associate δ_0 to a. Hence, we define *two* possible rational extensions of $\mathcal{K}$. □

This implies that, given a knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$, even if the rational closure of $\langle \mathcal{T}, \mathcal{D} \rangle$ is always unique there is the possibility that we have more than one rational ABox extensions.

Once we have defined the sequence of default concepts Δ from $\mathcal{D}$, a simple procedure to obtain all the possible extensions of a knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$, with $\mathcal{O}$ the set of the individuals in named in $\mathcal{A}$, is the following:

Definition 6. *[Procedure for rational ABox extensions]*

- *Consider the set $\mathfrak{S}$ of all the linear orders of the individuals in $\mathcal{O}$;*
- *For each $s = \langle a_1, \ldots, a_m \rangle$ in $\mathfrak{S}$ do:*
    - *Set $j = 1$*
    - *Set $\mathcal{A}_\mathcal{D} = \mathcal{A}$*
    - *Repeat until $j = m + 1$:*
        * *Find the first default $\delta_i \in \Delta$ such that $\langle \mathcal{A}_\mathcal{D} \cup \{\delta_i(a_j)\}, \mathcal{T} \rangle \not\models \top \sqsubseteq \bot$.*

* $\mathcal{A}_\mathcal{D} = \mathcal{A}_\mathcal{D} \cup \{\delta_i(a_j)\}$.
 * $j = j + 1$
- *return* $\langle \mathcal{A}_\mathcal{D}^s, \mathcal{T} \rangle$

Hence, the procedure returns a knowledge base $\langle \mathcal{A}_\mathcal{D}^s, \mathcal{T} \rangle$ for each $s \in \mathfrak{S}$. Now, the following can be proven:

Proposition 1. *Given a knowledge base $\mathcal{K} = \langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ and a linear order of $\mathcal{O}$, the above procedure determines a rational ABox extension of $\mathcal{K}$. Contrariwise, every rational ABox extension of $\mathcal{K}$ corresponds to the knowledge base generated by some linear order of the individuals in $\mathcal{O}$.*

Now, if we fix a priori a linear order s on the individuals, we can say that $\cdot C(a)$ is a *defeasible consequence* of $\mathcal{K} = \langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ w.r.t. the order s, written '$\mathcal{K} \vdash_r^s \cdot C(a)$', iff $\langle \mathcal{A}_\mathcal{D}^s, \mathcal{T} \rangle \models C(a)$, where $\langle \mathcal{A}_\mathcal{D}^s, \mathcal{T} \rangle$ is the rational extension generated from $\mathcal{K}$ using the order s. The interesting point of such a consequence relation is that it still satisfies the properties of a *rational* consequence relation in the following way.

Proposition 2. *Given $\mathcal{K}$ and a linear order s of the individuals in $\mathcal{K}$, the consequence relation $\vdash_r^s$ satisfies the following properties:*

(REF_{DL})	$\langle \mathcal{A}, \mathcal{T}, \Delta \rangle \vdash_r^s \cdot C(a)$ for every $C(a) \in \mathcal{A}$	*Reflexivity*
(LLE_{DL})	$\dfrac{\langle \mathcal{A} \cup \{D(b)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a) \quad \models D \equiv E}{\langle \mathcal{A} \cup \{E(b)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a)}$	*Left Logical Equivalence*
(RW_{DL})	$\dfrac{\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a) \quad \models C \sqsubseteq D}{\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot D(a)}$	*Right Weakening*
(CT_{DL})	$\dfrac{\langle \mathcal{A} \cup \{D(b)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a) \quad \langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot D(b)}{\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a)}$	*Cautious Transitivity (Cut)*
(CM_{DL})	$\dfrac{\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a) \quad \langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot D(b)}{\langle \mathcal{A} \cup \{D(b)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a)}$	*Cautious Monotonicity*
(OR_{DL})	$\dfrac{\langle \mathcal{A} \cup \{D(b)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a) \quad \langle \mathcal{A} \cup \{E(b)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a)}{\langle \mathcal{A} \cup \{D \sqcup E(b)\}, \mathcal{T}, \Delta \rangle \vdash_r^s \cdot C(a)}$	*Left Disjunction*
(RM_{DL})	$\dfrac{\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a) \quad \langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \not\vdash_r^s \cdot \neg D(b)}{\langle \mathcal{A} \cup \{D(b)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a)}$	*Rational Monotonicity*

For the explanation of the original propositional rules and their meaning, check the paper by Kraus et al. [12], while, about the DL case, see [4].

Example 2. We define a DL-variation of the penguin example. Let $\mathcal{K} = \{\mathcal{A}, \mathcal{T}, \mathcal{D}\}$ be a knowledge base where $\mathcal{A} = \{P(a), B(b), Hunt(a, c), Hunt(b, c)\}$, $\mathcal{T} = \{P \sqsubseteq B, I \sqsubseteq \neg Fi\}$, $\mathcal{D} = \{B \sqsubset\!\sim F, P \sqsubset\!\sim \neg F, B \sqsubset\!\sim \forall Hunt.I, P \sqsubset\!\sim \forall Hunt.Fi\}$, where you can read B as *Bird*, P as *Penguin*, F as *Flying*, I as *Insect*, Fi as *Fish*, and $Hunt$ as *hunts*. From $\mathcal{D}$ we obtain the default concepts $\delta_0 = (\neg B \sqcup F) \sqcap (\neg B \sqcup \forall Hunt.I) \sqcap (\neg P \sqcup \neg F) \sqcap (\neg P \sqcup \forall Hunt.Fi)$ and $\delta_1 = (\neg P \sqcup \neg F) \sqcap (\neg P \sqcup \forall Hunt.Fi)$.

Applying our procedure we can identify two possible rational ABox extensions of $\mathcal{K}$: one in which we associate the default concepts first to a and then to b, and the second one in which we consider b before a. In the former case we associate to a the default δ_1, and we derive that a is a typical penguin that hunts fishes (hence we can conclude

$Fi(c)$) and does not fly, while, having concluded that c is a fish, we cannot associate anymore δ_0 to b, and we have to treat b as an atypical bird, and we are not able to associate to c the typical properties of birds, *i.e.*, that it flies and hunts insects. On the other hand, if we consider b before a, we associate δ_0 to b, hence considering b a typical bird that flies and hunts insects, but, being c an insect, we cannot associate with it the concept δ_1, and we have to consider a an atypical penguin. □

From the point of view of the computational complexity, the decision problem w.r.t. $\vdash_r^s$ has the same complexity result of the classical ABox consistency decision problem in $\mathcal{ALC}$.

Proposition 3. *Deciding* $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a)$ *in* $\mathcal{ALC}$ *is an ExpTime-complete problem.*

In the presence of multiple rational ABox extensions, we can also define the inference relation $\vdash_r$, a more conservative inference relation independent from any order on the individuals, that corresponds to the intersection of all the inference relations $\vdash_r^s$ modeling a rational extension.

$$\vdash_r = \bigcap \{\vdash_r^s \mid s \text{ is a linear order on the elements of } \mathcal{O}\}$$

However, there is the possibility that we lose the property of rational monotonicity.

Proposition 4. *The inference relation* $\vdash_r$ *does not always satisfy* (RM_{DL}).

Moreover, we have an increment in the computational complexity of the decision procedure: assuming that the number of individuals named in the ABox is n, we have to decide $\vdash_r^s$ for each possible sequences s defined on the n individuals. That is, in the worst case we need to do $n * (n-1) * \ldots * 1$ ExpTime-complete decision procedures; hence we have an overall complexity between ExpTime and Double ExpTime.

Yet, we have still to understand if there is the possibility of a decision procedure characterized by a lower computational complexity. Notwithstanding, in many (probably most) of the real-world cases, a knowledge base would have a single rational ABox extension, and in such cases on one hand (RM_{DL}) is still valid, and on the other hand the decision problem remains ExpTime-complete. To check whether a knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ has a single rational ABox extension, it is sufficient to associate to each individual in $\mathcal{O}$ the strongest δ_i modulo consistency w.r.t $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$, exactly as in the procedure in Definition 6, but without adding at every step the new default information to $\mathcal{A}$. At the end, add to the knowledge base the default information associated to each individual in $\mathcal{A}$. If the new knowledge base is consistent, that is the only rational ABox extension of $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$.

Proposition 5. *In the presence of a knowledge base* $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ *that has a single rational ABox extension, checking the uniqueness of the rational ABox extension and whether* $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a)$ *is an ExpTime-complete problem in* $\mathcal{ALC}$.

Example 3. Consider the KB in Example 2, where in $\mathcal{A}$ $Hunt(b, c)$ is replaced with $Hunt(b, d)$. Then, whatever is the order on the individuals, we obtain the following association between the default formulae and the individuals: $\delta_1(a)$, $\delta_0(b)$, $\delta_0(c)$, and $\delta_0(d)$. Using the information in these defaults, we obtain a unique rational ABox extension. □

Semantics. Extending the *minimal ranked model* approach also to the ABoxes we can characterize from the semantical point of view also the procedure for the rational ABox extension we have just defined.

Consider a knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$, where the tuple $\langle \mathcal{T}, \mathcal{D} \rangle$ has already been transformed in such a way that all the strict knowledge is in $\mathcal{T}$, and $\mathcal{D}$ is partitioned into $\mathcal{D}_1, \ldots, \mathcal{D}_n$. First of all, we can check if it is a consistent knowledge base by using classical reasoning. A knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ is consistent if there is a ranked interpretation that satisfies all the assertions in $\mathcal{A}$, all the classical subsumption axioms in $\mathcal{T}$ and all the defeasible subsumption axioms in $\mathcal{D}$.

Lemma 1. *A knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ is consistent iff $\langle \mathcal{A}, \mathcal{T} \rangle \not\models \bot$ and $\not\models \prod \overline{\mathcal{T}} \sqcap \prod \overline{\mathcal{D}} \sqsubseteq \bot$.*

Now that we have a method to decide for the consistency of a knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$, we can prove that the consistency of $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ guarantees the existence of a minimal ranked model (see Definition 4) of $\langle \mathcal{T}, \mathcal{D} \rangle$ satisfying $\mathcal{A}$.

Lemma 2. *Let $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ be a consistent knowledge base. Then there is at least a minimal ranked model of $\langle \mathcal{T}, \mathcal{D} \rangle$ satisfying $\mathcal{A}$.*

Since the consistency of a knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ implies that there is at least a minimal ranked model of $\langle \mathcal{T}, \mathcal{D} \rangle$ that satisfies the ABox $\mathcal{A}$, we can define a notion of minimal model in the presence also of an ABox (again, $\mathcal{O}$ is the set of the individuals named in $\mathcal{A}$). We define an order $\leq^{\mathcal{A}}$ between the minimal models of $\langle \mathcal{T}, \mathcal{D} \rangle$ satisfying $\mathcal{A}$ s.t., given $\mathcal{R} = \{\Delta, \prec, \cdot^{\mathcal{R}}\}$ and $\mathcal{R}' = \{\Delta, \prec', \cdot^{\mathcal{R}}\}$ (note that $\mathcal{I}_{\mathcal{R}} = \mathcal{I}_{\mathcal{R}'}$), $\mathcal{R} \leq^{\mathcal{A}} \mathcal{R}'$ iff $h_{\mathcal{R}}(a^{\mathcal{I}}) \leq h_{\mathcal{R}'}(a^{\mathcal{I}'})$ for each object a in $\mathcal{O}$. The minimal ABox models of $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ are the minimal elements of the order $\leq^{\mathcal{A}}$.

Definition 7 (Minimal ABox model). *$\mathcal{R} = \{\Delta, \prec, \cdot^{\mathcal{R}}\}$ is a* minimal ABox model *of a knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ iff it is a minimal ranked model of $\langle \mathcal{T}, \mathcal{D} \rangle$ that satisfies $\mathcal{A}$, and there is not a minimal ranked model $\mathcal{R}' = \{\Delta, \prec', \cdot^{\mathcal{R}}\}$ of $\langle \mathcal{T}, \mathcal{D} \rangle$ that satisfies $\mathcal{A}$ s.t. $\mathcal{R}' \leq^{\mathcal{A}} \mathcal{R}$ and $\mathcal{R} \not\leq^{\mathcal{A}} \mathcal{R}'$.*

Given the set $\mathfrak{M}^{\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle}$ of the minimal ABox models of $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$, we indicate with $\mathfrak{M}_h^{\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle}$ the subclass of $\mathfrak{M}^{\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle}$ composed by the elements of $\mathfrak{M}^{\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle}$ in which each element a of $\mathcal{O}$ has a specific height $h(a) = n$. We define a consequence relation $\models_h^{\leq}$ as

$$\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \models_h^{\leq} C(a) \text{ iff } \mathcal{M} \Vdash C(a) \text{ for each } \mathcal{M} \in \mathfrak{M}_h^{\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle}$$

and we indicate with $\models^{\leq}$ the consequence relation defined by all the minimal ABox models of $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$.

$$\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \models^{\leq} C(a) \text{ iff } \mathcal{M} \Vdash C(a) \text{ for each } \mathcal{M} \in M^{\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle},$$

There is a correspondence between the inference relations $\vdash_r^s$ and $\vdash_r$ and, respectively, the consequence relations $\models_h^{\leq}$ and $\models^{\leq}$.

Proposition 6. *Given a knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$, each inference relation $\vdash^s_r$ defined by a sequence s on the elements of $\mathcal{O}$ corresponds to the consequence relation $\models^{\leq}_h$ for some h, and the other way around. The inference relation $\vdash_r$, corresponding to the intersection of all $\vdash^s_r$ generated by $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$, corresponds to the consequence relation $\models^{\leq}$.*

Queries. Assume we want to know if a particular individual a presumably falls under a concept C, and we want to draw the safest possible conclusion. In the presence of multiple acceptable extensions, the classical solution is to use a *skeptical* approach, *i.e.* to use the inference relation $\vdash_r$, corresponding to the intersection of all the inference relations associated to each possible ordering s of the individuals appearing in $\mathcal{A}$.

As we have seen above, in case of multiple rational extensions the computational of the $\vdash_r$ decision problem rises w.r.t the classical $\mathcal{ALC}$ decision problem. However, in case of multiple extensions, the amount of default information associable to an individual a can be influenced only by the individuals related to it by means of a role: it is immediate to see that if there is no role-connection in the ABox between two individuals a and b, then the information that is associated to a does not influence at all the amount of defeasible information that we can associate to b. Hence, we can ease the decisions w.r.t. the ABox introducing the notion of *cluster*, *i.e.*, a set of individuals named in the ABox that are linked by means of a sequence of role connections. To do so, given an ABox $\mathcal{A}$, we indicate with Q the symmetric and transitive closure of all the roles in our vocabulary, *i.e.*, the symmetric and transitive closure of $\bigcup \mathcal{R}$, and with $\mathcal{Q}$ the set of the pairs of individuals named in $\mathcal{A}$ that are connected by Q.

Definition 8 (Cluster). *Define Q as the symmetric and transitive closure of $\bigcup \mathcal{R}$. Given an individual $a \in \mathcal{O}$, we call the* cluster *of a the set $[a]$ of the individuals connected to a through Q.*

$$[a] = \{b \in \mathcal{O} \mid Q(a, b)\}$$

Hence, in order to know what we can presumably conclude about a, it is sufficient to determine $\vdash^s_r$ w.r.t. each sequence s of individuals in $[a]$. Let $\mathcal{A}_{[a]}$ be the ABox obtained restricting $\mathcal{A}$ to the statements containing individuals in $[a]$; the query $\cdot C(a)$ is clearly decidable using only $\mathcal{A}_{[a]}$.

Proposition 7. $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r \cdot C(a)$ *iff* $\langle \mathcal{A}_{[a]}, \mathcal{T}, \mathcal{D} \rangle \vdash^s_r C(a)$ *for every ordering s of the individuals in $\mathcal{A}_{[a]}$.*

If we have a query about an individual a s.t. a is not named in the ABox ($a \notin \mathcal{O}$), we do not have any constraints defined in the ABox about a, we only know $\top(a)$; hence, for each individual not appearing in the ABox, we can associate with it the strongest default concept consistent with $\mathcal{T}$, that is δ_0: for any a s.t. $a \notin \mathcal{O}$, we can derive that presumably $C(a)$ holds iff $\langle \mathcal{A}_a, \mathcal{T} \rangle \models C(a)$, where $\mathcal{A}_a = \mathcal{A} \cup \{\delta_0(a)\}$.

4 Related work

Two main proposals in the field modeling defeasible reasoning in DLs, and specifically in $\mathcal{ALC}$ or analogous languages, and dealing also with the ABox are the works by Bonatti et al. [2] and by Giordano et al. [10].

The proposal by Bonatti et al. [2] is based on circumscription. From the point of view of the quality of the inferences, in such a proposal is more difficult to draw the expected conclusions. For example, assume that our knowledge base contains the information that mammals typically live on land, but that whales are abnormal mammals that do not live on the land, and the ABox contains the information $Mammal \sqcap \neg Whale(a)$. Not knowing anything else about the individual a, we would like our reasoning system to assume that we are dealing with a typical mammal (since, moreover, it is specified that a is not a whale) and hence being able to derive that a lives on the land, but in Bonatti's proposals the conclusions we can draw change w.r.t. which concepts the user decides to keep *fixed* or *varying* (a non-trivial choice), and the results can be that we are not able to derive $\exists Habitat.Land(a)$, that we are able to derive it, or we can even derive that whales do not exist ([2], Section 2.1). In our proposal we can formalize the problem with a knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ with $\mathcal{A} = \{Mammal(a)\}$ (we do not need to specify that it is not a whale), $\mathcal{T} = \{Whale \sqsubseteq Mammal, Whale \sqsubseteq \nexists Habitat.Land\}$ and $\mathcal{D} = \{Mammal \sqsubset\!\!\sim \exists Habitat.Land\}$; without needing any kind of choice from the user, the system can derive automatically $\cdot \exists Habitat.Land(a)$. Moreover, we have seen that in our procedure the computational cost of our procedure is no more than double exponential, and in the standard cases, with a single ABox extension, it is exponential, while in the circumscription case, for languages analogous to $\mathcal{ALC}$, the complexity of the instance problem is co-NExp$^{\text{NP}}$ ([2], Section 4.1.1).

Closer to our approach is the work by Giordano et al. [10], that is based too on a preferential approach. The conclusions that we can derive using the logic $\mathcal{ALC}+\text{T}_{min}$ are intuitive, but the complexity of the decision problem for the ABox is again co-NExp$^{\text{NP}}$ ([10], Theorem 13), and the procedure cannot be reduced to classical entailment.

5 Conclusions

We have started from a previous proposal that models Lehmann and Magidor's Rational Closure for DLs allowing to reason about defeasible subsumption axioms, and on that we have built a procedure that extends such a kind of reasoning also for ABox information; we have characterized such a procedure also from the semantical point of view. Such a procedure allows to derive intuitive conclusions, the decision procedures are entirely based on a series of classical decision steps, and the computational costs are acceptable.

We are actually preparing an implementation of the algorithm, and we are going to define analogous procedures also for other consequence relations, still based on Rational Closure but inferentially more powerful, as Lehmann's Lexicographic Closure [13].

References

1. F. Baader and B. Hollunder. How to prefer more specific defaults in terminological default logic. In *Proc. IJCAI*, pages 669–674. Morgan Kaufmann Publishers, 1993.
2. P. Bonatti, C. Lutz, and F. Wolter. The complexity of circumscription in description logic. *Journal of Artificial Intelligence Research*, 35:717–773, 2009.
3. K. Britz, J. Heidema, and T. Meyer. Semantic preferential subsumption. In *Proc. KR*, pages 476–484. AAAI Press/MIT Press, 2008.
4. Katarina Britz, Giovanni Casini, Thomas Meyer, Kody Moodley, and Ivan Varzinczak. Ordered Interpretations and Entailment for Defeasible Description Logics. Technical report, CAIR, CSIR Meraka and UKZN, South Africa, 2013.
5. G. Casini and U. Straccia. Defeasible inheritance-based description logics. *Submitted work*.
6. G. Casini and U. Straccia. Rational closure for defeasible description logics. In *Proc. JELIA*, number 6341 in LNCS, pages 77–90. Springer-Verlag, 2010.
7. F.M. Donini, D. Nardi, and R. Rosati. Description logics of minimal knowledge and negation as failure. *ACM Transactions on Computational Logic*, 3(2):177–225, 2002.
8. P. Gärdenfors and D. Makinson. Nonmonotonic inference based on expectations. *Artificial Intelligence*, 65(2):197–245, 1994.
9. L. Giordano, N. Olivetti, V. Gliozzi, and G.L. Pozzato. A minimal model semantics for nonmonotonic reasoning. In *Proc. JELIA*, number 7519 in LNCS, pages 228–241. Springer, 2012.
10. L. Giordano, N. Olivetti, V. Gliozzi, and G.L. Pozzato. A non-monotonic description logic for reasoning about typicality. *Artificial Intelligence*, 195:165202, 2012.
11. S.O. Hansson. *A Textbook of Belief Dynamics: Theory Change and Database Updating*. Kluwer Academic Publishers, 1999.
12. S. Kraus, D. Lehmann, and M. Magidor. Nonmonotonic reasoning, preferential models and cumulative logics. *Artificial Intelligence*, 44:167–207, 1990.
13. D. Lehmann. Another perspective on default reasoning. *Annals of Mathematics and Artificial Intelligence*, 15(1):61–82, 1995.
14. D. Lehmann and M. Magidor. What does a conditional knowledge base entail? *Artificial Intelligence*, 55:1–60, 1992.
15. J. Quantz. A preference semantics for defaults in terminological logics. In *Proc. KR*, pages 294–305, 1992.

A Proofs.

Proposition 1. *Given a knowledge base $\mathcal{K} = \langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ and a linear order of $\mathcal{O}$, the above procedure determines a rational ABox extension of $\mathcal{K}$. Contrariwise, every rational ABox extension of $\mathcal{K}$ corresponds to the knowledge base generated by some linear order of the individuals in $\mathcal{O}$.*

Proof. The first statement is quite immediate.

For the second statement, assume that there is a rational extension $\langle \mathcal{A}', \mathcal{T} \rangle$ of $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ that cannot be generated by any sequence s of the elements of $\mathcal{O}$. $\mathcal{A}'$ associates to every individual x a default concept from Δ, that we indicate as δ^x.

Assume we have a rational extension $\langle \mathcal{A}_{\mathcal{D}}, \mathcal{T} \rangle$ of $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ that can be generated using a sequence of elements of $\mathcal{O}$. The following procedure allows to define a sequence s of the elements of $\mathcal{O}$ s.t. $\langle \mathcal{A}_{\mathcal{D}}, \mathcal{T} \rangle$ can be generated using s, *i.e.*, $\langle \mathcal{A}_{\mathcal{D}}, \mathcal{T} \rangle = \langle \mathcal{A}_{\mathcal{D}}^s, \mathcal{T} \rangle$.

Take each element of $\mathcal{O}$ and associate to it the strongest default concept in Δ consistent with the knowledge base $\langle \mathcal{A}, \mathcal{T} \rangle$ (call it γ^x). Look for an individual x s.t. $\delta^x = \gamma^x$, and consider x the first element of the sequence s. Update $\mathcal{A}$ with $\delta^x(x)$, and repeat the procedure, until every individual has been associated to a default formula. With this procedure we can generate a sequence over the dominion of the individuals that generates $\langle \mathcal{A}_{\mathcal{D}}, \mathcal{T} \rangle$ from $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$.

Since there is no sequence s that can generate $\langle \mathcal{A}', \mathcal{T} \rangle$, the above procedure has to fail, that is, at some point it will not be possible to associate to any x a default γ^x s.t. $\delta^x = \gamma^x$. That means that, for all the remaining x, $\delta^x \neq \gamma^x$; for each such x, either $\delta^x \vDash \gamma^x$ or $\gamma^x \vDash \delta^x$. The first case is not possible, since $\langle \mathcal{A}', \mathcal{T} \rangle$ would be inconsistent (γ^x has to be a maximally consistent default). Hence $\gamma^x \vDash \delta^x$ and $\delta^x \neq \gamma^x$ for all the remaining x. In such a case, $\langle \mathcal{A}', \mathcal{T} \rangle$ would not be a rational extension of $\langle \mathcal{A}_{\mathcal{D}}, \mathcal{T} \rangle$, since we could have another consistent model with stronger defaults associated to some individuals.

Proposition 2. *Given $\mathcal{K}$ and a linear order s of the individuals in $\mathcal{K}$, the consequence relation $\vdash_r^s$ satisfies the following properties:*

(REF_{DL})	$\langle \mathcal{A}, \mathcal{T}, \Delta \rangle \vdash_r^s \cdot C(a)$ for every $C(a) \in \mathcal{A}$	Reflexivity
(LLE_{DL})	$\dfrac{\langle \mathcal{A} \cup \{D(b)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a) \ \vDash D \equiv E}{\langle \mathcal{A} \cup \{E(b)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a)}$	Left Logical Equivalence
(RW_{DL})	$\dfrac{\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a) \ \vDash C \sqsubseteq D}{\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot D(a)}$	Right Weakening
(CT_{DL})	$\dfrac{\langle \mathcal{A} \cup \{D(b)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a) \ \ \langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot D(b)}{\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a)}$	Cautious Transitivity (Cut)
(CM_{DL})	$\dfrac{\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a) \ \ \langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot D(b)}{\langle \mathcal{A} \cup \{D(b)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a)}$	Cautious Monotonicity
(OR_{DL})	$\dfrac{\langle \mathcal{A} \cup \{D(b)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a) \ \ \langle \mathcal{A} \cup \{E(b)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a)}{\langle \mathcal{A} \cup \{D \sqcup E(b)\}, \mathcal{T}, \Delta \rangle \vdash_r^s \cdot C(a)}$	Left Disjunction
(RM_{DL})	$\dfrac{\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a) \ \ \langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \nvdash_r^s \cdot \neg D(b)}{\langle \mathcal{A} \cup \{D(b)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a)}$	Rational Monotonicity

Proof. For REF_{DL}, LLE_{DL} and RW_{DL} the proof is quite immediate. For CT_{DL} and CM_{DL}, assume $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s D(y)$, that is $\langle \mathcal{A}_{\mathcal{D}}^s, \mathcal{T} \rangle \vDash D(y)$. Hence, for every $\delta_i \in \Delta$ and every individual $z \in \mathcal{O}$, $\delta_i(z)$ is consistent with $\langle \mathcal{A}, \mathcal{T} \rangle$ iff it is consistent with $\langle \mathcal{A} \cup \{D(y)\}, \mathcal{T} \rangle$, and the procedure associates to each individual the same default formula either we start with $\mathcal{A}$ or with $\mathcal{A} \cup \{D(y)\}$. So we have that $\langle \mathcal{A}_{\mathcal{D}}^s \cup \{D(y)\}, \mathcal{T} \rangle = \langle (\mathcal{A} \cup \{D(y)\})_{\mathcal{D}}^s, \mathcal{T} \rangle$ and $\langle \mathcal{A}_{\mathcal{D}}^s \cup \{D(y)\}, \mathcal{T} \rangle \vDash C(x)$ iff $\langle (\mathcal{A} \cup \{D(y)\})_{\mathcal{D}}^s, \mathcal{T} \rangle \vDash C(x)$. Since $\vDash$ satisfies CT and CM, we have that $\langle \mathcal{A}_{\mathcal{D}}^s, \mathcal{T} \rangle \vDash C(x)$ iff $\langle (\mathcal{A} \cup \{D(y)\})_{\mathcal{D}}^s, \mathcal{T} \rangle \vDash C(x)$, that is, $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(x)$ iff $\langle \mathcal{A} \cup \{D(y)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(x)$.

For OR_{DL}, assume that $\langle \mathcal{A} \cup \{D(y)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(x)$, $\langle \mathcal{A} \cup \{E(y)\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(x)$, and that y is in the n^{th} position in the sequence s. So, for the first $n-1$ elements of s the association with the default-formulae is the same in both the models. For y, assume that the procedure assigns $\delta_i(y)$ in case $D(y)$, and $\delta_j(y)$ in case $E(y)$. We can have $\delta_i = \delta_j$, $\vDash \delta_i \sqsubseteq \delta_j$, or $\vDash \delta_j \sqsubseteq \delta_i$. In the first case the procedure for the assignment of the defaults continues in the same way in both the knowledge bases, and is the same also if we have $D \sqcup E(y)$, that is, $\langle \mathcal{A} \cup \{D(y)\}, \mathcal{T}, \mathcal{D} \rangle$, $\langle \mathcal{A} \cup \{E(y)\}, \mathcal{T}, \mathcal{D} \rangle$, and $\langle \mathcal{A} \cup \{D \sqcup E(y)\}, \mathcal{T}, \mathcal{D} \rangle$ are completed exactly with the same defaults, obtaining, respectively, the ABoxes $(\mathcal{A} \cup \{D(y)\})_{\mathcal{D}}^s = \mathcal{A}' \cup \{D(y)\}$, $(\mathcal{A} \cup \{E(y)\})_{\mathcal{D}}^s = \mathcal{A}' \cup \{E(y)\}$, and $(\mathcal{A} \cup \{D \sqcup E(y)\})_{\mathcal{D}}^s = \mathcal{A}' \cup \{D \sqcup E(y)\}$, for some ABox $\mathcal{A}'$. So we have that $\mathcal{A}' \cup \{D(y)\} \vDash C(x)$ and $\mathcal{A}' \cup \{E(y)\} \vDash C(x)$, and, since $\vDash$ satisfies OR, we obtain $\mathcal{A}' \cup \{D \sqcup E(y)\} \vDash C(x)$, that is, $\langle (\mathcal{A} \cup \{y : D \sqcup E\})_{\mathcal{D}}^s, \mathcal{T} \rangle \vDash C(x)$. If $\delta_i \vDash \delta_j$ and $D \sqcup E(y)$, the procedure associates to y the strongest of the two defaults, that is, δ_i. Since δ_i is not consistent with $E(y)$, in every following consistency check the procedure will be forced to consider that $D(y)$ holds, and the assignment of the defaults to the individuals will proceed as in the case where $D(y)$ holds, and $\langle \mathcal{A} \cup \{D \sqcup E(y)\}, \mathcal{T}, \mathcal{D} \rangle$ will entail the same formulae as $\langle \mathcal{A} \cup \{D(y)\}, \mathcal{T}, \mathcal{D} \rangle$. Analogously, if $\delta_j \vDash \delta_i$, the default-assumption extension of $\langle \mathcal{A} \cup \{D \sqcup E(y)\}, \mathcal{T}, \mathcal{D} \rangle$ will correspond to the one of $\langle \mathcal{A} \cup \{E(y)\}, \mathcal{T}, \mathcal{D} \rangle$.

Finally, for RM_{DL}, $D(y)$ is consistent with $\langle \mathcal{A}_{\mathcal{D}}^s, \mathcal{T} \rangle$, so the presence of $D(y)$ in the knowledge base does not influence the association of the defaults to the individuals, and $\mathcal{A}_{\mathcal{D}}^s \subseteq (\mathcal{A} \cup \{D(y)\})_{\mathcal{D}}^s$. Eventually, $\langle \mathcal{A}_{\mathcal{D}}^s, \mathcal{T} \rangle \vDash C(x)$ implies $\langle (\mathcal{A} \cup \{D(y)\})_{\mathcal{D}}^s, \mathcal{T} \rangle \vDash C(x)$, i.e. $\langle \mathcal{A} \cup \{y : D\}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(x)$.

Proposition 3. *Deciding $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a)$ in $\mathcal{ALC}$ is an ExpTime-complete problem.*

Proof. ABox decision in $\mathcal{ALC}$ is ExpTime-complete. $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ is a knowledge base s.t. $\mathcal{D}$ is partitioned into $\mathcal{D}_0, \ldots, \mathcal{D}_n$ and in the ABox are named m individuals ($|\mathcal{O}| = m$). Given a sequence s of the individuals in $\mathcal{O}$, to decide if $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle \vdash_r^s \cdot C(a)$ we need to do for each individual in $\mathcal{O}$ at most n ABox consistency checks to decide which default we can associate to that particular individual, and, eventually, once we have associated to each individual the strongest default possible, we have to check if $C(a)$ is a classical consequence of the rational ABox extension. Hence, in the worst case we need $(n * m) + 1$ classical $\mathcal{ALC}$ decision steps, hence the complexity remains ExpTime-complete.

Proposition 4. *The inference relation $\vdash_r$ does not satisfy (RM_{DL}).*

Proof. Consider the knowledge base $\langle \mathcal{A}, \mathcal{D}\rangle$ s.t. $\mathcal{A} = \{r(a,b)\}$ and $\mathcal{D} = \mathcal{D}_0 \cup \mathcal{D}_1$, with $\mathcal{D}_0 = \{\top \sqsubseteq\!\!\!\!\scriptstyle\sim\ A \sqcap \forall r. \neg A, \top \sqsubseteq\!\!\!\!\scriptstyle\sim\ B\}$ and $\mathcal{D}_1 = \{\neg A \sqsubseteq\!\!\!\!\scriptstyle\sim\ \neg B, \neg \forall r. \neg A \sqsubseteq\!\!\!\!\scriptstyle\sim\ B\}$. We can define two sequences on the individuals, $s = \langle a, b\rangle$ and $s' = \langle b, a\rangle$, each of them defining a different rational extension, with $\vdash_r = \vdash_r^s \cap \vdash_r^{s'}$. We have that $\langle \mathcal{A}, \mathcal{D}\rangle \vdash_r B(a)$, since in both the extensions $B(a)$ holds (in $\vdash_r^s$ because of the axiom $\top \sqsubseteq\!\!\!\!\scriptstyle\sim\ B$ and in $\vdash_r^{s'}$ for the axiom $\neg \forall r. \neg A \sqsubseteq\!\!\!\!\scriptstyle\sim\ B$) while we have $\langle \mathcal{A}, \mathcal{D}\rangle \not\vdash_r A(a)$, since $\langle \mathcal{A}, \mathcal{D}\rangle \not\vdash_r^{s'} A(a)$. However, $\langle \mathcal{A} \cup \{\neg A(a)\}, \mathcal{D}\rangle \not\vdash_r B(a)$, since $\langle \mathcal{A} \cup \{\neg A(a)\}, \mathcal{D}\rangle \not\vdash_r^s B(a)$.

Proposition 5. *In the presence of a knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D}\rangle$ that has a single rational ABox extension, checking the unicity of the rational ABox extension and whether $\langle \mathcal{A}, \mathcal{T}, \mathcal{D}\rangle \vdash_r^s \cdot C(a)$ is an ExpTime-complete problem in $\mathcal{ALC}$.*

Proof. It works as in Proposition 4. We need at worst $n * m$ classical decision procedures to associate to each individual a default concept, then another one to check the overall consistency of the new knowledge base, and eventually, in case it is consistent, a last one to decide whether $C(a)$ is a classical consequence of the rational ABox extension just defined. All in all, $(n * m) + 2$ ExpTime-complete decision procedures.

Lemma 1. *A knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D}\rangle$ is consistent iff $\langle \mathcal{A}, \mathcal{T}\rangle \not\models \top \sqsubseteq \bot$ and $\not\models \bigsqcap \overline{\mathcal{T}} \sqcap \bigsqcap \overline{\mathcal{D}} \sqsubseteq \bot$.*

Proof. $\Rightarrow$: Assume $\langle \mathcal{A}, \mathcal{T}, \mathcal{D}\rangle$ is consistent i.e. there is a ranked model $\mathcal{R} = \{\Delta, \prec, \cdot^{\mathcal{R}}\}$ satisfying $\langle \mathcal{A}, \mathcal{T}, \mathcal{D}\rangle$. Moreover, assume that $\langle \mathcal{A}, \mathcal{T}\rangle \models \top \sqsubseteq \bot$. Clearly cannot be the case.

Then assume that $\langle \mathcal{A}, \mathcal{T}\rangle \not\models \top \sqsubseteq \bot$ but $\models \bigsqcap \overline{\mathcal{T}} \sqcap \bigsqcap \overline{\mathcal{D}} \sqsubseteq \bot$. Hence there is no object x in Δ s.t. $\bigsqcap \overline{\mathcal{T}} \sqcap \bigsqcap \overline{\mathcal{D}}(x)$ is satisfied. Consider o to be one of the minimal objects in $\mathcal{R}$ w.r.t. $\prec$: since $\mathcal{R} \Vdash \neg(\bigsqcap \overline{\mathcal{T}} \sqcap \bigsqcap \overline{\mathcal{D}})(o)$ there is whether a strict inclusion axiom $C \sqsubseteq D \in \mathcal{T}$ s.t. $C \sqcap \neg D(o)$ (impossible, since $\mathcal{R}$ is a model of $\mathcal{T}$) or a defeasible inclusion axiom $C \sqsubseteq\!\!\!\!\scriptstyle\sim\ D \in \mathcal{D}$ s.t. $C \sqcap \neg D(o)$, and, since o is one of the most preferred objects in $\mathcal{R}$, $\mathcal{R}$ cannot be a model of $\langle \mathcal{A}, \mathcal{T}, \mathcal{D}\rangle$.

$\Leftarrow$: Assume $\langle \mathcal{A}, \mathcal{T}\rangle \not\models \top \sqsubseteq \bot$ and $\not\models \bigsqcap \overline{\mathcal{T}} \sqcap \bigsqcap \overline{\mathcal{D}} \sqsubseteq \bot$. Then there can be an object o satisfying $\bigsqcap \overline{\mathcal{T}} \sqcap \bigsqcap \overline{\mathcal{D}}$, and we construct a model of $\langle \mathcal{A}, \mathcal{T}, \mathcal{D}\rangle$ using such an object in the following way. Since $\langle \mathcal{A}, \mathcal{T}\rangle \not\models \top \sqsubseteq \bot$, $\langle \mathcal{A}, \mathcal{T}\rangle$ has a model; add to such a model an object o s.t. $\bigsqcap \overline{\mathcal{T}} \sqcap \bigsqcap \overline{\mathcal{D}}(o)$, and add also all the objects which existence is forced by o, and indicate with $\mathcal{O}$ the set of all the objects in such a model; impose $o \prec a$ for every $a \in \mathcal{O}/\{o\}$.

Now consider all the axioms $C \sqsubseteq\!\!\!\!\scriptstyle\sim\ D$ in $\mathcal{D}$. For each of them, do the following. If $C \sqcap D(o)$, do nothing, else check if there is some individual satisfying $C \sqcap \neg D$. If there is no such individual, do nothing, otherwise create a new individual o' s.t. $C \sqcap D(o')$, and $\bigsqcap \overline{\mathcal{T}} \sqcap \bigsqcap \overline{\mathcal{D}}(o')$. The existence of an object satisfying $C \sqcap D$ is guaranteed: if $\not\models C \sqsubseteq \bot$ and $\not\models \neg C \sqcup D \sqsubseteq \bot$, then we have also that $\not\models C \sqcap D \sqsubseteq \bot$. It's easy to see that that is the case. Assume that $\not\models C \sqsubseteq \bot$, $\not\models \neg C \sqcup D \sqsubseteq \bot$, but $\models C \sqcap D \sqsubseteq \bot$. It means that $\models C \sqsubseteq \neg D$, that in turn implies that $C \sqsubseteq\!\!\!\!\scriptstyle\sim\ \bot$ is a preferential consequence of $C \sqsubseteq\!\!\!\!\scriptstyle\sim\ D$, i.e. $C \sqsubseteq\!\!\!\!\scriptstyle\sim\ D \in \mathcal{D}^\infty$, while we assume $\mathcal{D}^\infty = \infty$.

Now define a preference relation in which o is preferred to all the just created individuals o', and each o' is preferred to all the individuals in $\mathcal{O}/o$. If the creation of new individuals is forced by the creation of the individuals o', just place them as the less preferred ones.

Lemma 2. *Let $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ be a consistent knowledge base. Then there is at least a minimal ranked model of $\langle \mathcal{T}, \mathcal{D} \rangle$ satisfying $\mathcal{A}$.*

Proof. Let $\mathcal{M} = \{\Delta, \prec, \cdot^{\mathcal{I}}\}$ be a minimal ranked model of $\langle \mathcal{T}, \mathcal{D} \rangle$ and $\mathcal{M}' = \{\Delta', \cdot^{\mathcal{I}'}\}$ be a model of $\langle \mathcal{A}, \mathcal{T} \rangle$ (we assume that $\Delta \cap \Delta' = \emptyset$, otherwise rename the objects appropriately). Now define a model $\mathcal{M}^*$ where the domain is $\Delta \cup \Delta'$ and the interpretation is $\cdot^{\mathcal{I}} \cup \cdot^{\mathcal{I}'}$. About the preference relation, position the individuals from Δ' according to their ranking w.r.t. $\langle \mathcal{T}, \mathcal{D} \rangle$. This ranked interpretation is $\langle \mathcal{T}, \mathcal{D} \rangle$-compatible, since it is the extension of a $\langle \mathcal{T}, \mathcal{D} \rangle$-compatible ranked interpretation, and it is a minimal model of $\mathcal{D}$ that also satisfies $\mathcal{A}$.

Proposition 6. *Given a knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$, each inference relation $\vdash_r^s$ defined by a sequence s on the elements of $\mathcal{O}$ corresponds to the consequence relation $\models_h^{\leq}$ for some h, and the other way around. The inference relation $\vdash_r$, corresponding to the intersection of all $\vdash_r^s$ generated by $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$, corresponds to the consequence relation $\models^{\leq}$.*

Proof. In the proofs for Section 5 in [4] we prove that, given a knowledge base $\langle \mathcal{T}, \mathcal{D} \rangle$, in the minimal ranked models there is a correspondence between the height of the objects and their ranking, that is, if an object x has a height i, then the model associates to x the default δ_i. Hence, given all the minimal models of a knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ s.t. all the individuals in $\mathcal{O}$ have the same height in each model, *i.e.*, the models defining $\models_h^{\leq}$, we take under consideration all the models that associate to each individual $x \in \mathcal{O}$ a specific default concept δ_i, s.t. it is not possible to associate a stronger default to each of them. This corresponds to the notion of rational ABox extension that, by Proposition 1, corresponds to the inference relation $\vdash_r^s$ generated by some sequence s. In the other direction, given a knowledge base $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$ and an inference relation $\vdash_r^s$, it corresponds to a rational ABox extension of $\langle \mathcal{A}, \mathcal{T}, \mathcal{D} \rangle$, and we can define the corresponding class of minimal models using the procedure in Lemma 2.

The correspondence between $\vdash_r$ and $\models^{\leq}$ is an immediate consequence.