
## **Exercise: HTML Structure**

You can check your solutions here: https://judge.softuni.org/Contests/3331/HTML-Structure.

# 1. Navigation Bar

Create a Web page, holding like the following navigation bar:



Use the texts from the file **site-texts.txt**.

Create two files: nav-bar.html and nav-bar.css.

### Requirements

- <body>
  - o Margin: **0px**;
  - o Padding: **0px**;
  - Background Color: #CCCCC;
- <nav> tag as container
- tag for unordered list
  - Background Color: #444;
  - Center the text
  - o Padding: **Opx**;
  - o Margin: **0px**;
  - o list-style:none;
- tag for list item
  - Text size: 24px;
  - Line Height: 40px;
  - o Height: 40px;
  - o Padding: 20px;
- <a>> tag for hyperlink
  - text-decoration: none;
  - Text-Color: #ffffff;

#### **Hints**

Use:

vith display: inline-block;




















### 2. Page Content

Create a Web page like the show below, using the text from the file **site-texts.txt**.



Create two files: page-content.html and page-content.css.

### Requirements

- <section> as a container
- <article> tag for content
  - o <header> with:
    - <h1> Text size: 28px;
    - Font Style: italic;
- Paragraph
  - Text size: 24px;
- <body>
  - Margin: 0px;
  - Padding: **0px**;
  - Background color: #CCCCC;
- <section>
  - Margin Left: 20px;

















## 3. Semantic Tags

Create a web page like the following:



Use the texts from the file **site-texts.txt**.

Create files: index.html and styles.css.

## Requirements

#### HTML:

- The title should be "Semantic Tags"
- Add **header** tag for the header section
  - Use **h1** tag for the heading
- Add main tag for the main content
  - Create two paragraphs inside (p tag)
- Use **footer** tag for the last section
  - Create two paragraphs inside (p tag)

The CSS in the example above uses:

padding: 15px, 5px 15px

background colors: #f9f7cf, #f2dcbb

width: 480px




















#### Hints



## 4. Semantic Article Page

Create a web page like the following:



#### **Comments**

#### Posted by: Apple Lover

Greek and European Christian traditions.

~1 hour ago

I love apples, my favourite kind are Granny Smiths

#### Posted by: Oranges are king

~1 hour ago

Urgh, apples!? you should write about ORANGES instead!!!!

Add CSS to make the Web page look better, like this:






















Use the texts from the file **site-texts.txt**.

Create files: index.html and styles.css.

### Requirements

- The title should be "Semantic Article Page"
- Use article tag to create an article
  - The article has header with h1 heading and a paragraph for the published date inside
- Use **p** tag to create 3 paragraphs after the **header**.
  - o The paragraphs contain the article content (info for apple)
  - Use **b** tag where is needed
- Use **section** tag to create the "Comment section"
  - Add two articles inside the section
  - Each article has a heading (h2) for the title
  - Each article has two paragraphs for the time and the comment

Used CSS in the example above:

padding: 5px 15px;

font-style: italic

color: #5c6e91





















background colors: #f2f4c0, #e4e978, #4c7658;

width: 700px

border: 1px solid #b2ad7d;

margin: 15px 10px;

## 5. Simple Website

Using the navigation bar and page content from the previous two exercises, create a Web page like the following:



Use the texts from the file **site-texts.txt**.

Create two files: **simple-website.html** and **simple-website.css**.

## Requirements

- Use the **HTML** and **CSS** from previous two problems
- <footer> tag
  - o Background color: #444;
  - o ⟨p⟩ tag for text
  - Text Color: #fff;
  - Center the text
  - Padding: 10px

#### Hints

Use:

**&copy**; for copyright symbol

















## 6. Semantic Blog Layout

Q index.html

Create a blog layout page, which holds header, footer and main. The main should hold two sections, each holding two articles. It should look like this (without any styling):



- **JavaScript**

#### HTML

New feature: JPEG XL image format

JPEG XL image format is a modern image format optimized for web environments. JPEG XL generally has better compression than WebP, JPEG, PNG and GIF and is designed to supersede them.

Learn more at: https://en.wikipedia.org/wiki/JPEG\_XL

By The HTTP Working Group. Published January 23rd

New feature: Cookie Store API

Cookie Store API is a JS API for reading and modifying cookies. Compared to the existing 'document.cookie' method, the API provides a much more modern interface, which can also be used in service workers.

Learn more at: https://developer.mozilla.org/en-US/docs/Mozilla/Add-ons/WebExtensions/API/cookies/CookieStore

By Joshua Bell. Published December 15th

# **JavaScript**

Billboard.js 3.0: The D3.js-Powered Chart Library

Billboard is a popular library supporting a whole range of chart types out of the box (bar, line, areas, donuts, radars, and various hybrids) - 3.0 brings candlestick / OHLC chart support (often used in financial contexts) and supports D3.js v6.

Learn more at: https://github.com/naver/billboard.js

By Jae Sung Park. Published March 24th

Nine JavaScript and TypeScript ORMs



















A roundup, complete with code examples, showing off a variety of tools like Knex.js, Mongoose, TypeORM, Waterline, and Bookshelf.

Learn more at: https://www.sitepoint.com/javascript-typescript-orms/

By Michael Wanyoike. Published March 31rd

© 2021 DeveloperNewsPortal.info

Please contact <u>Troy McClure</u> for questions about these articles.

Use the texts from the file **site-texts.txt**.

Create files: index.html and styles.css.

### Requirements

- The title should be "Semantic Blog Layout"
- Use **header** tag for the header section
  - Use h1 tag for the heading
  - Use nav tag for the navigation with an unordered list (u1) inside
    - Create two list items with anchor (a) tags inside
- Use **main** tag for the page main content
  - Create two sections in the main. Each section has:
    - A header with h2 heading
    - Two **articles** with **h4** heading and three **p** tags inside
    - For the dates use time tag
- Use **footer** tag with **two** paragraphs Inside
  - Use anchor tag for the name in the last sentence

## Add CSS Styling

Add **CSS styling** to make the blog look better, like at the following screenshot:






















Billboard.js is a popular library supporting a whole range of chart types out of the box (bar, line, areas, donuts, radars, and various hybrids) - 3.0 brings candlestick / OHLC chart support (often used in financial contexts) and supports D3.js v6.

Learn more at:

https://github.com/naver/billboard.js

By Jae Sung Park. Published March 24th

A roundup, complete with code examples, showing off a variety of tools like Knex.js, Mongoose, TypeORM, Waterline, and Bookshelf.

Learn more at:

https://www.sitepoint.com/javascripttypescript-orms/

By Michael Wanyoike. Published March 31rd

© 2021 DeveloperNewsPortal.info

Please contact <u>Troy McClure</u> for questions about these articles.

Create files: **index.html** and **styles.css**.

Use the following **CSS styles** to make your HTML look like at the screenshot:

```
header {
    border-radius: 3px;
    padding: 8px 10px;
    background-color: #dceaf4;
```



















```
border: 1px solid #bfcacb;
header * {
    display: inline;
    vertical-align: middle;
}
nav ul {
  margin: 0;
  padding: 10px;
}
nav li {
  margin:10px;
nav li a {
    text-decoration: none;
}
body{
    background-color:#b7d7e8;
}
section h2 {
    margin: 15px 10px;
}
article {
    display: table-cell;
    width: 50%;
    padding: 10px 15px;
    background-color: #e5f0f7;
    border: 10px solid #b7d7e8;
}
footer {
    margin: 5px;
    padding: 5px 10px;
    border-radius: 3px;
    background-color: #dceaf4;
    border: 1px solid #bfcacb;
}
footer p {
    margin: 5px;
}
```













