

DBMS: ASSIGNMENT 2

DDL AND DML QUERIES

Name: Ritobrata Baksi
PRN:124B1F152
Batch:A4

Enter password: *****

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 13

Server version: 8.0.44 MySQL Community Server - GPL

```
mysql> CREATE DATABASE EMP_PERFORMANCE_HUB_FINAL;
```

Query OK, 1 row affected (0.01 sec)

```
mysql> USE EMP_PERFORMANCE_HUB_FINAL;
```

Database changed

```
mysql> CREATE TABLE Staff_Data (
```

```
-> staff_id INT PRIMARY KEY,
```

```
-> first_name VARCHAR(50),
```

```
-> middle_name VARCHAR(50),
```

```
-> last_name VARCHAR(50),
```

```
-> gender CHAR(1),
```

```
-> phone VARCHAR(15),
```

```
-> email VARCHAR(100),
```

```
-> city VARCHAR(150)
```

```
-> );
```

Query OK, 0 rows affected (0.02 sec)

```
mysql> CREATE TABLE Team_Department (
```

```
-> team_id INT PRIMARY KEY,
```

```
-> team_name VARCHAR(50),
```

```
-> designation VARCHAR(50),
```

```
-> level_name VARCHAR(50)
```

```
-> );
```

Query OK, 0 rows affected (0.01 sec)

```
mysql> CREATE TABLE Skill_Set (
```

```
-> skill_id INT PRIMARY KEY,
```

```
-> skill_name VARCHAR(50),
```

```
-> skill_type VARCHAR(50)
```

```
-> );
```

Query OK, 0 rows affected (0.01 sec)

```
mysql> CREATE TABLE Project_Hub (  
-> project_id INT PRIMARY KEY,  
-> project_name VARCHAR(100),  
-> hours_allocated INT,  
-> performance_rating INT  
-> );
```

Query OK, 0 rows affected (0.01 sec)

```
mysql> CREATE TABLE Performance_Review (  
-> review_id INT PRIMARY KEY,  
-> staff_id INT,  
-> final_score INT,  
-> lead_rating INT,  
-> self_rating INT,  
-> overall_rating INT,  
-> remarks VARCHAR(200),  
-> FOREIGN KEY (staff_id) REFERENCES Staff_Data(staff_id)  
-> );
```

Query OK, 0 rows affected (0.01 sec)

```
mysql> INSERT INTO Staff_Data VALUES  
-> (101,'Adi','K','Maitre','M','9876543210','adi@gmail.com','Pune'),  
-> (102,'Kritika','R','Chaudhari','F','9876543211','kritika@gmail.com','Mumbai'),  
-> (103,'Ritobrata','S','Baksi','M','9876543212','rito@gmail.com','Delhi'),  
-> (104,'Sarang','M','Kolekar','M','9876543213','sarang@gmail.com','Nashik'),  
-> (105,'Soham','T','Kulkari','M','9876543214','soham@gmail.com','Nagpur');  
Query OK, 5 rows affected (0.01 sec)
```

```
mysql> INSERT INTO Team_Department VALUES  
-> (1,'HR','Manager','Senior'),  
-> (2,'Cyber Security','Analyst','Mid'),  
-> (3,'Cloud','Engineer','Junior');  
Query OK, 3 rows affected (0.00 sec)
```

```
mysql> INSERT INTO Performance_Review VALUES  
-> (1,101,85,9,8,9,'Excellent'),  
-> (2,102,78,8,7,8,'Good'),  
-> (3,103,70,7,7,7,'Average');  
Query OK, 3 rows affected (0.01 sec)
```

```
mysql> ALTER TABLE Staff_Data  
-> MODIFY gender CHAR(1) CHECK (gender IN ('M','F'));  
Query OK, 5 rows affected (0.04 sec)
```

```
mysql> ALTER TABLE Team_Department
-> MODIFY team_name VARCHAR(100) NOT NULL UNIQUE;
Query OK, 3 rows affected (0.04 sec)
```

```
mysql> ALTER TABLE Performance_Review
-> ADD review_status VARCHAR(20) DEFAULT 'Pending';
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> ALTER TABLE Performance_Review
-> ADD review_year INT CHECK (review_year BETWEEN 2020 AND 2030);
Query OK, 3 rows affected (0.05 sec)
```

```
mysql> ALTER TABLE Team_Department ADD extension_no VARCHAR(15);
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> ALTER TABLE Team_Department DROP extension_no;
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> ALTER TABLE Team_Department RENAME COLUMN team_name TO
department_name;
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> RENAME TABLE Team_Department TO Department_Hub;
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> SHOW TABLES;
+-----+
| Tables_in_emp_performance_hub_final |
+-----+
| department_hub                      |
| performance_review                  |
| project_hub                         |
| skill_set                           |
| staff_data                          |
+-----+
5 rows in set (0.00 sec)
```

```
mysql> SET FOREIGN_KEY_CHECKS = 0;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> TRUNCATE TABLE Staff_Data;
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> SELECT COUNT(*) FROM Staff_Data;
```

```

+-----+
| COUNT(*) |
+-----+
| 0       |
+-----+

```

```

mysql> SET FOREIGN_KEY_CHECKS = 1;
Query OK, 0 rows affected (0.00 sec)

```

```

mysql> INSERT INTO Staff_Data VALUES
-> (101,'Adi','K','Maitre','M','9876543210','adi@gmail.com','Pune')
-> ON DUPLICATE KEY UPDATE city = 'Updated City';
Query OK, 1 row affected (0.01 sec)

```

```

mysql> SELECT staff_id, city FROM Staff_Data;
+-----+-----+
| staff_id | city  |
+-----+-----+
| 101     | Pune  |
+-----+-----+

```

```

mysql> SELECT * FROM Performance_Review
-> WHERE final_score BETWEEN 70 AND 90;
3 rows in set (0.00 sec)

```

```

mysql> UPDATE Performance_Review
-> SET final_score = final_score + 5
-> WHERE final_score < 80 OR lead_rating < 7;
Query OK, 2 rows affected (0.01 sec)

```

```

mysql> SELECT review_id, final_score FROM Performance_Review;
+-----+-----+
| review_id | final_score |
+-----+-----+
| 1         | 85         |
| 2         | 83         |
| 3         | 75         |
+-----+-----+

```