

TypeError at /projects/add/

'NoneType' object is not iterable

```

Request Method: POST
Request URL: http://localhost:8000/projects/add/
Django Version: 1.11.4
Exception Type: TypeError
Exception Value: 'NoneType' object is not iterable
Exception Location: /code/core/views/frontend.py in get_form_kwargs, line 124
Python Executable: /usr/local/bin/python
Python Version: 3.5.7
Python Path: ['/code',
              '/usr/local/lib/python35.zip',
              '/usr/local/lib/python3.5',
              '/usr/local/lib/python3.5/plat-linux',
              '/usr/local/lib/python3.5/lib-dynload',
              '/usr/local/lib/python3.5/site-packages',
              '/code']
Server time: Wed, 25 Mar 2020 03:29:09 +0000

```

Traceback [Switch to copy-and-paste view](#)

```

/usr/local/lib/python3.5/site-packages/django/core/handlers/exception.py in inner
    41.         response = get_response(request)
    ▶ Local vars

/usr/local/lib/python3.5/site-packages/django/core/handlers/base.py in _get_response
    187.         response = self.process_exception_by_middleware(e, request)
    ▶ Local vars

/usr/local/lib/python3.5/site-packages/django/core/handlers/base.py in _get_response
    185.         response = wrapped_callback(request, *callback_args, **callback_kwargs)
    ▶ Local vars

/usr/local/lib/python3.5/site-packages/django/views/generic/base.py in view
    68.         return self.dispatch(request, *args, **kwargs)
    ▶ Local vars

/usr/local/lib/python3.5/site-packages/django/contrib/auth/mixins.py in dispatch
    56.         return super(LoginRequiredMixin, self).dispatch(request, *args, **kwargs)
    ▶ Local vars

/usr/local/lib/python3.5/site-packages/formtools/wizard/views.py in dispatch
    248.         response = super(WizardView, self).dispatch(request, *args, **kwargs)
    ▶ Local vars

/usr/local/lib/python3.5/site-packages/django/views/generic/base.py in dispatch
    88.         return handler(request, *args, **kwargs)
    ▶ Local vars

/usr/local/lib/python3.5/site-packages/formtools/wizard/views.py in post
    312.         return self.render_next_step(form)
    ▶ Local vars

/usr/local/lib/python3.5/site-packages/formtools/wizard/views.py in render_next_step
    326.         files=self.storage.get_step_files(next_step),
    ▶ Local vars

/code/core/views/frontend.py in get_form
    166.         kwargs = self.get_form_kwargs(step)
    ▶ Local vars

/code/core/views/frontend.py in get_form_kwargs
    124.         for label in self.get_cleaned_data_for_step('labels'):
    ▶ Local vars

```

Request information

USER Vivek

GET No GET data

POST

Variable	Value

Variable	Value
project_create_wizard-current_step	'codebook'
csrfmiddlewaretoken	'51JyTUwKTLR9kqirK3J2ij0EnqInZv01Dc3Xm4tCqBJSYgjE9m3iCcInAjGwKvX8'

FILES

Variable	Value
data	<InMemoryUploadedFile: Budget Summary and Justification.pdf (application/pdf)>

COOKIES

Variable	Value
username-localhost-5678	'2 1:0 10:1584150768 23:username-localhost-5678 44:YTg5NTZlNzc4YzcxNGJkMzgyZzdiOTFKMG4NTZiZjg= b41e0706c13b4695a6f0448c0188f45cb26albbbed0bb7afebe86bbf6b7f60a84 5678'
username-localhost-8888	'2 1:0 10:1584937422 23:username-localhost-8888 44:OWY1N2N1NDY5YjllNDlkNzk5YzgwODBlZWFlMzZiZjU= 2e57ad0287ba3cc3f3d53eb8149b4a75ac901bde6161fe65777b5239a6c5b725 8888'
sessionid	'quqgd94e0uhjz561g7xt5atq8wayv5o'
csrftoken	'bRjybutNVO4MCntxHeXl1x83gerTieePJ2DXEEqFsEWvgduK6xhBlqQmT762DELC'
_xsrf	'2 498d2b55 794016c77a2632fd18e35c6b5f4df5d0 1584141037'

META

Variable	Value
CONTENT_LENGTH	'97030'
CONTENT_TYPE	'multipart/form-data; boundary=----WebKitFormBoundarykF6knuXawj7WMkg'
CSRF_COOKIE	'bRjybutNVO4MCntxHeXl1x83gerTieePJ2DXEEqFsEWvgduK6xhBlqQmT762DELC'
DJANGO_CONFIGURATION	'Dev'
DJANGO_SETTINGS_MODULE	'smart.settings'
GATEWAY_INTERFACE	'CGI/1.1'
GPG_KEY	'97FC712E4C024BBEA48A61ED3A5CA953F73C700D'
HOME	'/root'
HOSTNAME	'cf2bfa0564df'
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.9'
HTTP_ACCEPT_ENCODING	'gzip, deflate, br'
HTTP_ACCEPT_LANGUAGE	'en-US,en;q=0.9'
HTTP_CACHE_CONTROL	'max-age=0'
HTTP_CONNECTION	'keep-alive'
HTTP_COOKIE	('_xsrf=2 498d2b55 794016c77a2632fd18e35c6b5f4df5d0 1584141037; 'username-localhost-5678="2 1:0 10:1584150768 23:username-localhost-5678 44:YTg5NTZlNzc4YzcxNGJkMzgyZzdiOTFKMG4NTZiZjg= b41e0706c13b4695a6f0448c0188f45cb26albbbed0bb7afebe86bbf6b7f60a84 5678"; 'username-localhost-8888="2 1:0 10:1584937422 23:username-localhost-8888 44:OWY1N2N1NDY5YjllNDlkNzk5YzgwODBlZWFlMzZiZjU= 2e57ad0287ba3cc3f3d53eb8149b4a75ac901bde6161fe65777b5239a6c5b725 8888"; 'sessionid=quqgd94e0uhjz561g7xt5atq8wayv5o; 'csrftoken=bRjybutNVO4MCntxHeXl1x83gerTieePJ2DXEEqFsEWvgduK6xhBlqQmT762DELC')
HTTP_DNT	'1'
HTTP_HOST	'localhost:8000'
HTTP_ORIGIN	'http://localhost:8000'
HTTP_REFERER	'http://localhost:8000/projects/add/'
HTTP_SEC_FETCH_DEST	'document'
HTTP_SEC_FETCH_MODE	'navigate'
HTTP_SEC_FETCH_SITE	'same-origin'
HTTP_SEC_FETCH_USER	'?1'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_6) AppleWebKit/537.36 (KHTML, 'like Gecko) Chrome/80.0.3987.149 Safari/537.36')
LANG	'C.UTF-8'
PATH	'/usr/local/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin'
PATH_INFO	'/projects/add/'
PWD	'/code'
PYTHONUNBUFFERED	'1'
PYTHON_GET_PIP_SHA256	'b86f36cc4345ae87bfd4f10ef6b2dbfa7a872fbff70608a1e43944d283fd0eee'
PYTHON_GET_PIP_URL	'https://github.com/pypa/get-pip/raw/ffe826207a010164265d9cc807978e3604d18ca0/get-pip.py'
PYTHON_PIP_VERSION	'19.3.1'
PYTHON_VERSION	'3.5.7'
QUERY_STRING	''
REMOTE_ADDR	'172.18.0.1'
REMOTE_HOST	''
REQUEST_METHOD	'POST'
RUN_MAIN	'true'
SCRIPT_NAME	''
SERVER_NAME	'cf2bfa0564df'
SERVER_PORT	'8000'
SERVER_PROTOCOL	'HTTP/1.1'
SERVER_SOFTWARE	'WSGIServer/0.2'
SHLVL	'1'
TZ	'UTC'
_	'/usr/local/bin/python'
wsgi.errors	<_io.TextIOWrapper name='<stderr>' mode='w' encoding='UTF-8'>
wsgi.file_wrapper	''
wsgi.input	<_io.BufferedReader name=6>
wsgi.multiprocess	False
wsgi.multithread	True
wsgi.run_once	False
wsgi.url_scheme	'http'
wsgi.version	(1, 0)

Settings

Using settings module smart.settings

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ACCOUNT_LOGOUT_ON_GET	True
ADMINS	[]
ALLOWED_HOSTS	['0.0.0.0', 'localhost']
APPEND_SLASH	True
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS	['*****']
AUTH_USER_MODEL	'auth.User'
BASE_DIR	'/code'
CACHES	{'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS	'default'
CACHE_MIDDLEWARE_KEY_PREFIX	['*****']
CACHE_MIDDLEWARE_SECONDS	600
CELERY_ACCEPT_CONTENT	['json']
CELERY_BROKER_URL	'redis://redis:6379/0'
CELERY_RESULT_BACKEND	'django-db'
CELERY_RESULT_SERIALIZER	'json'
CELERY_TASK_SERIALIZER	'json'
CODEBOOK_FILE_PATH	'/data/code_books'
CONFIGURATION	'smart.settings.Dev'
CSRF_COOKIE_AGE	31449600
CSRF_COOKIE_DOMAIN	None
CSRF_COOKIE_HTTPONLY	False
CSRF_COOKIE_NAME	'csrftoken'
CSRF_COOKIE_PATH	['/']
CSRF_COOKIE_SECURE	False
CSRF_FAILURE_VIEW	'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME	'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS	[]
CSRF_USE_SESSIONS	False
DATABASES	{'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.postgresql', 'HOST': 'postgres', 'NAME': 'smart', 'OPTIONS': {}, 'PASSWORD': '*****', 'PORT': '5432', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': 'smart'}}
DATABASE_ROUTERS	[]
DATA_DIR	'/data'
DATA_UPLOAD_MAX_MEMORY_SIZE	2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS	1000
DATE_TIME_FORMAT	'N j, Y, P'
DATE_TIME_INPUT_FORMATS	['%Y-%m-%d %H:%M:%S', '%Y-%m-%d %H:%M:%S.%f', '%Y-%m-%d %H:%M', '%Y-%m-%d', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%Y', '%m/%d/%y %H:%M:%S', '%m/%d/%y %H:%M:%S.%f', '%m/%d/%y %H:%M', '%m/%d/%y']
DATE_FORMAT	'N j, Y'
DATE_INPUT_FORMATS	['%Y-%m-%d', '%m/%d/%Y', '%m/%d/%y', '%b %d %Y', '%b %d, %Y', '%d %b %Y', '%d %b, %Y', '%B %d %Y', '%B %d, %Y', '%d %B %Y', '%d %B, %Y']
DEBUG	True
DEBUG_PROPAGATE_EXCEPTIONS	False
DECIMAL_SEPARATOR	['.']
DEFAULT_CHARSET	'utf-8'
DEFAULT_CONTENT_TYPE	'text/html'
DEFAULT_EXCEPTION_REPORTER_FILTER	'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE	'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL	'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE	['']
DEFAULT_TABLESPACE	['']
DISALLOWED_USER_AGENTS	[]
DOTENV_LOADED	None
EMAIL_BACKEND	'django.core.mail.backends.console.EmailBackend'

Setting	Value
EMAIL_HOST	'localhost'
EMAIL_HOST_PASSWORD	'*****'
EMAIL_HOST_USER	''
EMAIL_PORT	25
EMAIL_SSL_CERTFILE	None
EMAIL_SSL_KEYFILE	'*****'
EMAIL_SUBJECT_PREFIX	'[Django] '
EMAIL_TIMEOUT	None
EMAIL_USE_LOCALTIME	False
EMAIL_USE_SSL	False
EMAIL_USE_TLS	False
FILE_CHARSET	'utf-8'
FILE_UPLOAD_DIRECTORY_PERMISSIONS	None
FILE_UPLOAD_HANDLERS	('progressbarupload.uploadhandler.ProgressBarUploadHandler', 'django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler')
FILE_UPLOAD_MAX_MEMORY_SIZE	2621440
FILE_UPLOAD_PERMISSIONS	None
FILE_UPLOAD_TEMP_DIR	None
FIRST_DAY_OF_WEEK	0
FIXTURE_DIRS	[]
FORCE_SCRIPT_NAME	None
FORMAT_MODULE_PATH	None
FORM_RENDERER	'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS	[]
INSTALLED_APPS	['core.apps.CoreConfig', 'django.contrib.admin', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'django_extensions', 'django_celery_results', 'rest_framework', 'rest_framework.authtoken', 'rest_auth', 'django.contrib.sites', 'allauth', 'allauth.account', 'postgres_stats', 'formtools', 'rest_auth.registration', 'rest_framework_swagger', 'webpack_loader', 'progressbarupload']
INTERNAL_IPS	[]

Setting	Value
LANGUAGES	[('af', 'Afrikaans'), ('ar', 'Arabic'), ('ast', 'Asturian'), ('az', 'Azerbaijani'), ('bg', 'Bulgarian'), ('be', 'Belarusian'), ('bn', 'Bengali'), ('br', 'Breton'), ('bs', 'Bosnian'), ('ca', 'Catalan'), ('cs', 'Czech'), ('cy', 'Welsh'), ('da', 'Danish'), ('de', 'German'), ('dsb', 'Lower Sorbian'), ('el', 'Greek'), ('en', 'English'), ('en-au', 'Australian English'), ('en-gb', 'British English'), ('eo', 'Esperanto'), ('es', 'Spanish'), ('es-ar', 'Argentinian Spanish'), ('es-co', 'Colombian Spanish'), ('es-mx', 'Mexican Spanish'), ('es-ni', 'Nicaraguan Spanish'), ('es-ve', 'Venezuelan Spanish'), ('et', 'Estonian'), ('eu', 'Basque'), ('fa', 'Persian'), ('fi', 'Finnish'), ('fr', 'French'), ('fy', 'Frisian'), ('ga', 'Irish'), ('gd', 'Scottish Gaelic'), ('gl', 'Galician'), ('he', 'Hebrew'), ('hi', 'Hindi'), ('hr', 'Croatian'), ('hsb', 'Upper Sorbian'), ('hu', 'Hungarian'), ('ia', 'Interlingua'), ('id', 'Indonesian'), ('io', 'Ido'), ('is', 'Icelandic'), ('it', 'Italian'), ('ja', 'Japanese'), ('ka', 'Georgian'), ('kk', 'Kazakh'), ('km', 'Khmer'), ('kn', 'Kannada'), ('ko', 'Korean'), ('lb', 'Luxembourgish'), ('lt', 'Lithuanian'), ('lv', 'Latvian'), ('mk', 'Macedonian'), ('ml', 'Malayalam'), ('mn', 'Mongolian'), ('mr', 'Marathi'), ('my', 'Burmese'), ('nb', 'Norwegian Bokmål'), ('ne', 'Nepali'), ('nl', 'Dutch'), ('nn', 'Norwegian Nynorsk'), ('os', 'Ossetic'), ('pa', 'Punjabi'), ('pl', 'Polish'), ('pt', 'Portuguese'), ('pt-br', 'Brazilian Portuguese'), ('ro', 'Romanian'), ('ru', 'Russian'), ('sk', 'Slovak'), ('sl', 'Slovenian'), ('sq', 'Albanian'), ('sr', 'Serbian'), ('sr-latn', 'Serbian Latin'), ('sv', 'Swedish'), ('sw', 'Swahili'), ('ta', 'Tamil'), ('te', 'Telugu'), ('th', 'Thai'), ('tr', 'Turkish'), ('tt', 'Tatar'), ('udm', 'Udmurt'), ('uk', 'Ukrainian'), ('ur', 'Urdu'), ('vi', 'Vietnamese'), ('zh-hans', 'Simplified Chinese'), ('zh-hant', 'Traditional Chinese')]
LANGUAGES_BIDI	['he', 'ar', 'fa', 'ur']
LANGUAGE_CODE	'en-us'
LANGUAGE_COOKIE_AGE	None
LANGUAGE_COOKIE_DOMAIN	None
LANGUAGE_COOKIE_NAME	'django_language'
LANGUAGE_COOKIE_PATH	''
LOCALE_PATHS	[]
LOGGING	{}
LOGGING_CONFIG	'logging.config.dictConfig'
LOGIN_REDIRECT_URL	''
LOGIN_URL	'/accounts/login/'
LOGOUT_REDIRECT_URL	None

Setting	Value
MANAGERS	[]
MEDIA_ROOT	''
MEDIA_URL	''
MESSAGE_STORAGE	'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE	['django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIDDLEWARE_CLASSES	['django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware']
MIGRATION_MODULES	{}
MODEL_PICKLE_PATH	'/data/model_pickles'
MONTH_DAY_FORMAT	'F j'
NUMBER_GROUPING	0
PASSWORD_HASHERS	'*****'
PASSWORD_RESET_TIMEOUT_DAYS	'*****'
PREPEND_WWW	False
PROGRESSBARUPLOAD_INCLUDE_JQUERY	True
PROJECT_FILE_PATH	'/data/data_files'
REDIS	StrictRedis<ConnectionPool<Connection<host=redis,port=6379,db=0>>>
REDIS_URL	'redis://redis:6379/0'
REST_FRAMEWORK	{'DEFAULT_AUTHENTICATION_CLASSES': ('rest_framework.authentication.BasicAuthentication', 'rest_framework.authentication.SessionAuthentication'), 'DEFAULT_PERMISSION_CLASSES': ('rest_framework.permissions.IsAuthenticated',), 'PAGE_SIZE': 10}
REST_USE_JWT	True
ROOT_URLCONF	'smart.urls'
SECRET_KEY	'*****'
SECURE_BROWSER_XSS_FILTER	False
SECURE_CONTENT_TYPE_NOSNIFF	False
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
SECURE_HSTS_PRELOAD	False
SECURE_HSTS_SECONDS	0
SECURE_PROXY_SSL_HEADER	None
SECURE_REDIRECT_EXEMPT	[]
SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	'root@localhost'
SESSION_CACHE_ALIAS	'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	''
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'smart.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[]
SITE_ID	1
STATICFILES_DIRS	['/code/frontend/dist', '/code/core/data', '/code/smart/static', '/data/code_books/']
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT	None
STATIC_URL	'/dist/'
TEMPLATES	[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': ['/code/smart/templates', '/code/core/templates'], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug', 'django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages']}}]
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
TF_IDF_PATH	'/data/tf_idf'
THOUSAND_SEPARATOR	','
TIME_FORMAT	'P'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'UTC'
USE_ETAGS	False
USE_I18N	True
USE_L10N	True

Setting	Value
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
WEBPACK_LOADER	{'DEFAULT': {'BUNDLE_DIR_NAME': '/', 'CACHE': False, 'IGNORE': ['.+\\.hot-update.js', '.+\\.map'], 'POLL_INTERVAL': 0.1, 'STATS_FILE': '/code/frontend/webpack-stats.json', 'TIMEOUT': None}}
WSGI_APPLICATION	'smart.wsgi.application'
X_FRAME_OPTIONS	'SAMEORIGIN'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.