

RTM - REFLECTIVE TIME MODEL

Same-Day Observer-Linked Convergence
and Cross-Day Numerical Carryover
on 15 July 2026

An Exact-String RTM Continuation and Completed Validation of the 14-15 July 2026 Timestamped Sequence

A reproducibility-first deterministic and statistical validation of same-day date closure, a self-referential retroactive-update loop, observer identity and age returns, and direct consecutive-day carryover under declared frozen-template null models

Eran Harpaz

Independent Researcher | RTM - Reflective Time Model

Research Note v1.0 | 15 July 2026 | Zenodo DOI: [to be inserted before final publication]

STATUS OF THIS DOCUMENT

This paper timestamps, deterministically audits, and statistically validates the complete 15 July 2026 convergence network in direct continuity with the validated 14 July 2026 RTM record (DOI: 10.5281/zenodo.21363194). Two independent implementations reproduce all 16 exact Hebrew-string identities, all 19 arithmetic checks, the complete 14 July 9/9 gate, the complete 15 July 9/9 gate, and the direct 14->15 July sequential gate. An exhaustive 1900-2100 scan finds exactly one full Day-1 hit (14 July 2026), one full Day-2 hit (15 July 2026), and one consecutive full pair (14->15 July 2026) among 73,413 adjacent date pairs. Under the declared frozen-template uniform-Hebrew-letter null, exact finite-space counting gives a one-sided conditional tail score of 7.1426 sigma for the full 15 July date+observer gate and 7.7736 sigma for the complete sequential gate. Three RTX 5090 Monte Carlo cross-checks of 100,000,000 trials each independently exercise the GPU implementation; the fixed-date run produced 4 full hits, consistent with the exact expectation of 3.361 hits per 100 million, while the joint and sequential runs produced zero full hits, as expected at their much smaller exact probabilities.

RESEARCH CONTINUITY NOTICE

This note is designed to be read immediately after the 14 July 2026 RTM case report. The earlier paper is not background in the loose sense; it is the preceding timestamped research object in the sequence. It already documented the value 2378 before the 15 July finding and reported a completed validation suite including an exhaustive 73,414-date scan, 15,000,000 randomized null trials, anchor perturbation, phrase sensitivity, and source-family ablation. The present release extends that sequence by locking the complete 15 July network and adding completed computational validation of the two-day structure: a 35/35 deterministic audit, an independent second implementation, an exhaustive 1900-2100 scan, exact finite-space null counting, and three 100,000,000-trial RTX 5090 Monte Carlo cross-checks.

The continuity claim is chronological as well as numerical. The prior DOI establishes that 2378 was already documented before the full Hebrew phrase for 15 July 2026 was evaluated in the present record. The current validation then evaluates the 15 July network and the direct 14->15 sequence as complete gates. The full Day-2 gate and the full consecutive-day gate are counted directly; no separate equation probabilities are multiplied.

Abstract

This research note documents and validates the complete same-day convergence identified on 15 July 2026, corresponding to 1 Av 5786 in the Hebrew calendar, together with its direct numerical continuity with the validated RTM record of 14 July 2026. The network begins with the exact Hebrew-date calculation string, gematria 792, and returns to the compact Gregorian day-month representation 157 (15|7). A second branch uses the fixed Hebrew question "What is today's Hebrew date?" with value 1359; subtracting 792 gives 567. The full Hebrew spelling of 567 and the exact statement "Today's date is one five seven" share gematria 1833. That 1833 then returns with 567 to the observer-age phrase value 1266 and also enters a closed loop in which the exact phrase "Reality updates retroactively" has gematria 2478 and, through a parallel date statement, returns exactly to 792. A further semantic pathway uses the exact phrase "I know that reality updates retroactively," gematria 2934: subtracting the same-day Hebrew-date value 792 gives 2142, and subtracting the zero-padded Gregorian encoding 1507 gives 635 - the same 635 node already established in the core Hebrew-date branch, which closes to 157 = 15|7. The network further contains a 2378 nexus: the full spelling of 1359, the full Hebrew phrase for 15 July 2026, and the full spelling of 612 all equal 2378; 612 is the observer's full-name value, and 2378 had already been timestamped in the immediately preceding 14 July record. Additional branches return to the first-name value 320 and to age 44 through distinct declared representations. The locked statistical-validation core contains 16 exact Hebrew strings and 19 arithmetic checks and reproduces with zero failures; the separate semantic re-entry through 2934 is deterministically reproduced in a companion supplement and is not used to increase the statistical gate or reported tail scores. Two independent implementations reproduce the complete Day-1 9/9 gate, Day-2 9/9 gate, exhaustive scan, and uniform-letter exact counts. Across 73,414 dates from 1900 through 2100, 14 July 2026 is the sole Day-1 9/9 hit, 15 July 2026 is the sole Day-2 9/9 hit, and 14->15 July 2026 is the sole consecutive full pair among 73,413 adjacent pairs. Under the declared frozen-template uniform-Hebrew-letter null, exact finite-space counting gives $p = 4.5781593910 \times 10^{-13}$ (7.1426 sigma, one-sided) for the full 15 July date+observer gate and $p = 3.8151847939 \times 10^{-15}$ (7.7736 sigma, one-sided) for the complete sequential gate. A separate numeric-support null gives 7.3521 sigma and 7.9670 sigma, respectively. Three 100,000,000-trial RTX 5090 GPU runs provide an implementation cross-check: 4 full hits occurred in the fixed-date uniform-letter model, close to the exact expectation of 3.361 per 100 million, while the joint and sequential runs produced zero full hits, as expected from their exact probabilities. The reported tail scores are conditional on the declared finite null models and frozen template; they are direct joint counts, not products of per-equation probabilities.

Keywords: Reflective Time Model; RTM; gematria; observer-linked convergence; same-day date closure; retroactive information; self-referential closure; cross-day continuity; consecutive-day sequence; exact finite-space null; exhaustive scan; GPU Monte Carlo; independent implementation; Hebrew calendar; Gregorian date encoding; exact-string preservation; reproducibility

CENTRAL OBSERVATION

The anomaly is not one equation. It is a complete network in which the same date is represented through Hebrew and Gregorian forms, exact number words, declared digit conventions, observer identity, age, birth year, measurement year, and an RTM interpretive phrase. The network repeatedly returns to a small set of fixed terminals - 157, 792, 612, 320, 1266, and 44 - while 2378 crosses the timestamp boundary from the validated 14 July record into the full date phrase of 15 July. The completed validation tests the full gates directly rather than multiplying per-equation probabilities: the 15 July network is the sole 9/9 Day-2 hit in the 73,414-date scan, and 14->15 July 2026 is the sole consecutive full pair in the 73,413-pair scan. The evidential feature is therefore the full architecture: exact source strings, exact arithmetic, repeated returns to the same observer-linked targets, independent computational reproduction, and documented chronology across consecutive timestamped records.

1. Scope, evidential structure, and continuity framework

The purpose of this paper is to preserve the complete 15 July 2026 finding as a dated, exact-string research object and to place it in direct continuity with the immediately preceding 14 July RTM record. The evidential architecture has five layers: exact deterministic reproduction; role-specific convergence on current date and observer anchors; complete pathway mapping; cross-day chronology established by the prior timestamped record; and completed validation through independent implementation, exhaustive scanning, exact finite-space null counting, and GPU Monte Carlo cross-checks.

The present paper follows the same reproducibility-first discipline as the 14 July case while preserving the full final prepublication network rather than a reduced subset of equations. Each source string is locked exactly as used, every displayed arithmetic step is machine-checked, recurring values are traced across their distinct textual, temporal, and observer-linked roles, and the statistical stage evaluates the complete retained gates directly rather than assigning a separate probability to each displayed equation.

Within RTM, the combined same-day and sequential pattern is interpreted as evidence for observer-linked temporal organization. The key physical claim of the model is not attached to a single gematria equality. It is attached to the repeated organization of current temporal information around stable observer-specific anchors, together with the appearance of a prior timestamped network value in a new date-defined role on the following day.

2. Fixed protocol and source inputs

2.1 Measurement date and exact Hebrew date string

The measurement date is 15 July 2026. The corresponding Hebrew date is 1 Av 5786. The companion audit reproduces the mapping with pyluach 2.3.0. The exact unpointed Hebrew calculation string is preserved exactly as entered:

א באב תשפ"ו
Gematria = 792

No orthographic substitution is made inside the calculation ledger. Display punctuation such as 'א or תשפ"ו is explanatory only and does not replace the locked calculation string.

2.2 Exact-string rule: no normalization or substitution

Every Hebrew phrase is evaluated exactly as written. Alternative legitimate spellings, grammatical forms, or number representations remain separate inputs. They are not normalized into a preferred form after the fact. This rule is essential in the present case because the two date statements differ only in the exact form of the word "one" - אחד and אחד - yet have different gematria values and participate in different parts of the loop.

2.3 Permitted transformations and date representations

The documented transformations are limited to standard Hebrew Mispar Hechrachi, exact full-number spelling, exact digit-by-digit spelling, addition, and subtraction. No rounding, tolerance window, modular arithmetic, multiplication, or approximate match is used. The two Gregorian date integers are separate declared representations:

- 157 = 15|7, the compact day-month representation used throughout the RTM date protocol.
- 1507 = 15|07, the zero-padded DDMM representation of the same date.

These two representations are not silently converted into one another. Each appears explicitly where it is used.

2.4 Observer-linked and biographical anchors

Anchor	Value	Role in this note	Status
Observer full name	612	Pre-existing full-name gematria anchor	Recalculated: PASS
Observer first name	320	Pre-existing first-name gematria anchor	Recalculated: PASS
Age at measurement	44	Biographical target	Researcher-supplied
Birth year	1982	Biographical operand	Researcher-supplied
Measurement year	2026	Current-year operand	Calendar-defined
Observer-age phrase	1266	Current exact textual target	Recalculated: PASS
Spelled age	602	Exact phrase “forty-four”	Recalculated: PASS
Digit age phrase	546	Exact phrase “four four”	Recalculated: PASS
Prior network value	2378	Documented in 14 July 2026 DOI record	Prior timestamped record

2.5 Direct continuity with the validated 14 July 2026 record

The immediately preceding RTM case report is: Eran Harpaz, “Same-Day Observer-Linked Arithmetic Convergence Across Hebrew and Gregorian Date Encodings,” 14 July 2026, DOI: 10.5281/zenodo.21363194. That record already contained the value 2378 before the current 15 July analysis. The present paper therefore treats 2378 as both a current same-day nexus and a prior timestamped carryover value.

3. Exact encoding ledger

Table 1 lists every exact Hebrew string used in the locked statistical-validation core. English glosses are provided for accessibility only and never enter the calculation. Section 4.4 records one further exact semantic pathway in a separate deterministic supplement; it is part of the documented network but is not used to enlarge the locked 9/9 statistical gate.

Exact Hebrew string	English gloss	Function	Gematria	Audit
א באב תשפ	1 Av 5786 - exact calculation string	Hebrew date string	792	PASS

שש שלוש חמש	six three five	Digit-by-digit representation of 635	1584	PASS
מה התאריך העברי של היום	what is today's Hebrew date?	Fixed same-day question	1359	PASS
חמש מאות שישים ושבע	five hundred sixty-seven	Full spelling of 567	1833	PASS
תאריך היום הוא אחת חמש שבע	today's date is one five seven (feminine one)	Date statement encoding 157	1833	PASS
מציאות מתעדכנת רטרואקטיבית	reality updates retroactively	RTM model-statement phrase	2478	PASS
תאריך היום הוא אחד חמש שבע	today's date is one five seven (masculine one)	Parallel date statement encoding 157	1437	PASS
ערן הרפז בן ארבעים וארבע	Eran Harpaz aged forty-four	Observer-age phrase	1266	PASS
אלף שלוש מאות חמישים ותשע	one thousand three hundred fifty-nine	Full spelling of 1359	2378	PASS
חמש עשרה ביולי אלפיים עשרים ושש	15 July 2026	Full Gregorian date phrase	2378	PASS
שש מאות ושתיים עשרה	six hundred twelve	Full spelling of 612	2378	PASS
ערן הרפז	Eran Harpaz	Observer full name	612	PASS
ערן	Eran	Observer first name	320	PASS
ארבעים וארבע	forty-four	Full spelling of age 44	602	PASS
ארבע ארבע	four four	Digit-by-digit representation of age 44	546	PASS
שלוש מאות עשרים	three hundred twenty	Full spelling of 320	1703	PASS

4. Results: complete documented convergence network

The closure families below preserve the complete final discovery record. Each family is presented with its exact source identity and arithmetic path. Values that recur across branches remain visible in every role in which they actually appear, because those repeated returns are part of the observed network architecture.

4.1 Closure family A - the Hebrew date returns to 15|7

א באב תשפ

Gematria = 792

$$792 + 792 = 1584$$

שש שלוש חמש

Gematria = 1584

The exact digit phrase represents the number 635.

$$1584 - 635 = 949$$

$$949 - 792 = 157$$

157 = 15|7, the compact Gregorian representation of the same day.

The defining text identity in this family is that the exact phrase representing 635 has gematria 1584, exactly twice the Hebrew-date value. The displayed arithmetic then returns from that text-defined value to the compact Gregorian representation of the same day.

4.2 Closure family B - the question-date residual closes through 1833 to a statement of 15|7

מה התאריך העברי של היום

Gematria = 1359

$$1359 - 792 = 567$$

חמש מאות שישים ושבע

Gematria = 1833

Full spelling of 567.

תאריך היום הוא אחת חמש שבע

Gematria = 1833

Exact date statement encoding 157 = 15|7.

The residual generated by the same-day question and Hebrew-date answer therefore closes to a second exact string that explicitly states the Gregorian date of the same day.

4.3 Closure family C - the phrase “Reality updates retroactively” closes through the date statements back to the Hebrew date

מציאות מתעדכנת רטרואקטיבית

Gematria = 2478

$$2478 - 1833 = 645$$

תאריך היום הוא אחד חמש שבע

Gematria = 1437

Parallel exact date statement encoding the same 157, using the masculine form אחד.

$$1437 - 645 = 792$$

792 = the exact Hebrew-date value for 1 Av 5786.

This creates a closed same-day loop. The 1833 date-statement value enters the exact phrase “Reality updates retroactively”; the resulting residual is then resolved through a parallel date statement and returns exactly to 792, the Hebrew date from which the network began. The two date statements are preserved as distinct exact strings rather than normalized into one another.

4.4 Semantic RTM statement pathway - the expanded statement returns through the existing 635 node to 15|7

אני יודע שהמציאות מתעדכנת רטרואקטיבית

Gematria = 2934

$$2934 - 792 = 2142$$

792 = א' באב תשפ"ו, the same-day Hebrew-date value.

$$2142 - 1507 = 635$$

1507 = 15|07, the zero-padded Gregorian date encoding.

The terminal 635 is not a new arbitrary target. It is the already established number represented in Closure family A by the exact phrase “שש שלוש חמש,” whose gematria is 1584. The pathway therefore re-enters an existing core node: 635 already participates in the Hebrew-date return to $157 = 15|7$. The exact semantic statement, the same-day Hebrew date, and the zero-padded Gregorian date thus converge back into the same 635 node already embedded in the original date structure.

Statistical accounting remains fixed: this pathway is reported as a deterministic semantic re-entry and is not added to the locked A-J 9/9 gate or to the 35/35 validation count. It therefore contributes no extra factor to the reported sigma values.

4.5 Closure family D - the 1833 branch returns to the observer-age phrase

$$1833 - 567 = 1266$$

ערן הרפז בן ארבעים וארבע

Gematria = 1266

Observer full name plus age 44.

The same 1833 node that closes to the date statement therefore also returns, through the internally generated 567 residual, to a complete observer-linked identity-and-age phrase.

4.6 Closure family E - the 2378 nexus joins the question value, the full 15 July date, and the full-name anchor

אלף שלוש מאות חמישים ותשע

Gematria = 2378

Full spelling of 1359, the fixed question value.

חמש עשרה ביולי אלפיים עשרים ושש

Gematria = 2378

Full Hebrew phrase for 15 July 2026.

שש מאות ושתים עשרה

Gematria = 2378

Full spelling of 612.

ערן הרפז

Gematria = 612

Observer full name.

Three distinct exact Hebrew strings meet at 2378. The represented number 612 is the gematria of the observer's full name. On 15 July, the full date phrase therefore joins the question-value and full-name structure already documented in the preceding RTM record.

4.7 Closure family F - cross-day continuity: a prior timestamped 2378 becomes the full-date value of the following day

CHRONOLOGICAL BRIDGE

14 July 2026: the validated RTM record already contains 2378 inside its locked network.

15 July 2026: the newly defined full Hebrew phrase for the current Gregorian date evaluates exactly to 2378.

The evidential feature is the order of records: the prior DOI existed before the current full-date phrase was measured as the new target.

This is the principal cross-day carryover of the paper. It is not created by placing two days into one retrospective calculation. The earlier DOI supplies the prior timestamped occurrence of 2378; the present record supplies its new, independently defined role as the exact value of the 15 July full-date phrase.

4.8 Closure family G - the full date, observer-age phrase, and Hebrew date return to the first name

$$2378 - 1266 - 792 = 320$$

320 = the gematria of the first name Eran.

ערן

Gematria = 320

The current full-date value, the complete observer-age phrase value, and the Hebrew-date value therefore converge directly on the first-name anchor.

4.9 Closure family H - doubled 2378, the two years, and the Hebrew date return to age 44

$$2378 + 2378 = 4756$$

$$4756 - 1982 - 2026 = 748$$

1982 = birth year; 2026 = measurement year.

$$792 - 748 = 44$$

44 = age at measurement.

This branch introduces the two biographical-time operands - birth year and measurement year - and returns through the Hebrew-date value to the observer's exact age.

4.10 Closure family I - two date encodings and two age encodings return to the first name

This path uses the separate date representations $1507 = 15|07$ and $157 = 15|7$, together with the exact age representations $602 = \text{"forty-four"}$, $44 = \text{the age itself}$, and $546 = \text{"four four"}$.

$$1507 - 792 = 715$$

$$715 - 602 = 113$$

$$113 - 44 = 69$$

$$546 - 69 = 477$$

$$477 - 157 = 320$$

320 = Eran.

The path begins with the zero-padded current date, passes through the current Hebrew date and multiple exact age encodings, and terminates on the same first-name value already reached in family G.

4.11 Closure family J - the written first-name value returns through the years to the written age

ערן

Gematria = 320

שלוש מאות עשרים

Gematria = 1703

Full spelling of 320.

$$1703 + 1703 = 3406$$

$$3406 - 1982 = 1424$$

1982 = birth year.

$$2026 - 1424 = 602$$

2026 = measurement year.

ארבעים וארבע

Gematria = 602*Full spelling of age 44.*

The written number corresponding to the first-name anchor therefore produces, through the birth year and measurement year, the exact gematria of the written age.

5. Network view

Figure 1 presents the locked validated core structure. Same-day closure, the self-referential loop, 2378 carryover, observer identity, age returns, and representation chains are shown together. The semantic pathway in Section 4.4 re-enters the already displayed 635 node and is therefore described textually rather than overlaid on the core figure. Dashed links indicate where an already established network value enters a further branch; the cross-day arrow marks the chronology established by the prior 14 July timestamped record.

Figure 1A. Core same-day closure and self-referential loop




Figure 1A. Core same-day return, 1833 bridge, observer-age closure, and the self-referential phrase loop back to the Hebrew-date value 792.

Figure 1B. 2378 carryover, identity, first-name and age returns




Figure 1B. The 2378 cross-day carryover and the additional branches returning to full name, first name, and age.

6. Arithmetic verification and pathway index

Every arithmetic equation in the locked A-J validation core was recalculated in the companion audit. The table below indexes the ten statistically gated pathway families by their source structure, terminal target, and role in the network. The Section 4.4 semantic pathway is reproduced separately: $2934 - 792 = 2142$ and $2142 - 1507 = 635$, where 635 is the already established Family-A node that returns to $157 = 15|7$. It is not part of the 9/9 gate and does not alter any reported tail score.

ID	Path summary	Terminal	Structural role	Audit
A	792 -> 1584 phrase for 635 -> 949 -> 157	157 / 15 7	Hebrew-to-Gregorian same-day return	PASS
B	1359 - 792 = 567; spelled 567 and date statement meet at 1833	157 / 15 7	Exact 1833 date-statement bridge	PASS
C	2478 - 1833 = 645; parallel date statement 1437 - 645 = 792	792 / Hebrew date	Closed return through the RTM phrase and parallel date statement	PASS
D	1833 - 567 = observer-age phrase value	1266 / age phrase	Observer identity-and-age return	PASS
E	Spelled 1359 = full 15 July date = spelled 612 = 2378	612 / full name	Three-string 2378 nexus terminating on the full-name anchor	PASS
F	Prior 14 July value 2378 = current full-date phrase value	2378	Cross-day chronological carryover	PASS
G	2378 - 1266 - 792	320 / first name	Direct return to the first-name anchor	PASS
H	2378 + 2378 -> birth year -> measurement year -> 748; 792 - 748	44 / age	Year-linked return to age 44	PASS
I	1507 -> 792 -> 602 -> 44 -> 546 -> 157	320 / first name	Multi-representation date-and-age return to the first name	PASS
J	Spelled 320 ->	602 / spelled age	Return from written	PASS

	doubled -> birth year -> measurement year		first-name value to written age	
--	---	--	------------------------------------	--

PATHWAY AND STATISTICAL ACCOUNTING NOTE

The ten documented pathway families remain visible as the architecture of the finding, but the completed statistical validation does not treat them as ten separate probability claims. The full 15 July hit requires all nine retained same-day families simultaneously: A AND B AND C AND D AND E AND G AND H AND I AND J. The sequential event is counted directly as the complete 14 July 9/9 gate AND the complete 15 July 9/9 gate AND the chronological carryover condition. No per-equation p-values are multiplied. The direct full-gate count is the reported statistical object.

7. Why the structure is notable

The strongest feature of the 15 July record is structural density across distinct source roles. The same-day system does not merely produce one endpoint. It repeatedly re-closes onto the current date, the Hebrew date, the observer's full name, first name, and age, while also incorporating a prior timestamped value from the preceding day.

- Same-day self-return: the Hebrew-date value 792 generates a string-sensitive path back to 157 = 15|7.
- Exact 1833 bridge: a residual created from the same-day question and answer becomes a written-number phrase that is exactly equal to a sentence stating the current date.
- Self-referential RTM loop: the exact phrase "Reality updates retroactively" enters the same-day network and, through the two exact date statements, returns to 792. A second exact RTM statement, "I know that reality updates retroactively," independently re-enters the already established 635 date node through 792 and 1507.
- Observer-linked convergence: separate branches terminate on 612, 320, 1266, 44, and 602 - full name, first name, identity-plus-age, age, and written age.
- Cross-day chronology: 2378 was already locked in the 14 July DOI record before it became the exact full-date phrase value of 15 July.
- Repeated target return: 320 and age 44 are reached through different source combinations rather than a single repeated equation.
- Representation diversity without normalization: full-number words, digit strings, two explicit date formats, direct gematria, addition, and subtraction all remain exact and separately declared.
- Exactness: every reported equality is exact. The locked statistical-validation core reproduces all 16 Hebrew strings and 19 arithmetic equations with zero failures, while the separate semantic-path supplement reproduces the 2934 string and its two arithmetic steps exactly.

Taken as a whole, the record is appropriately described as an extreme structural anomaly under the declared frozen-template null models. The deterministic structure is exact; the full 15 July gate is unique in the 73,414-date scan; the 14->15 July sequence is the only full consecutive pair in 73,413 adjacent pairs; and the exact uniform-letter joint counts exceed 7 sigma for both the full Day-2 date+observer gate and the full sequential gate. The neighboring 14 July paper supplies the prior validated record, while the present release adds a denser exact network and a completed, independently reproduced validation layer.

8. Completed deterministic and independent validation

8.1 Completed exact audit

The companion audit package was regenerated for the locked statistical-validation core rather than reusing the earlier nine-string/four-equation audit. It independently recalculates the Hebrew calendar mapping, all 16 locked Hebrew-string gematria values, and all 19 locked arithmetic relations. The core record passes 35/35 checks with zero failures. The audited primary engine also verifies the complete 14 July 9/9 gate, the complete 15 July 9/9 gate, the chronological carryover, and the sequential full joint gate. The separate Section

4.4 semantic-path supplement independently verifies the 2934 phrase and its two arithmetic steps without changing the frozen gate.

Audit component	Scope	Result
Calendar mapping	2026-07-15 -> 1 Av 5786	PASS
Exact Hebrew strings	16 / 16 locked strings	PASS
Arithmetic checks	19 / 19 exact equations	PASS
Day-1 observed gate	14 July 2026: 9 / 9 families	PASS
Day-2 observed gate	15 July 2026: 9 / 9 retained same-day families	PASS
Chronological carryover	Prior 2378 -> current full-date phrase role	PASS
Sequential full joint gate	Day-1 9/9 AND Day-2 9/9 AND carryover	PASS
Independent second implementation	Core audit, scan, and uniform-letter exact counts reproduced	PASS

A second implementation was written independently and does not import the primary validation engine. It reproduces the 16/16 string audit, 19/19 equation audit, the unique Day-1 and Day-2 scan hits, the unique consecutive pair, and the exact uniform-letter probabilities and one-sided tail scores. Agreement between the two implementations therefore rules out a single shared execution path as the source of the reported core results.

8.2 Reproducibility files, independent implementation, and fingerprints

Reproducibility item	Recorded value
Deterministic ledger	RTM_15_JULY_2026_EXACT_LEDGER.json
Audited primary validation engine	RTM_14_15_JULY_2026_FULL_JOINT_VALIDATION_AUDITED_V1_1.py
Independent second implementation	RTM_14_15_JULY_2026_INDEPENDENT_AUDIT.py
Primary exact result file	RTM_14_15_FULL_JOINT_RESULTS_AUDITED_V1_1.json
Independent result file	RTM_14_15_INDEPENDENT_AUDIT_RESULTS.json
GPU 100M run log	RTM_5090_100M_RUN.log

GPU result files	fixed_letters_audited_v1_1_results.json; joint_letters_audited_v1_1_results.json; sequential_letters_audited_v1_1_results.json
Protocol version	RTM-14-15-JULY-2026-FULL-JOINT-v1.1-AUDITED
Protocol manifest SHA-256	2d0134f51bbb3216899dc91555a36ee601baf9bf1ab befb42ad61e1068e8204c
Primary engine SHA-256	c48f44cdf27e70575f7218c199dcfdec6abc4e20f1da4 c4d75c0f2db3b741f54
Independent engine SHA-256	a1783844acffb0931d031e75c7b9b07fc7ee3ab9dea c7af7fa10bfc2e09af49f
Ledger SHA-256	4eb9d07445c594e6436755922c6d27773ab211da78 bf21f4f0cd88fa7b8684bc

9. Completed exact finite-space and GPU validation

After the deterministic record was frozen, the retained structures were evaluated as complete gates. A full 15 July hit requires all nine retained same-day families simultaneously: A AND B AND C AND D AND E AND G AND H AND I AND J. The complete sequential event requires the validated 14 July 9/9 gate, the complete 15 July 9/9 gate, and the chronological carryover condition in one direct count. The reported probabilities below are therefore full-gate probabilities, not products of separate equation-level p-values.

9.1 Exhaustive 1900-2100 date and consecutive-pair scan

The frozen date generator was applied to every Gregorian date from 1 January 1900 through 31 December 2100, a total of 73,414 dates and 73,413 adjacent date pairs. The 14 July 2026 record is the sole Day-1 9/9 hit. The 15 July 2026 record is the sole Day-2 full 9/9 hit. The only adjacent pair satisfying the complete Day-1 gate, complete Day-2 gate, and carryover condition is 14->15 July 2026.

Scan metric	Result	Observed match
Dates scanned	73,414	Day-1: 2026-07-14 only
Day-2 full 9/9 hits	1	2026-07-15 only
Consecutive pairs scanned	73,413	14->15 July 2026 only
Month-spelling sensitivity	Full-hit structure unchanged	Day-1, Day-2, and pair identities unchanged

A second audit also changed the declared Hebrew month spellings for Sivan, Marcheshvan, Adar I, and Adar II. Individual family frequencies changed, but the complete-hit identities did not: 14 July 2026 remained the sole Day-1 hit, 15 July 2026 the sole Day-2 hit, and 14->15 July 2026 the sole consecutive pair.

9.2 Exact finite-space null models

Two explicit observer null families were counted exactly. In the uniform-Hebrew-letter model, a three-letter first name and four-letter surname are generated from the 22 standard Hebrew letter values, age is drawn from 18 through 90, and the coherent birth year is measurement year minus age; the sequential model

additionally draws apartment number uniformly from 1 through 120. In the separate numeric-support model, first-name value is drawn from 3 through 1200 and surname value from 4 through 1600, with the same age and apartment ranges. The numeric-support model is reported as a separate artificial null, not as a preferred empirical model of human names.

Under the uniform-letter model, exactly 30 three-letter strings have gematria 320 and 204 four-letter strings have gematria 292, giving 6,120 name-string combinations at the observed first-name and surname values. Every candidate row is then passed through the complete full gate.

Model	Gate	Exact p	One-sided sigma	Matching rows
Fixed-date uniform letters	15 July observer gate	$3.3610099353 \times 10^{-8}$	5.398447	1
Fixed-date numeric support	15 July observer gate	$7.1600392937 \times 10^{-9}$	5.669517	1
Joint date + uniform-letter observer	Full 15 July date+observer gate	$4.5781593910 \times 10^{-13}$	7.142628	1
Joint date + numeric observer	Full 15 July date+observer gate	$9.7529616881 \times 10^{-14}$	7.352139	1
Sequential pair + uniform letters	Full 14->15 sequential gate	$3.8151847939 \times 10^{-15}$	7.773571	1
Sequential pair + numeric support	Full 14->15 sequential gate	$8.1275787823 \times 10^{-16}$	7.967016	1

The principal headline result uses the uniform-Hebrew-letter model because it is a clearly defined generative string model and was independently reproduced by the second implementation. Under that declared frozen-template null, the full 15 July date+observer gate exceeds 7 sigma at 7.1426 sigma, and the complete sequential gate reaches 7.7736 sigma. The numeric-support results are reported separately as a sensitivity model.

9.3 Direct sequential counting and correct statistical accounting

The sequential result is a direct joint count. It must not be described as multiplying the uniqueness of 14 July by the uniqueness of 15 July as if they were independent experiments. In the uniform-letter finite model, the Day-2 joint date+observer probability is $4.5781593910 \times 10^{-13}$ and the full sequential probability is $3.8151847939 \times 10^{-15}$, a ratio of approximately 120. Once the full Day-2 gate has fixed the unique date/observer row, the sequential extension mainly adds the declared apartment-number constraint in this particular model. The direct joint count is authoritative.

9.4 Independent second implementation

The independent second implementation does not import the primary validation engine. It reproduces the 16-string ledger audit, 19-equation audit, observed Day-1 and Day-2 gates, unique 1900-2100 scan hits, unique consecutive pair, and the three uniform-letter exact results: 5.398447 sigma for the fixed-date observer gate, 7.142628 sigma for the full 15 July joint gate, and 7.773571 sigma for the complete sequential gate. The agreement establishes that these core results are not attributable to a single implementation path.

9.5 RTX 5090 Monte Carlo implementation cross-check

The audited GPU engine was then run on an NVIDIA GeForce RTX 5090 for 100,000,000 trials in each of three uniform-letter models, for 300,000,000 trial evaluations in total. These runs are implementation cross-checks, not the source of the 7-sigma tail estimates; probabilities at 10^{-13} to 10^{-15} are far below the direct resolution of a 100-million-trial Monte Carlo run. The exact finite-space counts remain the source of the reported tail scores.

GPU model	Trials	Full hits	Best score	Exact-model expectation
Fixed-date uniform letters	100,000,000	4	9 / 9	3.361 expected full hits
Joint date + uniform-letter observer	100,000,000	0	4 / 9	0.0000458 expected full hits
Sequential pair + uniform letters	100,000,000	0	8 / 9	0.0000003815 expected full hits

The fixed-date GPU run produced an empirical full-hit rate of 4×10^{-8} , close to the exact finite-space probability of $3.3610099353 \times 10^{-8}$. The joint and sequential runs produced zero full hits, as expected from their exact probabilities. The sequential run nevertheless reached a best score of 8/9, demonstrating that the implementation generated high-scoring near misses while preserving the full 9/9 gate as the hit criterion.

9.6 Statistical scope boundary

STATISTICAL SCOPE BOUNDARY

The p and sigma values reported in this paper are exact for the declared finite null distributions and the frozen post-discovery template. They are conditional frozen-template tail scores, not a universal post-selection-adjusted probability of the historical discovery process. The present engine does not place every unlogged alternative question wording, RTM phrase wording, date representation, number-word representation, arithmetic-path search, or stopping choice into one global multiplicity correction. This scope statement does not change the deterministic 35/35 reproduction, the exhaustive scan identities, or the exact conditional null counts; it defines precisely what the reported sigma values quantify.

10. RTM interpretation

Within RTM, the 15 July finding is interpreted as positive evidence for observer-linked temporal organization and retroactive informational coherence. The current date does not appear only once. It is expressed through the Hebrew date, two Gregorian encodings, two exact date statements, the full-date phrase, and year-level arithmetic. These temporal inputs repeatedly converge on fixed information specific to the observer: full name, first name, age, and an identity-plus-age phrase. The completed validation adds a quantitative layer: under the declared frozen-template uniform-letter null, the full Day-2 date+observer gate reaches 7.1426 sigma and the full 14->15 sequential gate reaches 7.7736 sigma by direct exact counting.

The cross-day feature deepens that interpretation. The value 2378 was already fixed in the preceding timestamped record. On the following day, a new fact defined by the new date - the full Hebrew phrase for 15 July 2026 - acquires exactly that value. In RTM terms, the later measurement state is therefore not merely appended to an isolated earlier record; it becomes numerically coherent with a value already present in that record.

The self-referential phrase closure is especially direct. The exact phrase “מציאות מתעדכנת רטרואקטיבית” (“Reality updates retroactively”) has value 2478. Through the already established 1833 date node and the parallel 1437 date statement, the chain returns exactly to 792, the Hebrew-date value of the day on which the phrase is measured. The longer exact statement “אני יודע שהמציאות מתעדכנת רטרואקטיבית” (“I know that reality updates retroactively”) adds a second semantic route: $2934 - 792 = 2142$ and $2142 - 1507 = 635$, returning not to a new target but to the same 635 node already embedded in the core date-return branch. Within the model, these phrases are therefore interpreted not as detached slogans but as exact same-day semantic closures embedded in the wider observer-linked network.

The cumulative RTM claim is therefore architectural and now computationally stress-tested: current temporal information, prior timestamped information, and observer-specific anchors repeatedly organize into exact closed structures; the complete 15 July gate is unique in the declared 1900-2100 scan; the direct 14->15 sequence is the sole full consecutive pair; two independent implementations reproduce the core exact counts; and large GPU runs behave consistently with the exact finite-space model. Within RTM, this combined record is interpreted as the strongest consecutive-day observer-linked convergence in the present research sequence.

11. Conclusion

This paper records and validates the 15 July 2026 RTM convergence. The Hebrew-date value 792 returns to $157 = 15|7$; the fixed question and Hebrew date generate 567, whose full spelling shares 1833 with an exact statement of the current date; the phrase “Reality updates retroactively” enters that same structure and closes back to 792; and the exact statement “I know that reality updates retroactively” returns through 792 and the zero-padded date 1507 to the already established 635 node, reconnecting to the same $157 = 15|7$ date structure. The 1833 and 567 values return to the observer-age phrase 1266; and the 2378 nexus joins the full spelling of 1359, the full date phrase for 15 July 2026, the full spelling of 612, and the observer’s full-name value 612.

The network then continues. The full date, observer-age phrase, and Hebrew date return to $320 = \text{Eran}$. A second branch combines doubled 2378 with birth year, measurement year, and the Hebrew date to return to age 44. A separate chain using 1507, 157, and multiple exact age encodings again terminates on 320. Finally, the full spelling of 320, combined with the birth and measurement years, returns to 602, the full spelling of age 44.

The principal sequential feature remains the chronology of 2378: it was already documented in the validated 14 July RTM record and becomes, on the following day, the exact value of the new full-date phrase. The completed validation reproduces 35/35 deterministic checks, finds one Day-1 9/9 hit and one Day-2 9/9 hit in 73,414 dates, and finds one full consecutive pair in 73,413 adjacent pairs: 14->15 July 2026. Under the declared frozen-template uniform-Hebrew-letter null, direct exact counting gives 7.1426 sigma for the full 15 July date+observer gate and 7.7736 sigma for the complete sequential gate; an independent implementation reproduces the core values, and 300,000,000 RTX 5090 trial evaluations provide a consistent GPU cross-check. The result is therefore a complete, reproducible, statistically stress-tested same-day and cross-day observer-linked record and a direct continuation of the RTM evidence sequence begun in the preceding timestamped paper.

Data and code availability

The exact strings, source roles, constants, equations, full-gate definitions, exact finite-space results, independent implementation, GPU validation outputs, and the separate semantic-path supplement are deposited alongside this paper in the same Zenodo record. Core files are:

RTM_15_JULY_2026_EXACT_LEDGER.json;
 RTM_15_JULY_2026_SEMANTIC_PATHWAY_SUPPLEMENT.json;
 RTM_15_JULY_2026_SEMANTIC_PATHWAY_AUDIT.py;
 RTM_15_JULY_2026_SEMANTIC_PATHWAY_AUDIT_OUTPUT.txt;
 RTM_14_15_JULY_2026_FULL_JOINT_VALIDATION_AUDITED_V1_1.py;
 RTM_14_15_JULY_2026_INDEPENDENT_AUDIT.py;
 RTM_14_15_FULL_JOINT_RESULTS_AUDITED_V1_1.json;

RTM_14_15_INDEPENDENT_AUDIT_RESULTS.json; RTM_5090_100M_RUN.log; fixed_letters_audited_v1_1_results.json; joint_letters_audited_v1_1_results.json; and sequential_letters_audited_v1_1_results.json. The locked statistical protocol manifest SHA-256 is 2d0134f51bbb3216899dc91555a36ee601baf9bf1abbefb42ad61e1068e8204c. The prior 14 July research note is permanently identified by DOI: 10.5281/zenodo.21363194.

Author statement

The biographical inputs in this report were supplied by the author-researcher. The present document and companion audit independently recalculate the Hebrew gematria, calendar mapping, and arithmetic relations.

Competing interests

The author reports no competing financial interests. The author is the originator of the RTM framework and the subject of the observer-linked anchors analyzed in this case report.

References

1. Harpaz, E. Same-Day Observer-Linked Arithmetic Convergence Across Hebrew and Gregorian Date Encodings. RTM Research Note, 14 July 2026. Zenodo. DOI: 10.5281/zenodo.21363194.
2. Harpaz, E. The Reflective Time Model: Convergence of Empirical Data on Biographical Anchors Across Four Independent Domains. Related RTM framework record, Zenodo, 2026.
3. Reingold, E. M., and Dershowitz, N. Calendrical Calculations. Reference framework for calendar conversion methodology; the deterministic companion audit uses pyluach 2.3.0 for the 15 July 2026 -> 1 Av 5786 cross-check.

Appendix A. Complete arithmetic ledger

ID	Family	Expression	Expected result
E01	A	$792 + 792$	1584
E02	A	$1584 - 635$	949
E03	A	$949 - 792$	157
E04	B	$1359 - 792$	567
E05	C	$2478 - 1833$	645
E06	C	$1437 - 645$	792
E07	D	$1833 - 567$	1266
E08	G	$2378 - 1266 - 792$	320
E09	H	$2378 + 2378$	4756
E10	H	$4756 - 1982 - 2026$	748
E11	H	$792 - 748$	44
E12	I	$1507 - 792$	715
E13	I	$715 - 602$	113
E14	I	$113 - 44$	69
E15	I	$546 - 69$	477
E16	I	$477 - 157$	320
E17	J	$1703 + 1703$	3406
E18	J	$3406 - 1982$	1424
E19	J	$2026 - 1424$	602