

Home

2. Senokot S

Senokot S

Generic name: docusate and senna [DOK-yoo-sate-and-SEN-a]

Brand names: Colace 2-in-1, Senexon-S, Senna Plus, Senna S, Senna-Time S, ... show all 11 brands

Drug class: Laxatives



Medically reviewed by Drugs.com on Aug 7, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions FAQ

What is Senokot S?

Docusate is a stool softener. Senna is a laxative.

Senokot S is a combination medicine used to treat occasional constipation.

Senokot S may also be used for purposes not listed in this medication guide.

Senokot S side effects

Get emergency medical help if you have **signs of an allergic reaction:** hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Senokot S may cause serious side effects. Stop using Senokot S and call your doctor at once if you have:

- rectal bleeding;
- severe stomach pain, nausea, vomiting; or
- no bowel movement.

Common side effects of Senokot S may include:

- · gas, bloating;
- diarrhea; or
- mild nausea.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Senokot S side effects (more detail)

Related/similar drugs

MiraLAX

MiraLAX (polyethylene glycol) is used as a laxative to treat occasional constipation or irregular ...

Reviews & ratings

7.2 / 10

262 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Duphalac

Duphalac is a laxative used to treat chronic constipation by drawing water into the colon ...

Reviews & ratings

3 Reviews

View more

Warnings

Use exactly as directed on the label, or as prescribed by your doctor.

Before taking this medicine

You should not use Senokot S if you are allergic to docusate or senna, or if you are also taking mineral oil.

Ask a doctor or pharmacist if this medicine is safe to use if you have ever had:

- · nausea or vomiting;
- · stomach pain;

- a sudden change in bowel habits that lasts for 2 weeks or longer; or
- an intestinal disorder such as Crohn's disease or ulcerative colitis.

Ask a doctor before using this medicine if you are pregnant or breastfeeding.

Do not give this medicine to a child younger than 2 years old without medical advice.

How should I use Senokot S?

Use exactly as directed on the label, or as prescribed by your doctor.

Take Senokot S with a full glass of water.

It may be best to take this medicine at night or at bedtime. Senokot S should cause you to have a bowel movement within 6 to 12 hours.

Do not take Senokot S for longer than 7 days in a row, unless your doctor tells you to.

Call your doctor if your constipation does not improve or if it gets worse after taking Senokot S.

Store at room temperature away from moisture and heat.

Detailed Senokot S dosage information

What happens if I miss a dose?

Since Senokot S is used when needed, you may not be on a dosing schedule. Skip any missed dose if it's almost time for your next dose. **Do not** use two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose symptoms may include nausea, vomiting, stomach pain, or diarrhea.

What should I avoid while using Senokot S?

Ask a doctor or pharmacist before using any other laxative or other stool softener that may contain ingredients similar to docusate or senna.

What other drugs will affect Senokot S?

Other drugs may affect Senokot S, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all your current medicines and any medicine you start or stop using.

Senokot S drug interactions (more detail)

Does Senokot S interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



Popular FAQ

Which drugs cause opioid-induced constipation?

More about Senokot S (docusate/senna)

- · Check interactions
- · Compare alternatives
- Pricing & coupons
- Reviews (6)
- Imprints, shape & color data
- Side effects
- Dosage information
- During pregnancy
- Drug class: laxatives
- En español

Patient resources

Other brands

Senna Plus, Senna S, Senexon-S, Peri-Colace, ... +8 more

Other formulations

Senokot

Related treatment guides

Constipation, Acute

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 5.01.

DRUG STATUS

Availability

OTC Over the counter

Pregnancy & Lactation

ം Risk data available

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

6 Reviews

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us














<u>Subscribe to our newsletter</u> for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×