

[Home](#)

2. Neosporin

Neosporin (topical)

Generic name: [bacitracin, neomycin, and polymyxin B](#) (topical) [*BAS-i-TRAY-sin, NEE-oh-MYE-sin, POL-ee-MIX-in-B*]

Brand names: [Medi-Quik](#), [Neosporin](#), [Triple Antibiotic](#)

Drug class: [Topical antibiotics](#)



[Medically reviewed](#) by Drugs.com on Sep 13, 2024. Written by [Cerner Multum](#).

[Uses](#) [Side effects](#) [Warnings](#) [Before taking](#) [Dosage](#) [Interactions](#) [FAQ](#)

What is Neosporin?

[Neosporin](#) are [antibiotics](#) that kill bacteria on your skin.

Neosporin (for the skin) is a combination medicine used as a first aid [antibiotic](#) to prevent infections in [minor cuts, scrapes](#), or burns on your skin.

Neosporin may also be used for other purposes not listed in this medication guide.

Neosporin side effects

Get emergency medical help if you have any of these **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

A rare but serious side effect of [neomycin](#) is [hearing loss](#), which has occurred in people using other forms of neomycin. It is unlikely that you would absorb enough of this medicine through your skin to cause this effect. Call your doctor at once if you notice any changes in your hearing.

Call your doctor at once if you have severe redness or irritation, swelling, pus, oozing, or other signs of [infection](#).

Common side effects of Neosporin may include:

- mild [itching](#) or [rash](#); or
- [minor skin irritation](#) after using the medicine.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.



[Neosporin side effects](#) (more detail)

Related/similar drugs

Bactrim

Bactrim (sulfamethoxazole and trimethoprim) is an antibiotic used to treat ear infections, urinary ...

Reviews & ratings

5.4 / 10

[616 Reviews](#)

[View more](#)

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

[1,504 Reviews](#)

[View more](#)

SMZ-TMP DS

SMZ-TMP DS (sulfamethoxazole and trimethoprim) is an antibiotic used to treat ear infections ...

Reviews & ratings

4.6 / 10

[54 Reviews](#)

[View more](#)

Septra

Septra is an antibiotic containing sulfamethoxazole and trimethoprim used to treat ear infections ...

Reviews & ratings

5.4 / 10

[19 Reviews](#)

[View more](#)

Cotrim

Cotrim (sulfamethoxazole and

Neosporin (sulfamethoxazole and trimethoprim) is used to treat ear infections, urinary tract ...

Reviews & ratings

[Add a review](#)

[View more](#)

Warnings

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical conditions, allergies, and all medicines you use.

Before taking this medicine

You should not use this medication if you are allergic to [bacitracin](#), neomycin, or [polymyxin B](#).

Ask a doctor or pharmacist if it is safe for you to take this medicine if you have other medical conditions, especially:

- chronic ear infections; or
- a ruptured (torn) eardrum.

It is not known whether Neosporin topical will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant while using this medication.

It is not known whether bacitracin, neomycin, and polymyxin B topical passes into breast milk or if it could harm a nursing baby. Tell your doctor if you are breast-feeding a baby.

Neosporin should not be used on a child younger than 2 years old without medical advice.

How should I use Neosporin?

Use exactly as directed on the label, or as prescribed by your doctor. Do not use in larger or smaller amounts or for longer than recommended.

Before you apply this medication, wash the skin area with soap and water and then dry it thoroughly.

Do not apply the ointment over large skin areas. Do not use on a deep cut, an animal bite, or a serious burn.

Contact your doctor for instructions on how to treat these more severe skin injuries.

This medication can be applied up to 3 times each day, or as directed on the medicine label. Cover the wound with a bandage if desired. Clean the wound and use a new bandage each time you apply the medicine.

Use the ointment for as many days as recommended on the label or by your doctor, even if your symptoms start getting better. Your symptoms may improve before the infection is completely cleared.

Call your doctor if your symptoms do not improve after 7 days of treatment, or if they get worse while using Neosporin.

Store at room temperature away from moisture and heat. Throw away any ointment not used before the [expiration date](#)

on the medicine label.

 [Detailed Neosporin dosage information](#)

What happens if I miss a dose?

Apply the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose.

Do not use extra medicine to make up the missed dose.

What happens if I overdose?

An overdose of Neosporin topical is not expected to be dangerous. Seek emergency medical attention or call the Poison Help line at 1-800-222-1222 if anyone has accidentally swallowed the medication.

What should I avoid while using Neosporin?

Do not take by mouth. Neosporin is for use only on your skin. Avoid getting this medicine in your eyes, nose, or mouth. If this does happen, rinse with water.

Avoid applying other creams, lotions, ointments, or other medicated skin products to the same areas you treat with Neosporin.

What other drugs will affect Neosporin?

It is not likely that other drugs you take orally or inject will have an effect on topically applied Neosporin. But many drugs can interact with each other. Tell each of your health care providers about all medicines you use, including prescription and over-the-counter medicines, [vitamins](#), and [herbal products](#).

 [Neosporin drug interactions](#) (more detail)

Does Neosporin interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

Neosporin

+

Enter a drug name

Add

Frequently asked questions

- [Can you buy antibiotics over the counter?](#)
- [What is the difference between Polysporin and Neosporin?](#)

More about Neosporin (bacitracin / neomycin / polymyxin b topical)

- [Check interactions](#)
- [Compare alternatives](#)
- [Reviews \(2\)](#)
- [Side effects](#)
- [Dosage information](#)
- [Drug class: topical antibiotics](#)
- [En español](#)

Patient resources

Other brands

[Triple Antibiotic](#), [Curad Triple Antibiotic](#), [Medi-Quik](#)

Professional resources

Other brands

[Triple Antibiotic](#)

Other formulations

- [Neosporin Ophthalmic](#)
- [Neosporin Wound Cleanser](#)
- [Neosporin + Pain Relief Ointment](#)

Related treatment guides

- [Bacterial Skin Infection](#)

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

Copyright 1996-2025 Cerner Multum, Inc. Version: 2.01.

Antibiotics 101

[List of Common Antibiotics & Types](#)

[Antibiotics and Alcohol](#)

[Probiotics and Antibiotics](#)

[Antibiotics for Strep Throat](#)

[Antibiotics for a Tooth Infection](#)

[Antibiotics for UTI's](#)

DRUG STATUS

Availability

OTC Over the counter

CSA Schedule*

N/A Not a controlled drug



User Reviews & Ratings

[Review this drug](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment.

Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Copyright © 2000-2025 Drugs.com. All rights reserved.