

Home

2. Tylenol 8 Hour

Tylenol 8 Hour

Generic name: Acetaminophen Controlled-Release Tablets [a-seet-a-MIN-oh-fen]

Brand names: Tylenol 8 Hour, Tylenol Arthritis Pain

Drug class: Miscellaneous analgesics

Medically reviewed by Drugs.com. Last updated on Mar 29, 2024.

Uses Before taking Warnings Dosage Side effects Overdose FAQ

Warning

• Liver problems have happened with the use of acetaminophen. Sometimes, this has led to a liver transplant or death. Most of the time, liver problems happened in people taking more than 4,000 mg (milligrams) of acetaminophen in a day. People were also often taking more than 1 drug that had acetaminophen in it. If you have guestions, talk with your doctor.

Uses of Tylenol 8 Hour:

• It is used to ease pain and fever.

What do I need to tell my doctor BEFORE I take Tylenol 8 Hour?

- If you have an allergy to acetaminophen or any other part of Tylenol 8 Hour (acetaminophen controlled-release tablets).
- If you are allergic to Tylenol 8 Hour (acetaminophen controlled-release tablets); any part of Tylenol 8 Hour (acetaminophen controlled-release tablets); or any other drugs, foods, or substances. Tell your doctor about the allergy and what signs you had.
- If you have liver disease.

This is not a list of all drugs or health problems that interact with Tylenol 8 Hour (acetaminophen controlled-release tablets).

Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take Tylenol 8 Hour (acetaminophen controlled-release tablets) with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

What are some things I need to know or do while I take Tylenol 8 Hour?

- Tell all of your health care providers that you take Tylenol 8 Hour (acetaminophen controlled-release tablets). This includes your doctors, nurses, pharmacists, and dentists.
- Avoid taking other products that have acetaminophen in them. Check labels closely. Too much acetaminophen may cause liver problems.
- Follow the directions exactly. Do not take more acetaminophen in a day than directed. If you do not know how much acetaminophen you can take in a day, ask your doctor or pharmacist. Some people may take up to 4,000 mg (milligrams) in a day if told to do so by the doctor. Some people (like people with liver problems and children) should take less acetaminophen. Call your doctor right away if you have taken too much acetaminophen in a day, even if you feel well.
- Talk with your doctor before you drink alcohol.
- This medicine may affect certain lab tests. Tell all of your health care providers and lab workers that you take Tylenol 8 Hour (acetaminophen controlled-release tablets).
- Allergic reactions have happened with Tylenol 8 Hour (acetaminophen controlled-release tablets). Rarely, some reactions can be very bad or life-threatening. Talk with the doctor.
- Different brands of Tylenol 8 Hour (acetaminophen controlled-release tablets) may have different doses for children. Talk with the doctor before giving Tylenol 8 Hour (acetaminophen controlled-release tablets) to a child.
- Tell your doctor if you are pregnant, plan on getting pregnant, or are breast-feeding. You will need to talk about the benefits and risks to you and the baby.

How is this medicine (Tylenol 8 Hour) best taken?

Use Tylenol 8 Hour (acetaminophen controlled-release tablets) as ordered by your doctor. Read all information given to you. Follow all instructions closely.

- Take with or without food.
- Swallow whole. Do not chew, break, or crush.
- Take with a full glass of water.

What do I do if I miss a dose?

- If you take Tylenol 8 Hour (acetaminophen controlled-release tablets) on a regular basis, take a missed dose as soon as you think about it.
- If it is close to the time for your next dose, skip the missed dose and go back to your normal time.
- Do not take 2 doses at the same time or extra doses.
- Many times Tylenol 8 Hour (acetaminophen controlled-release tablets) is taken on an as needed basis. Do not take
 more often than told by the doctor.
- Detailed Tylenol 8 Hour dosage information

What are some side effects that I need to call my doctor about right away?

WARNING/CAUTION: Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms

that may be related to a very bad side effect:

- Signs of an allergic reaction, like rash; hives; itching; red, swollen, blistered, or peeling skin with or without fever;
 wheezing; tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat.
- Signs of liver problems like dark urine, feeling tired, not hungry, upset stomach or stomach pain, light-colored stools, throwing up, or yellow skin or eyes.
- Not able to pass urine or change in how much urine is passed.
- A very bad skin reaction (Stevens-Johnson syndrome/toxic epidermal necrolysis) may happen. It can cause very
 bad health problems that may not go away, and sometimes death. Get medical help right away if you have signs like
 red, swollen, blistered, or peeling skin (with or without fever); red or irritated eyes; or sores in your mouth, throat,
 nose, or eyes.
- Tylenol 8 Hour side effects (more detail)

Related/similar drugs

Paracetamol

Paracetamol (Panadol, Calpol, Alvedon) is a widely used over-thecounter painkiller and fever ...

Reviews & ratings

6.1 / 10

13 Reviews

View more

Naproxen

Naproxen is a nonsteroidal antiinflammatory drug used to treat pain or inflammation caused by ...

Reviews & ratings

6.8 / 10

683 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Propranolol

Propranolol is a beta-blocker that is used to treat tremors, chest pain, high blood pressure, heart ...

Reviews & ratings

8.2 / 10

1,376 Reviews

View more

Tramadol

Tramadol is an opioid medication that may be used to treat moderate to moderately severe chronic ...

Reviews & ratings

7.0 / 10

1,876 Reviews

View more

Amitriptyline

Amitriptyline is a tricyclic antidepressant used to treat depression and, off-label, conditions ...

Reviews & ratings

7.5 / 10

1,803 Reviews

View more

Hydroxyzine

Hydroxyzine is an antihistamine used to treat itching, hives, and anxiety. It also acts as a ...

Reviews & ratings

5.9 / 10

1,404 Reviews

View more

Cyclobenzaprine

Cyclobenzaprine is a muscle relaxant and works by blocking pain sensations. Includes ...

Reviews & ratings

6.0 / 10

618 Reviews

View more

Meloxicam

Meloxicam is a nonsteroidal antiinflammatory drug used to treat pain or inflammation caused by ...

Reviews & ratings

6.3 / 10

600 Reviews

View more

Oxycodone

Oxycodone is an opioid analgesic used to treat moderate to severe pain; it has a high potential for ...

Reviews & ratings

6.9 / 10

1,142 Reviews

View more

What are some other side effects of Tylenol 8 Hour?

All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away:

- · Upset stomach or throwing up.
- Trouble sleeping.
- · Headache.
- Constipation.

These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects.

You may report side effects to the FDA at 1-800-332-1088. You may also report side effects at https://www.fda.gov/medwatch.

If OVERDOSE is suspected:

If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

How do I store and/or throw out Tylenol 8 Hour?

- Store at room temperature. Do not refrigerate or freeze.
- · Protect from light.
- Store in a dry place. Do not store in a bathroom.
- · Store in original container.
- Keep lid tightly closed.
- Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets.
- Throw away unused or expired drugs. Do not flush down a toilet or pour down a drain unless you are told to do so.
 Check with your pharmacist if you have questions about the best way to throw out drugs. There may be drug take-back programs in your area.

Consumer Information Use and Disclaimer

- If your symptoms or health problems do not get better or if they become worse, call your doctor.
- Do not share your drugs with others and do not take anyone else's drugs.
- Some drugs may have another patient information leaflet. Check with your pharmacist. If you have any questions
 about Tylenol 8 Hour (acetaminophen controlled-release tablets), please talk with your doctor, nurse, pharmacist, or
 other health care provider.
- If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

Frequently asked questions

- Can you take tramadol with acetaminophen, ibuprofen, or aspirin?
- · What's the best medicine for sore throat?
- Acetaminophen vs paracetamol: What do you need to know?
- What is paracetamol / Panadol called in the US?
- Advil (ibuprofen) & Tylenol (acetaminophen) together, safe?
- Acetaminophen vs Ibuprofen: Which is better?
- What medications cause liver enzymes to be elevated?
- What temperature is considered a fever?

More about Tylenol 8 Hour (acetaminophen)

- · Check interactions
- Compare alternatives
- Reviews (8)
- Drug images
- Latest FDA alerts (17)
- · Side effects
- Dosage information
- During pregnancy
- Drug class: miscellaneous analgesics
- Breastfeeding

Patient resources

Other brands

Paracetamol, Ofirmev, Mapap, Altenol, ... +29 more

Professional resources

- Acetaminophen monograph
- Acetaminophen Injection (FDA)

Other brands

Ofirmev, 7T Gummy ES Chewable Tablets

Other formulations

Tylenol

Related treatment guides

- Headache
- Muscle Pain
- Pain
- Sciatica
- Fever

Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Tylenol Pediatric Dosage Guide

Use these dosage charts for infants and children under 12 years old: Tylenol Dosage Charts (Infants & Children)

DRUG STATUS

Availability

OTC Rx and/or OTC

Pregnancy & Lactation

Pisk data available

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

8.1 / 10

8 Reviews

Related News

Non-Opioids Can Ease Post-Dental Surgery Pain Better Than Opioids, Study Shows

Images

Tylenol 8HR 650 mg (TYLENOL ER)





View larger images

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.









Copyright © 2000-2025 Drugs.com. All rights reserved.

×