

[Home](#)

2. Cyklokapron

Cyklokapron

Generic name: [tranexamic acid \(Cyklokapron\)](#) [*tran-ex-AM-ik-AS-id*]**Drug class:** [Miscellaneous coagulation modifiers](#)[Medically reviewed](#) by Drugs.com on Oct 21, 2024. Written by [Cerner Multum](#).[Uses](#) [Side effects](#) [Warnings](#) [Before taking](#) [Dosage](#) [Interactions](#)

What is tranexamic acid (Cyklokapron)?

[Tranexamic acid](#) prevents enzymes in the body from breaking down blood clots.

Cyklokapron is used to prevent bleeding in people with [hemophilia](#) who need to have a tooth pulled. This medication is usually given just before the dental procedure, and daily for up to 8 days afterward.

Tranexamic acid may also be used for purposes not listed in this medication guide.

Cyklokapron side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Cyklokapron may cause serious side effects. Stop using Cyklokapron and call your doctor at once if you have:

- problems with your vision (including color vision);
- a light-headed feeling, like you might pass out;
- a seizure;
- painful or difficult urination, blood in your urine;
- **signs of a stroke**--sudden numbness or weakness (especially on one side of the body), severe [headache](#), slurred speech, balance problems;
- **signs of a blood clot in the lung**--chest pain, sudden cough, [wheezing](#), rapid breathing, coughing up blood; or
- **signs of a blood clot in your leg**--swelling, warmth, or redness in an arm or leg.

Common side effects include:

- [nausea](#), [vomiting](#), [diarrhea](#);
- dizziness, feeling light-headed;

- mild [itching](#) or rash; or
- feeling unusually happy.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

 [Cyklokapron side effects](#) (more detail)

Related/similar drugs

Zoladex

Zoladex (goserelin) is used to treat endometriosis and breast cancer in women and prostate cancer ...

Reviews & ratings

6.6 / 10

[103 Reviews](#)

[View more](#)

Lysteda

Lysteda (tranexamic acid) is used to treat heavy menstrual bleeding. Includes Lysteda side effects ...

Reviews & ratings

7.9 / 10

[70 Reviews](#)

[View more](#)

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

[1,504 Reviews](#)

[View more](#)

Hemlibra

Hemlibra is a monoclonal antibody that functions in place of a natural blood-

clotting factor that ...

Reviews & ratings

[2 Reviews](#)

[View more](#)

Altuviio

Altuviio is a once-weekly recombinant factor VIII replacement therapy used by hemophilia A patients ...

Reviews & ratings

[Add a review](#)

[View more](#)

Hympavzi

Hympavzi (marstacimab-hncq) may be used to prevent or reduce the frequency of bleeding episodes ...

Reviews & ratings

[Add a review](#)

[View more](#)

BeneFix

BeneFix (coagulation factor IX) is a once-weekly, injectable, treatment for hemophilia B that may ...

Reviews & ratings

[1 Reviews](#)

[View more](#)

Advate

Advate (antihemophilic factor) is used to prevent bleeding episodes in adults and children with ...

Reviews & ratings

[1 Reviews](#)

[View more](#)

Warnings

You should not use Cyklokapron if you are color blind, if you have problems with the blood vessels in your eyes, or if you have ever had a [stroke](#), blood clot, or bleeding in your brain.

Before taking this medicine

You should not use Cyklokapron if you are allergic to tranexamic acid, or if you have:

- problems with the blood vessels in your eyes;
- color blindness; or
- a history of stroke, blood clot, or bleeding in your brain.

Tell your doctor if you have ever had:

- kidney disease;
- a bladder or kidney [infection](#); or
- [leukemia](#).

Tell your doctor if you are pregnant or breastfeeding.

How is Cyklokapron given?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Use the medicine exactly as directed.

Cyklokapron is given as an infusion into a vein just before your tooth is pulled. You may need to keep using Cyklokapron for up to 8 days afterward.

A healthcare provider will give your first dose and may teach you how to properly use the medication by yourself.

Read and carefully follow any Instructions for Use provided with your medicine. Ask your doctor or pharmacist if you don't understand all instructions.

Your vision may need to be tested while you are using tranexamic acid.

Store this medicine at room temperature. Prepare an injection only when you are ready to give it.

Each vial or ampule is for one use only. Throw it away after one use, even if there is still medicine left inside.

 [Detailed Cyklokapron dosage information](#)

What happens if I miss a dose?

Call your doctor for instructions if you miss a dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose symptoms may include headache, confusion, vision problems, vomiting, diarrhea, numbness or weakness, problems with speech or balance, feeling light-headed, or [fainting](#).

What should I avoid while using Cyklokapron?

Avoid driving or hazardous activity until you know how Cyklokapron will affect you. Your reactions could be impaired.

What other drugs will affect Cyklokapron?

Tell your doctor about all your other medicines, especially:

- any type of medication to treat a bleeding episode or a blood clot; or
- [factor IX complex](#) ([Bebulin](#), [Bebulin VH](#), [Profilnine](#), and others).

This list is not complete. Other drugs may affect Cyklokapron, including prescription and over-the-counter medicines, [vitamins](#), and [herbal products](#). Not all possible [drug interactions](#) are listed here.

 [Cyklokapron drug interactions](#) (more detail)

Does Cyklokapron interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

Cyklokapron

+

Enter a drug name

Add

More about Cyklokapron (tranexamic acid)

- [Check interactions](#)
- [Compare alternatives](#)
- [Pricing & coupons](#)
- [Reviews \(8\)](#)
- [Latest FDA alerts \(1\)](#)
- [Side effects](#)
- [Dosage information](#)
- [During pregnancy](#)
- [Generic availability](#)
- [Drug class: miscellaneous coagulation modifiers](#)

- [Breastfeeding](#)
- [En español](#)

Patient resources

- [Cyklokapron advanced reading](#)

Other brands

[Lysteda](#)

Professional resources

- [Cyklokapron prescribing information](#)
- [Tranexamic Acid \(AHFS Monograph\)](#)

Other brands

[Lysteda](#)

Related treatment guides

- [Bleeding Disorder](#)
- [Factor IX Deficiency](#)
- [Hemophilia A](#)

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

Copyright 1996-2025 Cerner Multum, Inc. Version: 3.02.

DRUG STATUS

| Availability | |
|---|-----------------------|
| Rx | Prescription only |
| Pregnancy & Lactation | |
|  | Risk data available |
| CSA Schedule* | |
| N/A | Not a controlled drug |
| Approval History | |
|  | Drug history at FDA |

User Reviews & Ratings

6.8 / 10

[8 Reviews](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices
ADVERTISEMENT

Copyright © 2000-2025 Drugs.com. All rights reserved.

