

Home

2. Tegretol

Tegretol ⊲»

Generic name: carbamazepine (oral) [kar-ba-MAZ-e-peen]

Brand names: Tegretol, Tegretol XR **Drug class:** Dibenzazepine anticonvulsants

Medically reviewed by Sanjai Sinha, MD. Last updated on Jul 14, 2024.

Uses Warnings Before taking Dosage Side effects Interactions FAQ

What is Tegretol?

Tegretol is an anticonvulsant. It works by decreasing nerve impulses that cause seizures and pain.

Tegretol is used to treat certain types of seizures (partial, tonic-clonic, mixed).

Tegretol is also used to treat nerve pain such as trigeminal neuralgia and glossopharyngeal neuralgia.

Warnings

You should not take Tegretol if you have a history of bone marrow suppression, or if you are allergic to it or to an antidepressant such as amitriptyline, desipramine, doxepin, imipramine, or nortriptyline.

TELL YOUR DOCTOR ABOUT ALL OTHER MEDICINES YOU USE. Some drugs can raise or lower your blood levels of carbamazepine, which may cause side effects or make this medicine less effective. Carbamazepine can also affect blood levels of certain other drugs, making them less effective or increasing side effects.

Tegretol may cause serious blood problems or a life-threatening skin rash or allergic reaction. Call your doctor if you have a fever, unusual weakness, bleeding, bruising, or a skin rash that causes blistering and peeling.

Some people have thoughts about suicide while taking seizure medicine. Stay alert to changes in your mood or symptoms. Report any new or worsening symptoms to your doctor.

Do not stop taking Tegretol without asking your doctor first, even if you feel fine.

If you are pregnant, do not start or stop taking carbamazepine without your doctor's advice.

Before taking this medicine

You should not take Tegretol if you have a history of bone marrow suppression, or if you are allergic to carbamazepine or to an antidepressant such as amitriptyline, designamine, doxepin, imipramine, or nortriptyline.

Do not use Tegretol if you have taken an MAO inhibitor in the past 14 days. A dangerous drug interaction could occur. MAO inhibitors include furazolidone, isocarboxazid, linezolid, phenelzine, rasagiline, selegiline, and tranylcypromine.

Tegretol may cause severe or life-threatening skin rash, and especially in people of Asian ancestry. Your doctor may recommend a blood test before you start the medication to determine your risk.

Tell your doctor if you have ever had:

- · heart problems;
- liver or kidney disease;
- glaucoma;
- · porphyria;
- · depression, mood disorder; or
- · suicidal thoughts or actions.

You may have thoughts about suicide while taking Tegretol. Your doctor should check your progress at regular visits. Your family or other caregivers should also be alert to changes in your mood or symptoms.

Follow your doctor's instructions about taking seizure medication if you are pregnant. **Do not start or stop taking this medicine without your doctor's advice.** Carbamazepine may harm an unborn baby, but having a seizure during pregnancy could harm both mother and baby. The benefit of preventing seizures may outweigh any risks to the baby.

Tell your doctor right away if you become pregnant.

If you are pregnant, your name may be listed on a pregnancy registry to track the effects of carbamazepine on the baby.

Carbamazepine can make birth control pills or implants less effective. Use a barrier form of birth control (such as a condom or diaphragm with spermicide) to prevent pregnancy.

You should not breastfeed while you are using Tegretol.

Tegretol pregnancy and breastfeeding warnings (more detail)

How should I take Tegretol?

Take Tegretol exactly as prescribed by your doctor. Follow all directions on your prescription label and read all medication guides or instruction sheets. Your doctor may occasionally change your dose.

Take with food.

Swallow the **Tegretol extended-release tablet** whole and do not crush, chew, or break the tablet. Tell your doctor if you cannot swallow a tablet whole.

Shake the **Tegretol oral suspension** (liquid) before you measure a dose. Use the dosing syringe provided, or use a medicine dose-measuring device (not a kitchen spoon).

It may take up to 4 weeks before your symptoms improve. Keep using the medication as directed and **call your doctor promptly if this medicine seems to stop working as well in preventing your seizures.**

You will need frequent medical tests.

Store at room temperature away from moisture, heat, and light.

Do not stop using Tegretol suddenly, even if you feel fine. Stopping suddenly may cause increased seizures. Follow your doctor's instructions about tapering your dose.

Detailed Tegretol dosage information

What happens if I miss a dose?

Take the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. Do not take two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose symptoms may include severe drowsiness, weak or shallow breathing, and loss of consciousness.

What to avoid

Drinking alcohol can increase some of the side effects of carbamazepine, and can also increase your risk of seizures.

Grapefruit may interact with carbamazepine and lead to unwanted side effects. Avoid the use of grapefruit products.

Avoid driving or hazardous activity until you know how this medicine will affect you. Your reactions could be impaired.

Carbamazepine could make you sunburn more easily. Avoid sunlight or tanning beds. Wear protective clothing and use sunscreen (SPF 30 or higher) when you are outdoors.

Tegretol side effects

Get emergency medical help if you have **signs of an allergic reaction to Tegretol** (hives, difficult breathing, swelling in your face or throat) **or a severe skin reaction** (fever, sore throat, burning in your eyes, skin pain, red or purple skin rash that spreads and causes blistering and peeling).

Seek medical treatment if you have a serious drug reaction that can affect many parts of your body. Symptoms may include: skin rash, fever, swollen glands, muscle aches, severe weakness, unusual bruising, or yellowing of your skin or eyes.

Report any new or worsening symptoms to your doctor, such as: sudden mood or behavior changes, depression, anxiety, insomnia, or if you feel agitated, hostile, restless, irritable, or have thoughts about suicide or hurting yourself.

Call your doctor at once if you have:

- a skin rash, no matter how mild;
- loss of appetite, right-sided upper stomach pain, dark urine;
- slow, fast, or pounding heartbeats;
- anemia or other blood problems fever, chills, sore throat, mouth sores, bleeding gums, nosebleeds, pale skin,

easy bruising, unusual tiredness, feeling light-headed or short of breath; or

• low levels of sodium in the body - headache, confusion, severe weakness, feeling unsteady, increased seizures.

Common Tegretol side effects may include:

- · dizziness, loss of coordination, problems with walking;
- nausea, vomiting; or
- drowsiness.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

1 Tegretol side effects (more detail)

Related/similar drugs

Lorazepam

Lorazepam is in a group of drugs called benzodiazepines and is used to treat anxiety disorders ...

Reviews & ratings

7.9 / 10

1,054 Reviews

View more

Aripiprazole

Easy-to-read patient leaflet for aripiprazole. Includes indications, proper use, special ...

Reviews & ratings

6.1 / 10

1,540 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Pregabalin

Pregabalin may be used to treat certain types of pain and used in combination with other ...

Reviews & ratings

6.8 / 10

1,668 Reviews

View more

Clonazepam

Clonazepam is used to treat seizures and panic disorder. Learn about side effects, interactions and ...

Reviews & ratings

8.2 / 10

2,176 Reviews

View more

Quetiapine

Quetiapine is an atypical antipsychotic used to treat schizophrenia, bipolar disorder, and major ...

Reviews & ratings

7.2 / 10

2,249 Reviews

View more

Abilify

Abilify is an antipsychotic medicine used to treat the symptoms of schizophrenia and bipolar ...

Reviews & ratings

6.1 / 10

1,187 Reviews

View more

Seroquel is used to treat the symptoms of schizophrenia, bipolar disorder and major depressive ...

Reviews & ratings

7.0 / 10

694 Reviews

View more

What other drugs will affect Tegretol?

Sometimes it is not safe to use certain medications at the same time. Some drugs can affect your blood levels of other drugs you take, which may increase side effects or make the medications less effective.

Using Tegretol with other drugs that make you drowsy can worsen this effect. Ask your doctor before using opioid medication, a sleeping pill, a muscle relaxer, or medicine for anxiety, depression, or seizures.

Many drugs can interact with carbamazepine, and some drugs should not be used together. This includes prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible interactions are listed in this medication guide. Tell your doctor about all your current medicines and any medicine you start or stop using.

1 Tegretol drug interactions (more detail)

Does Tegretol interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



Frequently asked questions

• How long does it take to get Tegretol out of your system?

More about Tegretol (carbamazepine)

- · Check interactions
- Compare alternatives
- · Pricing & coupons
- Reviews (128)
- Drug images

- · Side effects
- · Dosage information
- During pregnancy
- · Generic availability
- Support group
- Drug class: dibenzazepine anticonvulsants
- Breastfeeding
- En español

Patient resources

• Tegretol (Carbamazepine Tablets) patient information

Other brands

Carbatrol, Epitol, Equetro, Carnexiv

Professional resources

- Tegretol prescribing information
- Carbamazepine (AHFS Monograph)

Other brands

Carbatrol, Epitol, Equetro, Carnexiv

Other formulations

• Tegretol XR

Related treatment guides

- Trigeminal Neuralgia
- Schizoaffective Disorder
- Epilepsy

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use Tegretol only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 18.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

ন্ড Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

10+ years FDA approved 1968

User Reviews & Ratings

6.9 / 10

128 Reviews

Images

Tegretol 200 mg (TEGRETOL 27 27)





View larger images

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











<u>Subscribe to our newsletter</u> for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×