

#### Home

Cefprozil

# Cefprozil 🖘

Generic name: cefprozil [ sef-PROE-zil ]

Brand name: Cefzil

Dosage forms: oral powder for reconstitution (125 mg/5 mL; 250 mg/5 mL), oral tablet (250 mg; 500 mg)

Drug class: Second generation cephalosporins



Medically reviewed by Drugs.com on Aug 3, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

## What is cefprozil?

Cefprozil is a cephalosporin (SEF a low spor in) antibiotic that is used to treat many different types of infections caused by bacteria.

Cefprozil may also be used for purposes not listed in this medication guide.

## Cefprozil side effects

Get emergency medical help if you have **signs of an allergic reaction** (hives, difficult breathing, swelling in your face or throat) **or a severe skin reaction** (fever, sore throat, burning eyes, skin pain, red or purple skin rash with blistering and peeling).

### Cefprozil may cause serious side effects. Call your doctor at once if you have:

- severe stomach pain, diarrhea that is watery or bloody (even if it occurs months after your last dose);
- fever, chills, sore throat, mouth sores;
- pale or yellowed skin, dark colored urine, fever, confusion or weakness;
- · easy bruising, unusual bleeding;
- a seizure; or
- kidney problems--little or no urination, swelling in your feet or ankles, feeling tired or short of breath.

## Common side effects of cefprozil may include:

- nausea, diarrhea;
- · vaginal itching or discharge;
- · diaper rash; or

· abnormal liver function tests.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

**1** Cefprozil side effects (more detail)

## Related/similar drugs

### Levofloxacin

Levofloxacin is a fluoroquinolone antibiotic used to treat serious bacterial infections and prevent ...

### **Reviews & ratings**

5.1 / 10

741 Reviews

View more

#### FEATURED

#### **Omvoh**

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

## **Reviews & ratings**

1 Reviews

View more

## Clindamycin

Clindamycin (Cleocin) is used to treat serious infections caused by bacteria. Includes clindamycin ...

### **Reviews & ratings**

5.7 / 10

806 Reviews

View more

## Ciprofloxacin

Ciprofloxacin is an antibiotic belong to a group of drugs called fluoroquinolones. Learn about side ...

#### **Reviews & ratings**

- - / / -

#### View more

### **Metronidazole**

Metronidazole is an antibiotic used to fight bacteria in your body. Learn about side effects ...

### **Reviews & ratings**

6.0 / 10

2,431 Reviews

#### View more

## Cephalexin

Cephalexin is a cephalosporin antibiotic used to treat bacterial infections like respiratory, skin ...

#### **Reviews & ratings**

6.4 / 10

509 Reviews

### View more

## **Azithromycin**

Azithromycin is an antibiotic used to treat many different types of infections caused by bacteria ...

### **Reviews & ratings**

6.8 / 10

1,306 Reviews

#### View more

## **Doxycycline**

Doxycycline is a tetracycline antibiotic used to treat many different bacterial infections such as ...

### **Reviews & ratings**

6.4 / 10

1,635 Reviews

#### View more

#### **Augmentin**

Augmentin is a prescription antibiotic combining amoxicillin and clavulanate to treat bacterial ...

### Reviews & ratings

5.4 / 10

447 Reviews

View more

## **Warnings**

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical conditions, allergies, and all medicines you use.

## Before taking this medicine

You should not take cefprozil if you are allergic to cefprozil or any other cephalosporin antibiotic (cefdinir, cefalexin, Keflex, Omnicef, and others).

Tell your doctor if you have ever had:

- an allergy to any drug (especially penicillin);
- intestinal problems, such as colitis; or
- kidney disease.

Cefprozil liquid may contain phenylalanine. Tell your doctor if you have phenylketonuria (PKU).

Tell your doctor if you are pregnant or breastfeeding.

Some antibiotics can make birth control pills less effective. Ask your doctor about using a non-oral birth control to prevent pregnancy. This includes injections, implants, skin patches, vaginal rings, condom, diaphragm, cervical cap, or contraceptive sponge.

Cefprozil is not approved for use by anyone younger than 6 months old.

## How should I take cefprozil?

Follow all directions on your prescription label and read all medicine guides or instruction sheets. Use the medicine exactly as directed.

Shake the **liquid** before you measure a dose. Use the dosing syringe provided, or use a medicine dose-measuring device (not a kitchen spoon).

Cefprozil doses are based on weight in children. Follow all dosing instructions carefully when giving this medicine to a child.

Use this medicine for the full prescribed length of time, even if your symptoms quickly improve. Skipping doses can increase your risk of infection that is resistant to medication. Cefprozil will not treat a viral infection such as the flu or a common cold.

Cefprozil can affect the results of certain medical tests. Tell any doctor who treats you that you are using cefprozil.

Store cefprozil tablets at room temperature, away from moisture and heat.

Store cefprozil **liquid** in the refrigerator. Do not freeze. Throw away any unused cefprozil liquid that is older than 14 days.

## Cefprozil dosing information

#### **Usual Adult Dose for Bronchitis:**

500 mg orally every 12 hours for 10 days

#### **Usual Adult Dose for Cystitis:**

500 mg orally every 24 hours for 3 to 7 days

#### **Usual Adult Dose for Otitis Media:**

500 mg orally every 24 hours for 5 to 10 days

#### **Usual Adult Dose for Pneumonia:**

Community-acquired pneumonia, nonhospitalized patients: 500 mg orally every 12 hours for 7 to 21 days, depending on the nature and severity of the pneumonia

#### **Usual Adult Dose for Pyelonephritis:**

Uncomplicated: 500 mg orally every 12 to 24 hours for 14 days

#### **Usual Adult Dose for Sinusitis:**

250 to 500 mg orally every 12 hours for 10 days

#### Usual Adult Dose for Skin or Soft Tissue Infection:

250 to 500 mg orally every 12 hours for 10 days or 500 mg orally every 24 hours for 10 days

### Usual Adult Dose for Tonsillitis/Pharyngitis:

500 mg orally every 24 hours for 10 days

#### **Usual Adult Dose for Upper Respiratory Tract Infection:**

500 mg orally every 12 to 24 hours for 10 to 14 days

#### **Usual Pediatric Dose for Otitis Media:**

6 months to 12 years: 15 mg/kg orally every 12 hours for 10 days; do not exceed 1 g/day

13 years or older: Adult dose

#### **Usual Pediatric Dose for Sinusitis:**

2 to 12 years: 7.5 to 15 mg/kg orally every 12 hours for 10 days; do not exceed 1 g/day

13 years or older: Adult dose

#### Usual Pediatric Dose for Skin or Soft Tissue Infection:

2 to 12 years: 20 mg/kg orally every 24 hours for 10 days; do not exceed 1 g/day

13 years or older: Adult dose

#### Usual Pediatric Dose for Tonsillitis/Pharyngitis:

2 to 12 years: 7.5 mg/kg orally every 12 hours for 10 days; do not exceed 1 g/day

13 years or older: Adult dose

Detailed Cefprozil dosage information

## What happens if I miss a dose?

Take the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. **Do not** take two doses at one time.

## What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

## What should I avoid while taking cefprozil?

Antibiotic medicines can cause diarrhea, which may be a sign of a new infection. If you have diarrhea that is watery or bloody, call your doctor before using anti-diarrhea medicine.

## What other drugs will affect cefprozil?

Tell your doctor about all your other medicines, especially:

- · probenecid; or
- an antibiotic such as amikacin, gentamicin, kanamycin, streptomycin, or tobramycin.

This list is not complete. Other drugs may affect cefprozil, including prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible drug interactions are listed here.

1 Cefprozil drug interactions (more detail)

## Does cefprozil interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



## More about cefprozil

- · Check interactions
- Compare alternatives
- Pricing & coupons
- Reviews (31)
- Drug images
- Side effects
- Dosage information
- During pregnancy
- Drug class: second generation cephalosporins
- Breastfeeding
- En español

### **Patient resources**

• Cefprozil advanced reading

#### Other brands

Cefzil

## **Professional resources**

- Cefprozil monograph
- Cefprozil (FDA)
- Cefprozil Tablets (FDA)

## Related treatment guides

- Bacterial Infection
- Bladder Infection
- Bronchitis
- Kidney Infections

## **Further information**

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

#### Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 11.01.

### **Antibiotics 101**

List of Common Antibiotics & Types

**Antibiotics and Alcohol** 

**Probiotics and Antibiotics** 

**Antibiotics for Strep Throat** 

Antibiotics for a Tooth Infection

Antibiotics for UTI's

#### **DRUG STATUS**

#### **Availability**

Rx Prescription only

**Pregnancy & Lactation** 

ঝ্য Risk data available

**CSA Schedule\*** 

N/A Not a controlled drug

**Approval History** 

□ Drug history at FDA

## **User Reviews & Ratings**

4.7 / 10

31 Reviews

### **Images**

### Cefprozil 500 mg (LUPIN 500)



# **Drugs.com Mobile App**

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





#### **About**

About Drugs.com
Advertising policy
Attribution & citations

#### **Terms & privacy**

Terms of use Editorial policy

Privacy policy

#### Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





