

Home

2. Carisoprodol

Carisoprodol 🕁

Generic name: carisoprodol [kar-eye-soe-PROE-dole]

Brand names: Soma, Vanadom

Drug class: Skeletal muscle relaxants

Medically reviewed by Sanjai Sinha, MD. Last updated on Jul 10, 2024.

Uses Warnings Before taking Dosage Side effects Interactions FAQ

What is carisoprodol?

Carisoprodol is a muscle relaxer that blocks pain sensations between the nerves and the brain.

Carisoprodol is used together with rest and physical therapy to treat skeletal muscle conditions such as pain or injury.

Carisoprodol should only be used for short periods (up to two or three weeks) because there is no evidence of its effectiveness in long term use and most skeletal muscle injuries are generally of short duration. Carisoprodol is considered a controlled substance in the United States.

Warnings

You should not take carisoprodol if you have porphyria (a genetic enzyme disorder that causes symptoms affecting the skin or nervous system).

Carisoprodol may be habit-forming. Never share this medicine with another person. **Misuse of habit-forming medicine** can cause addiction, overdose, or death.

Carisoprodol can cause side effects that may impair your thinking or reactions. Be careful if you drive or do anything that requires you to be awake and alert. Avoid drinking alcohol. It can increase drowsiness and dizziness caused by this medicine.

You may have withdrawal symptoms when you stop using this medicine after using it over a long period of time. Do not stop using this medication suddenly without first talking to your doctor. You may need to use less and less before you stop the medication completely.

Before taking this medicine

You should not use this medicine if you are allergic to carisoprodol or meprobamate, or if you have:

porphyria (a genetic enzyme disorder that causes symptoms affecting the skin or nervous system).

Tell your doctor if you have ever had:

- liver disease:
- · kidney disease; or
- a seizure.

It is not known whether this medicine will harm an unborn baby. Tell your doctor if you are pregnant.

Carisoprodol can pass into breast milk and may cause drowsiness in a nursing baby. Tell your doctor if you are breast-feeding.

This medicine is not approved for use by anyone younger than 16 years old.

Older adults may be more sensitive to the effects of this medicine.

1 Carisoprodol pregnancy and breastfeeding warnings (more detail)

How should I take carisoprodol?

Take carisoprodol exactly as it was prescribed for you. Follow all directions on your prescription label and read all medication guides or instruction sheets.

Carisoprodol may be habit-forming. **Misuse can cause addiction, overdose, or death.** Selling or giving away this medicine is against the law.

Carisoprodol is usually taken 3 times per day and at bedtime and **should be only be taken for 2 or 3 weeks.**. Call your doctor if your symptoms do not improve, or if they get worse. Follow your doctor's dosing instructions very carefully.

Do not stop using this medicine suddenly after long-term use, or you could have unpleasant withdrawal symptoms. Ask your doctor how to safely stop using this medicine.

Carisoprodol is only part of a complete program of treatment that may also include rest, physical therapy, or other pain relief measures. Follow your doctor's instructions.

Store at room temperature away from moisture and heat.

Keep track of your medicine. Carisoprodol is a drug of abuse and you should be aware if anyone is using it improperly or without a prescription.

Carisoprodol patient tips (more detail)

Dosing information

Usual Adult Dose for Muscle Spasm:

250 to 350 mg orally 3 times a day and at bedtime Duration of therapy: Up to 2 to 3 weeks

Comments:

-This drug should only be used for short periods (up to 2 or 3 weeks) as there is inadequate evidence of effectiveness for more prolonged use and acute, painful musculoskeletal conditions are generally of short duration.

Use: For the relief of discomfort associated with acute, painful musculoskeletal conditions

Detailed Carisoprodol dosage information

What happens if I miss a dose?

Take the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. Do not take two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222. **An overdose of carisoprodol can be fatal**, especially if you take it with alcohol or with other drugs that can slow your breathing.

Overdose symptoms may include vision problems, confusion, hallucinations, muscle stiffness, loss of coordination, weak or shallow breathing, fainting, seizure, or coma.

What to avoid

Do not drink alcohol. Dangerous side effects or death could occur.

Avoid driving or hazardous activity until you know how this medicine will affect you. Dizziness or drowsiness can cause falls, accidents, or severe injuries.

Carisoprodol side effects

Get emergency medical help if you have **signs of an allergic reaction to carisoprodol**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Stop using this medicine and call your doctor at once if you have:

- a seizure (convulsions); or
- **high levels of serotonin in the body** agitation, hallucinations, fever, sweating, shivering, fast heart rate, muscle stiffness, twitching, loss of coordination, nausea, vomiting, diarrhea.

Common carisoprodol side effects may include:

- · drowsiness;
- · dizziness; or
- headache.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

1 Carisoprodol side effects (more detail)

Related/similar drugs

Flexeril

Flexeril (cyclobenzaprine) is a muscle relaxant used to treat skeletal muscle conditions such as ...

Reviews & ratings

6.1 / 10

237 Reviews

View more

Robaxin

Robaxin (methocarbamol) is used to treat skeletal muscle conditions such as pain or injury ...

Reviews & ratings

6.3 / 10

80 Reviews

View more

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

Valium

Valium is used to treat anxiety disorders, alcohol withdrawal symptoms, or muscle spasms. Learn

Reviews & ratings

8.6 / 10

341 Reviews

View more

Zanaflex

Zanaflex (tizanidine) is a short-acting muscle relaxer used to treat spasticity by temporarily ...

Reviews & ratings

7.6 / 10

116 Reviews

View more

Soma

Soma (carisoprodol) is used treat injuries and other painful muscle conditions. Includes Soma side ...

Reviews & ratings

9.1 / 10

200 Reviews

View more

Diazepam

Diazepam is used to treat anxiety disorders, alcohol withdrawal symptoms, or muscle spasms. Learn

Reviews & ratings

8.4 / 10

884 Reviews

View more

Tizanidine

Tizanidine is a short-acting muscle relaxant and is used to treat spasticity. Learn about side ...

Reviews & ratings

6.2 / 10

380 Reviews

View more

Baclofen

Baclofen is a muscle relaxant used to treat spasticity and muscle pain in conditions like multiple ...

Reviews & ratings

7.0 / 10

447 Reviews

View more

What other drugs will affect carisoprodol?

Sometimes it is not safe to use certain medications at the same time. Some drugs can affect your blood levels of other drugs you take, which may increase side effects or make the medications less effective.

Using carisoprodol with other drugs that make you sleepy or slow your breathing can cause dangerous side effects or death. Ask your doctor before using opioid medication, a sleeping pill, a muscle relaxer, or medicine for anxiety or seizures.

Many drugs can interact with carisoprodol. This includes prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible interactions are listed here. Tell your doctor about all your current medicines and any medicine you start or stop using.

Carisoprodol drug interactions (more detail)

Does carisoprodol interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

carisoprodol
+
Enter a drug name
Add

Popular FAQ

What is Caridoxen used for?

More about carisoprodol

- · Check interactions
- · Compare alternatives
- · Pricing & coupons

- Reviews (309)
- Drug images
- Side effects
- Dosage information
- Patient tips
- During pregnancy
- Support group
- Drug class: skeletal muscle relaxants
- Breastfeeding
- En español

Patient resources

Other brands

Soma, Vanadom

Professional resources

- · Carisoprodol monograph
- Carisoprodol (FDA)

Other brands

Soma

Related treatment guides

- Nocturnal Leg Cramps
- Muscle Spasm

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medicine only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 5.01.

Availability

Rx Prescription only

Pregnancy & Lactation

& Risk data available

CSA Schedule*

4 Some potential for abuse

Approval History

The Drug history at FDA

User Reviews & Ratings

8.9 / 10

309 Reviews

Images

Carisoprodol 350 mg (O 111)





View larger images

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us













<u>Subscribe to our newsletter</u> for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

 \times