



[Home](#)

2. [DesOwen](#)

DesOwen

Generic name: [desonide topical](#) [*DES-oh-nide*]

Brand names: DesOwen, DesOwen Cream Kit, [DesOwen Lotion 2 oz Kit](#), DesOwen Lotion 4 oz Kit, [DesOwen Ointment Kit](#), ... [show all 8 brands](#)

Drug class: [Topical steroids](#)



[Medically reviewed](#) by Drugs.com on Aug 4, 2023. Written by [Cerner Multum](#).

[Uses](#) [Side effects](#) [Warnings](#) [Before taking](#) [Dosage](#) [Interactions](#) [FAQ](#)

What is DesOwen?

[Desonide](#) is a steroid that helps reduce inflammation in the body.

DesOwen (for the skin) is used to treat inflammation and [itching](#) caused by [eczema](#) or [skin conditions](#) that respond to steroid medication.

DesOwen may also be used for purposes not listed in this medication guide.

DesOwen side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

DesOwen may cause serious side effects. Call your doctor at once if you have:

- worsening of your skin condition;
- redness, warmth, swelling, oozing, or severe irritation of any treated skin;
- blurred vision, tunnel vision, eye pain, or seeing halos around lights;
- **high blood sugar**--increased thirst, increased urination, [dry mouth](#), fruity breath odor; or
- **possible signs of absorbing DesOwen through your skin**--weight gain (especially in your face or your upper back and torso), slow wound healing, thinning or discolored skin, increased body hair, muscle weakness, [nausea](#), [diarrhea](#), tiredness, mood changes, menstrual changes, sexual changes.

Steroid medicine can affect growth in children. Tell your doctor if your child is not growing at a normal rate while using this medicine.

Common side effects of DesOwen may include:

- stinging or burning of treated skin;

- skin irritation, redness, itching, or hardening;
- dry, scaly, or oily skin;
- swelling in your hands or feet;
- acne, stretch marks; or
- redness or crusting around your hair follicles.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

 [DesOwen side effects](#) (more detail)

Related/similar drugs

Dupixent

Dupixent may be used to treat eczema, eosinophilic or oral-corticosteroid-dependent asthma, chronic ...

Reviews & ratings

7.2 / 10

[499 Reviews](#)

[View more](#)

Stelara

Stelara (ustekinumab) is used to treat Crohn's disease, ulcerative colitis, plaque psoriasis, and ...

Reviews & ratings

7.6 / 10

[252 Reviews](#)

[View more](#)

FEATURED

Skyrizi

Skyrizi (risankizumab) is used to treat plaque psoriasis, psoriatic arthritis, ulcerative colitis ...

Reviews & ratings

7.9 / 10

[56 Reviews](#)

[View more](#)

[View more](#)

Rinvoq

Rinvoq (upadacitinib) is used to treat rheumatoid arthritis, psoriatic arthritis, atopic ...

Reviews & ratings

7.0 / 10

[223 Reviews](#)

[View more](#)

Humira

Humira is a tumor necrosis factor blocker that is used to treat many inflammatory conditions such ...

Reviews & ratings

6.4 / 10

[698 Reviews](#)

[View more](#)

Adalimumab

Adalimumab is used to treat plaque psoriasis, Crohn's disease, ulcerative colitis, rheumatoid ...

Reviews & ratings

6.4 / 10

[737 Reviews](#)

[View more](#)

Triamcinolone

Triamcinolone is used to treat allergies, skin conditions, ulcerative colitis, and arthritis. Learn ...

Reviews & ratings

6.7 / 10

[226 Reviews](#)

[View more](#)

[Methotrexate](#)

Methotrexate

Methotrexate is used to treat certain types of cancer of the breast, skin, head and neck, or lung ...

Reviews & ratings

6.5 / 10

[335 Reviews](#)

[View more](#)

Warnings

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical conditions, allergies, and all medicines you use.

Before taking this medicine

You should not use desonide if you are allergic to it.

Tell your doctor if you have ever had:

- any type of [skin infection](#);
- [diabetes](#); or
- a skin reaction to any steroid medicine.

It is not known whether DesOwen will harm an unborn baby. Tell your doctor if you are pregnant.

It may not be safe to breastfeed while using this medicine. Ask your doctor about any risk. If you apply desonide to your chest, avoid areas that may come into contact with the baby's mouth.

Do not give this medicine to a child without medical advice. **Some brands or forms of this medicine are for use only in adults 18 and over.**

Children can absorb larger amounts of this medicine through the skin and may be more likely to have side effects.

How should I use DesOwen?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Use the medicine exactly as directed.

Do not take by mouth. Topical medicine is for use only on the skin. **Rinse with water if this medicine gets in your eyes or mouth.**

Shake the **lotion** just before each use.

Wash your hands after using desonide, unless you are using this medicine to treat the skin on your hands.

Apply a thin layer of medicine to the affected skin and rub it in gently. **Do not apply this medicine over a large area of**

skin unless your doctor has told you to.

Do not cover the treated skin area with a bandage or other covering unless your doctor tells you to. Covering treated areas can increase the amount of medicine absorbed through your skin and may cause harmful effects.

If you are treating the diaper area, do not use plastic pants or tight-fitting diapers.

This medicine is for short-term use only (such as 2 to 4 weeks). **Follow your doctor's dosing instructions very carefully.**

You should stop using the medicine once your skin symptoms are controlled.

Call your doctor if your symptoms do not improve, or if they get worse.

Store at room temperature away from moisture and heat. Keep the bottle or tube tightly closed when not in use.

 [Detailed DesOwen dosage information](#)

What happens if I miss a dose?

Apply the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. **Do not** apply two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222 if anyone has accidentally swallowed the medication.

High doses or long-term use of DesOwen can lead to thinning skin, easy bruising, changes in body fat (especially in your face, neck, back, and waist), increased acne or facial hair, menstrual problems, [impotence](#), or loss of interest in sex.

What should I avoid while using desonide topical?

Avoid getting DesOwen in your eyes, nose, or mouth.

Do not use DesOwen to treat any skin condition that has not been checked by your doctor.

What other drugs will affect DesOwen?

Medicine used on the skin is not likely to be affected by other drugs you use. But many drugs can interact with each other. Tell each of your healthcare providers about all medicines you use, including prescription and over-the-counter medicines, [vitamins](#), and [herbal products](#).

 [DesOwen drug interactions](#) (more detail)

Does DesOwen interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

DesOwen

+

Enter a drug name

Add

Frequently asked questions

- [What is Desonide cream used for?](#)

More about DesOwen (desonide topical)

- [Check interactions](#)
- [Compare alternatives](#)
- [Pricing & coupons](#)
- [Reviews \(6\)](#)
- [Side effects](#)
- [Dosage information](#)
- [During pregnancy](#)
- [Generic availability](#)
- [Drug class: topical steroids](#)
- [Breastfeeding](#)

Patient resources

- [DesOwen Cream Kit drug information](#)
- [DesOwen Lotion 4 oz Kit](#)
- [Desowen \(Advanced Reading\)](#)
- [DesOwen \(Desonide Cream, Gel, and Ointment\)](#)
- [DesOwen \(Desonide Lotion\)](#)

Other brands

[Desonate](#), [LoKara](#), [DesOwen Lotion 2 oz Kit](#), [DesOwen Ointment Kit](#), ... +2 more

Professional resources

- [DesOwen prescribing information](#)
- [Desonide \(AHFS Monograph\)](#)

Other brands

[Desonate](#), [DesRx](#), [Verdeso](#)

Related treatment guides

- [Psoriasis](#)
- [Atopic Dermatitis](#)
- [Dermatitis](#)
- [Eczema](#)

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

Copyright 1996-2025 Cerner Multum, Inc. Version: 11.01.

DRUG STATUS

Availability

Rx Prescription only

[Pregnancy & Lactation](#)


 Risk data available

CSA Schedule*

N/A Not a controlled drug



Approval History

 Drug history at FDA



User Reviews & Ratings

[6 Reviews](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.