

Home

2. Bicillin L-A

Bicillin L-A

Generic name: penicillin G benzathine [PEN-i-SILL-in-G-BEN-za-theen]

Drug class: Natural penicillins



Medically reviewed by Drugs.com on May 24, 2024. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is Bicillin L-A?

Bicillin L-A is an antibiotic that is used to treat many types of infections caused by bacteria, including strep or syphilis. This medicine is also used to prevent symptoms of rheumatic fever.

Bicillin L-A may also be used for purposes not listed in this medication guide.

Bicillin L-A side effects

Get emergency medical help if you have **signs of an allergic reaction** (hives, difficult breathing, swelling in your face or throat) **or a severe skin reaction** (fever, sore throat, burning eyes, skin pain, red or purple skin rash with blistering and peeling).

Some side effects may occur if the medicine has been accidentally injected near a vein or nerve. Tell your doctor right away if you have:

- · pain, numbness, tingling, burning, or feeling cold;
- pale or mottled skin, blue-colored lips, fingers, or toes;
- severe pain, tingling, weakness, or swelling in your lower leg;
- · weakness in your arms or legs; or
- blistering, peeling, discoloration, or painful skin changes where the medicine was injected.

Also call your doctor at once if you have:

- severe stomach pain, diarrhea that is watery or bloody (even if it occurs months after your last dose);
- · a light-headed feeling, like you might pass out;
- slow heart rate, weak pulse, fainting, slow breathing (breathing may stop);
- · pounding heartbeats or fluttering in your chest;
- confusion, agitation, hallucinations (seeing or hearing things that aren't real), extreme fear;

- · a seizure;
- pain, swelling, warmth, redness, bruising, bleeding, or a lump where the medicine was injected;
- · easy bruising or bleeding;
- pale or yellowed skin, dark colored urine;
- · urination problems; or
- signs of a new infection--fever, chills, mouth sores, warmth or redness under your skin, vaginal itching or discharge.

Common side effects of Bicillin L-A may include:

- nausea, vomiting, diarrhea;
- itching, sweating, allergic reaction;
- flushing (sudden warmth, redness, or tingly feeling);
- feeling anxious, nervous, weak, or tired;
- headache, dizziness, drowsiness;
- muscle or joint pain; or
- pain, swelling, bruising, or a hard lump where an injection was given.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

i Bicillin L-A side effects (more detail)

Related/similar drugs

Augmentin

Augmentin is a prescription antibiotic combining amoxicillin and clavulanate to treat bacterial ...

Reviews & ratings

5.4 / 10

447 Reviews

View more

Bactrim

Bactrim (sulfamethoxazole and trimethoprim) is an antibiotic used to treat ear infections, urinary ...

Reviews & ratings

5.4 / 10

View more

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

Keflex

Keflex (cephalexin) is used to treat infections caused by bacteria, including respiratory ...

Reviews & ratings

7.3 / 10

91 Reviews

View more

Amoxicillin/clavulanate

Amoxicillin and clavulanate potassium is a combination antibiotic used to treat bacterial ...

Reviews & ratings

5.3 / 10

910 Reviews

View more

Clindamycin

Clindamycin (Cleocin) is used to treat serious infections caused by bacteria. Includes clindamycin ...

Reviews & ratings

5.7 / 10

806 Reviews

View more

Warnings

Tell your doctor if you have ever had an allergic reaction to an antibiotic.

Before taking this medicine

You should not be treated with Bicillin L-A if you are allergic to penicillin.

Tell your doctor if you have ever had:

- an allergic reaction to a cephalosporin antibiotic (Keflex, Omnicef, and others);
- any type of allergy;
- · asthma or breathing problems;
- · heart disease; or
- · kidney disease.

Tell your doctor if you are pregnant or breastfeeding.

How is Bicillin L-A given?

Bicillin L-A is injected into a muscle.

Read and follow all Instructions for Use. Ask your doctor or pharmacist if you need help.

Prepare an injection only when you are ready to give it. Call your pharmacist if the medicine has changed colors or has particles in it.

Do not reuse a needle or syringe. Place them in a puncture-proof "sharps" container and dispose of it following state or local laws. Keep out of the reach of children and pets.

Keep using this medicine even if your symptoms quickly improve. Skipping doses could make your infection resistant to medication. Bicillin L-A will not treat a viral infection (flu or a common cold).

Do not inject this medicine near or into an artery, vein, or nerve. Dangerous or fatal side effects could occur.

You may need tests after treatment to make sure your infection has completely cleared.

Store in the refrigerator, do not freeze.

Detailed Bicillin L-A dosage information

What happens if I miss a dose?

Call your doctor for instructions if you miss a dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose may cause a seizure.

What should I avoid while receiving Bicillin L-A?

Avoid taking anti-diarrhea medicine without first asking your doctor. Diarrhea may be a sign of a new infection.

What other drugs will affect Bicillin L-A?

Tell your doctor about all your other medicines, especially:

- · tetracycline; or
- probenecid.

This list is not complete. Other drugs may affect Bicillin L-A, including prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible drug interactions are listed here.

Bicillin L-A drug interactions (more detail)

Does Bicillin L-A interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Bicillin L-A	
+	
Enter a drug name	Add

More about Bicillin L-A (penicillin g benzathine)

- Check interactions
- · Compare alternatives
- · Pricing & coupons
- Reviews (4)
- Side effects
- · Dosage information
- During pregnancy
- Drug class: natural penicillins
- En español

Patient resources

• Bicillin L-A advanced reading

Professional resources

- Bicillin LA prescribing information
- Penicillin G Potassium, Penicillin G Sodium (AHFS Monograph)

Other brands

Lentocilin

Related treatment guides

- Bacterial Infection
- · Congenital Syphilis
- Neurosyphilis
- Glomerulonephritis

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 5.01.

Antibiotics 101

List of Common Antibiotics & Types

Antibiotics and Alcohol

Probiotics and Antibiotics

Antibiotics for Strep Throat

Antibiotics for a Tooth Infection


Antibiotics for UTI's

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation



User Reviews & Ratings

4 Reviews

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





