

Home

Biafine

Biafine

Generic name: Emollient Cream, Emulsion, Gel, Lotion, and Ointment [ee-MOL-ee-ents] **Brand names:** Atopiclair, Atrapro Antipruritic, Aurstat, AVO Cream, Biafine, ... show all 21 brands

Drug class: Topical emollients

Medically reviewed by Drugs.com. Last updated on Nov 26, 2023.

Uses Before taking Warnings Directions Side effects Overdose

Uses of Biafine:

- It is used to treat or prevent certain skin problems.
- It may be given to you for other reasons. Talk with the doctor.

What do I need to tell my doctor BEFORE I take Biafine?

- If you are allergic to Biafine (emollient cream, emulsion, gel, lotion, and ointment); any part of Biafine (emollient cream, emulsion, gel, lotion, and ointment); or any other drugs, foods, or substances. Tell your doctor about the allergy and what signs you had.
- If you have a skin rash caused by an allergy to a food or drug.
- If you have a wound that is bleeding.

This is not a list of all drugs or health problems that interact with Biafine (emollient cream, emulsion, gel, lotion, and ointment).

Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take Biafine (emollient cream, emulsion, gel, lotion, and ointment) with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

What are some things I need to know or do while I take Biafine?

- Tell all of your health care providers that you take Biafine (emollient cream, emulsion, gel, lotion, and ointment). This includes your doctors, nurses, pharmacists, and dentists.
- Check with your doctor about how to use sunscreen with Biafine (emollient cream, emulsion, gel, lotion, and ointment).
- Talk with your doctor before you use other drugs or products on your skin.
- Some brands of Biafine (emollient cream, emulsion, gel, lotion, and ointment) may not be put on open sores, broken

skin, or bad burns. Check with the doctor or pharmacist.

- Some products may have metal. These products need to be taken off before an MRI, cardioversion, radiation, or
 other procedure. Talk with the doctor about Biafine (emollient cream, emulsion, gel, lotion, and ointment) before any
 procedures.
- This medicine may cause harm if swallowed. If Biafine (emollient cream, emulsion, gel, lotion, and ointment) is swallowed, call a doctor or poison control center right away.
- Tell your doctor if you are pregnant, plan on getting pregnant, or are breast-feeding. You will need to talk about the benefits and risks to you and the baby.

How is this medicine (Biafine) best taken?

Use Biafine (emollient cream, emulsion, gel, lotion, and ointment) as ordered by your doctor. Read all information given to you. Follow all instructions closely.

- Do not take Biafine (emollient cream, emulsion, gel, lotion, and ointment) by mouth. Use on your skin only. Keep out of your mouth, nose, ears, and eyes (may burn).
- Some of these drugs need to be shaken before use. Be sure you know if this product needs to be shaken before
 using it.
- Wash your hands before and after use. Do not wash your hands after use if putting this on your hand.
- · Clean affected part before use. Make sure to dry well.
- Put on the affected part as you have been told.
- You may need to cover the treated area with a bandage or dressing. Talk with the doctor.

What do I do if I miss a dose?

- Put on a missed dose as soon as you think about it.
- Many times Biafine (emollient cream, emulsion, gel, lotion, and ointment) is used on an as needed basis. Do not use
 more often than told by the doctor.

What are some side effects that I need to call my doctor about right away?

WARNING/CAUTION: Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect:

- Signs of an allergic reaction, like rash; hives; itching; red, swollen, blistered, or peeling skin with or without fever;
 wheezing; tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat.
- Signs of skin infection like oozing, heat, swelling, redness, or pain.
- Bleeding that is not normal from the affected part.
- · Fever.
- i Biafine side effects (more detail)

Related/similar drugs

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

CeraVe

CeraVe skincare products contain three essential ceramides to restore the skin's protective ...

Reviews & ratings

2.3 / 10

60 Reviews

View more

What are some other side effects of Biafine?

All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away:

• Skin irritation.

These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects.

You may report side effects to the FDA at 1-800-332-1088. You may also report side effects at https://www.fda.gov/medwatch.

If OVERDOSE is suspected:

If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

How do I store and/or throw out Biafine?

- Store at room temperature. Do not freeze.
- Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets.

Throw away unused or expired drugs. Do not flush down a toilet or pour down a drain unless you are told to do so.
 Check with your pharmacist if you have questions about the best way to throw out drugs. There may be drug take-back programs in your area.

Consumer Information Use and Disclaimer

- If your symptoms or health problems do not get better or if they become worse, call your doctor.
- Do not share your drugs with others and do not take anyone else's drugs.
- Some drugs may have another patient information leaflet. Check with your pharmacist. If you have any questions about Biafine (emollient cream, emulsion, gel, lotion, and ointment), please talk with your doctor, nurse, pharmacist, or other health care provider.
- If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

More about Biafine (emollients topical)

- · Compare alternatives
- Reviews (13)
- · Side effects
- · Drug class: topical emollients

Patient resources

Other brands

CeraVe, EpiCeram, K-Y Jelly, DermaPhor, ... +14 more

Professional resources

Other brands

Green Soap


Related treatment guides

Dry Skin

Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer



User Reviews & Ratings

9.9 / 10

13 Reviews

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





