

[Home](#)2. [Hyosyne](#)

Hyosyne

Generic name: [Hyoscyamine Liquid](#) [*HYE-oh-SYE-a-meen*]**Brand names:** [Colidrops](#), [Hyosyne](#)**Drug class:** [Anticholinergics / antispasmodics](#)[Medically reviewed](#) by Drugs.com. Last updated on May 1, 2024.[Uses](#) [Before taking](#) [Warnings](#) [Dosage](#) [Side effects](#) [Overdose](#)

Uses of Hyosyne:

- It is used to slow the speed in the stomach and GI (gastrointestinal) tract.
- It is used to treat [diarrhea](#).
- It is used to treat GI (gastrointestinal) ulcers.
- It is used to treat [irritable bowel syndrome](#).
- It is used to treat muscle [spasms](#) of the GI (gastrointestinal) tract, gallbladder system, or urinary system.
- It is used to treat a runny nose.
- It is used to treat [Parkinson's disease](#).
- It is used to treat infant belly pain.
- It may be given to you for other reasons. Talk with the doctor.

What do I need to tell my doctor BEFORE I take Hyosyne?

- If you have an [allergy](#) to [hyoscyamine](#) or any other part of Hyosyne (hyoscyamine liquid).
- If you are allergic to Hyosyne (hyoscyamine liquid); any part of Hyosyne (hyoscyamine liquid); or any other drugs, foods, or substances. Tell your doctor about the allergy and what signs you had.
- If you have any of these health problems: Bowel block, bleeding problems, diarrhea, enlarged colon, [glaucoma](#), heart problems, myasthenia gravis, slow-moving GI (gastrointestinal) tract, a swallowing tube (esophagus) that is not normal, [ulcerative colitis](#), or trouble passing urine.
- If you are breast-feeding or plan to breast-feed.

This is not a list of all drugs or health problems that interact with Hyosyne (hyoscyamine liquid).

Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, [vitamins](#)) and health problems. You must check to make sure that it is safe for you to take Hyosyne (hyoscyamine liquid) with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

What are some things I need to know or do while I take Hyosyne?

- Tell all of your health care providers that you take Hyosyne (hyoscyamine liquid). This includes your doctors, nurses, pharmacists, and dentists.
- Avoid driving and doing other tasks or actions that call for you to be [alert](#) or have clear eyesight until you see how Hyosyne (hyoscyamine liquid) affects you.
- Talk with your doctor before you drink alcohol or use other drugs and natural products that slow your actions.
- Be careful in hot weather or while being active. Drink lots of fluids to stop fluid loss.
- Good mouth care, sucking hard, sugar-free candy, or chewing sugar-free gum may help with [dry mouth](#). See a dentist often.
- If you are 65 or older, use Hyosyne (hyoscyamine liquid) with care. You could have more side effects.
- Different brands of Hyosyne (hyoscyamine liquid) may be for use in different ages of children. Talk with the doctor before giving Hyosyne (hyoscyamine liquid) to a child.
- Use with care in children. Talk with the doctor.
- Tell your doctor if you are pregnant or plan on getting pregnant. You will need to talk about the benefits and risks of using Hyosyne (hyoscyamine liquid) while you are pregnant.

How is this medicine (Hyosyne) best taken?

Use Hyosyne (hyoscyamine liquid) as ordered by your doctor. Read all information given to you. Follow all instructions closely.

- Take 30 to 60 minutes before meals.
- Do not take [antacids](#) at the same time as Hyosyne (hyoscyamine liquid). Ask your doctor if you have a question about how to take antacids with Hyosyne (hyoscyamine liquid).
- Measure liquid doses carefully. Use the measuring device that comes with Hyosyne (hyoscyamine liquid). If there is none, ask the pharmacist for a device to measure Hyosyne (hyoscyamine liquid).

What do I do if I miss a dose?

- If you take Hyosyne (hyoscyamine liquid) on a regular basis, take a missed dose as soon as you think about it.
- If it is close to the time for your next dose, skip the missed dose and go back to your normal time.
- Do not take 2 doses at the same time or extra doses.
- Many times Hyosyne (hyoscyamine liquid) is used on an as needed basis. Do not use more often than told by the doctor.

 [Detailed Hyosyne dosage information](#)

What are some side effects that I need to call my doctor about right away?

WARNING/CAUTION: Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect:

- Signs of an allergic reaction, like rash; hives; [itching](#); red, swollen, blistered, or peeling skin with or without [fever](#); [wheezing](#); tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat.
- Very bad dizziness or passing out.
- Severe diarrhea.
- Feeling confused.
- Mood changes.
- Change in how you act.
- Hallucinations (seeing or hearing things that are not there).
- Memory problems or loss.
- Not able to sleep.
- Change in speech.
- Change in balance.
- Change in eyesight, eye pain, or very bad eye irritation.
- Very nervous and excitable.
- Trouble passing urine.
- Not [sweating](#) during activities or in warm temperatures.
- Fever.
- Flushing.
- A [fast heartbeat](#).
- A heartbeat that does not feel normal.
- Not able to get or keep an erection.

 [Hyosyne side effects](#) (more detail)

Related/similar drugs

Protonix

Protonix (pantoprazole) is used to treat erosive esophagitis and other conditions involving excess ...

Reviews & ratings

7.2 / 10

[83 Reviews](#)

[View more](#)

FEATURED

[Omeprazole](#)

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

[1,504 Reviews](#)

[View more](#)

Clindamycin

Clindamycin (Cleocin) is used to treat serious infections caused by bacteria. Includes clindamycin ...

Reviews & ratings

5.7 / 10

[806 Reviews](#)

[View more](#)

Metronidazole

Metronidazole is an antibiotic used to fight bacteria in your body. Learn about side effects ...

Reviews & ratings

6.0 / 10

[2,431 Reviews](#)

[View more](#)

Ciprofloxacin

Ciprofloxacin is an antibiotic belong to a group of drugs called fluoroquinolones. Learn about side ...

Reviews & ratings

5.0 / 10

[935 Reviews](#)

[View more](#)

Botox

Botox is used to treat chronic migraines, excessive sweating, bladder conditions, eye muscle

bladder conditions, eye muscle ...

Reviews & ratings

5.7 / 10

[473 Reviews](#)

[View more](#)

Bactrim

Bactrim (sulfamethoxazole and trimethoprim) is an antibiotic used to treat ear infections, urinary ...

Reviews & ratings

5.4 / 10

[616 Reviews](#)

[View more](#)

What are some other side effects of Hyosyne?

All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away:

- Feeling sleepy.
- Dizziness.
- Blurred eyesight.
- [Constipation](#).
- Dry mouth.
- Dry eyes.
- [Headache](#).
- [Upset stomach](#) or throwing up.
- Stomach pain.
- Change in taste.
- Feeling nervous and excitable.
- Feeling tired or weak.
- Feeling full.

These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects.

You may report side effects to the FDA at 1-800-332-1088. You may also report side effects at <https://www.fda.gov/medwatch>.

If OVERDOSE is suspected:

If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

How do I store and/or throw out Hyosyne?

- Store at room temperature.
- Store in a dry place. Do not store in a bathroom.
- Protect from light.
- Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets.
- Throw away unused or expired drugs. Do not flush down a toilet or pour down a drain unless you are told to do so. Check with your pharmacist if you have questions about the best way to throw out drugs. There may be drug take-back programs in your area.

Consumer Information Use and Disclaimer

- If your symptoms or health problems do not get better or if they become worse, call your doctor.
- Do not share your drugs with others and do not take anyone else's drugs.
- Some drugs may have another patient information leaflet. Check with your pharmacist. If you have any questions about Hyosyne (hyoscyamine liquid), please talk with your doctor, nurse, pharmacist, or other health care provider.
- If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

More about Hyosyne (hyoscyamine)

- [Check interactions](#)
- [Compare alternatives](#)
- [Pricing & coupons](#)
- [Reviews \(2\)](#)
- [Side effects](#)
- [Dosage information](#)
- [During pregnancy](#)
- [Drug class: anticholinergics/antispasmodics](#)
- [En español](#)

Patient resources

Other brands

[Levsin](#), [Levsin SL](#), [NuLev](#), [HyoMax](#), ... +5 more

Professional resources

- [Hyosyne prescribing information](#)
- [Hyosyne Elixir \(FDA\)](#)
- [Hyoscyamine \(AHFS Monograph\)](#)

Other brands

[Levsin](#), [Levsin SL](#), [Levbid](#), [Anaspaz](#), ... +5 more

Related treatment guides

- [Anticholinesterase Poisoning](#)
- [Diverticulitis](#)
- [Irritable Bowel Syndrome](#)
- [Neurogenic Bladder](#)

Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

 Risk data available

CSA Schedule*

N/A Not a controlled drug




User Reviews & Ratings

[Review this drug](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.