

#### Home

- 2. E-Z-Gas II
- **Drug Interactions**

## E-Z-Gas II Interactions

There are 172 drugs known to interact with E-Z-Gas II (citric acid/simethicone/sodium bicarbonate), along with 2 disease interactions. Of the total drug interactions, 8 are major, 107 are moderate, and 57 are minor.

### Does E-Z-Gas II interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



- View all 172 medications that may interact with E-Z-Gas II
- View E-Z-Gas II disease interactions (2)

# Most frequently checked interactions

View interaction reports for E-Z-Gas II (citric acid / simethicone / sodium bicarbonate) and the medicines listed below.

Major Moderate Minor Unknown Dotarem (gadoterate meglumine) E-Z-HD (barium sulfate) E-Z-Paque (barium sulfate) Gastrografin (diatrizoate) iohexol Polibar Plus (barium sulfate) SilQ Vanilla (barium sulfate)

Sitzmarks (barium sulfate)

Varibar Honey (barium sulfate)

Varibar Nectar (barium sulfate)

Varibar Pudding (barium sulfate)

View all...

### E-Z-Gas II disease interactions

There are 2 disease interactions with E-Z-Gas II (citric acid / simethicone / sodium bicarbonate) which include:

sodium/water balance acid/base balance

### Report options

Loading...

- · Email this report to a friend, doctor, or patient
- · Ask questions, find answers

## More about E-Z-Gas II (citric acid / simethicone / sodium bicarbonate)

- E-Z-Gas II consumer information
- Compare alternatives
- · Pricing & coupons
- Reviews (1)
- Side effects
- Dosage information
- Drug class: miscellaneous GI agents

### Related treatment guides

- Gas
- Indigestion

#### **Drug Interaction Classification**

These classifications are only a guideline. The relevance of a particular drug interaction to a specific individual is difficult to determine. Always consult your healthcare provider before starting or stopping any medication.

Major Highly clinically significant. Avoid combinations; the risk of the interaction outweighs the benefit.

Moderate Moderately clinically significant. Usually avoid combinations; use it only under special circumstances.

Minor Minimally clinically significant. Minimize risk; assess risk and consider an alternative drug, take steps to circumvent the

interaction risk and/or institute a monitoring plan.

**Unknown** No interaction information available.

### **Further information**

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

### **How to Prevent Deadly Drug Interactions**

Some mixtures of medications can lead to serious and even fatal consequences.

Here are 9 ways to stay safe

#### **DRUG STATUS**

Availability
OTC Over the counter

CSA Schedule\*

N/A Not a controlled drug

ADVERTISEMENT

#### **User Reviews & Ratings**

Review this drug

### **Related Drugs**

Pepcid, Prilosec, calcium carbonate, magnesium oxide, ranitidine, simethicone, sodium bicarbonate, Pepto-Bismol, Mylanta

# **Drugs.com Mobile App**

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



#### **About**

About Drugs.com
Advertising policy
Attribution & citations

#### Terms & privacy

Terms of use Editorial policy Privacy policy

#### **Support**

Help center Sitemap Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×