

Home

2. Sulfazine

Sulfazine

Generic name: sulfasalazine [SUL-fa-SAL-a-zeen]
Brand names: Azulfidine, Azulfidine EN-tabs, Sulfazine
Drug classes: 5-aminosalicylates, Antirheumatics



Medically reviewed by Drugs.com on Aug 10, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions FAQ



The Sulfazine brand name has been **discontinued** in the U.S. If generic versions of this product have been approved by the FDA, there may be generic equivalents available.

What is Sulfazine?

Sulfazine is used to treat ulcerative colitis (UC), and to decrease the frequency of UC attacks. **This medicine will not cure ulcerative colitis**, but it can reduce the number of attacks you have.

Sulfazine is also used to treat rheumatoid arthritis in children and adults who have used other arthritis medicines that did not work or have stopped working.

Sulfazine may also be used for purposes not listed in this medication guide.

Sulfazine side effects

Get emergency medical help if you have **signs of an allergic reaction** (hives, difficult breathing, swelling in your face or throat) **or a severe skin reaction** (fever, sore throat, burning eyes, skin pain, red or purple skin rash with blistering and peeling).

Seek medical treatment if you have a serious drug reaction that can affect many parts of your body. Symptoms may include: skin rash, fever, swollen glands, muscle aches, severe weakness, unusual bruising, or yellowing of your skin or eyes.

You may get infections more easily, even serious or fatal infections. Call your doctor right away if you have signs of infection such as:

- · fever, chills, sore throat;
- mouth sores, red or swollen gums;
- pale skin, easy bruising, unusual bleeding; or

• chest discomfort, wheezing, dry cough or hack, rapid weight loss.

Also call your doctor at once if you have:

- fever with headache, rash, and vomiting;
- a skin rash, no matter how mild;
- severe nausea or vomiting when you first start taking Sulfazine;
- little or no urination, urine that looks foamy;
- puffy eyes, swelling in your ankles or feet, weight gain; or
- liver problems--loss of appetite, stomach pain (upper right side), dark urine, jaundice (yellowing of the skin or eyes).

Common side effects of Sulfazine may include:

- nausea, vomiting, upset stomach, loss of appetite;
- · headache;
- · rash; or
- · low sperm count in men.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Sulfazine side effects (more detail)

Related/similar drugs

Skyrizi

Skyrizi (risankizumab) is used to treat plaque psoriasis, psoriatic arthritis, ulcerative colitis ...

Reviews & ratings

7.9 / 10

56 Reviews

View more

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

FEATURED

Entyvio

Entyvio (vedolizumab) is used to treat ulcerative colitis (UC) and Crohn's disease, reducing ...

Reviews & ratings

6.2 / 10

162 Reviews

View more

Xeljanz

Xeljanz (tofacitinib) is an oral Janus kinase (JAK) inhibitor that may be used alone or with other ...

Reviews & ratings

5.7 / 10

145 Reviews

View more

Stelara

Stelara (ustekinumab) is used to treat Crohn's disease, ulcerative colitis, plaque psoriasis, and ...

Reviews & ratings

7.6 / 10

252 Reviews

View more

Rinvoq

Rinvoq (upadacitinib) is used to treat rheumatoid arthritis, psoriatic arthritis, atopic ...

Reviews & ratings

7.0 / 10

223 Reviews

View more

Celebrex

Celebrex is a nonsteroidal antiinflammatory drug used to treat pain or inflammation. Learn about ...

Reviews & ratings

7.0 / 10

226 Reviews

View more

Dexamethasone

Dexamethasone is used to treat inflammatory conditions such as allergies, skin conditions ...

Reviews & ratings

5.9 / 10

162 Reviews

View more

Warnings

You should not use Sulfazine if you have porphyria, a blockage in your bladder or intestines, or if you are allergic to sulfa drugs, aspirin, or similar medicines called salicylates.

Before taking this medicine

You should not use Sulfazine if you are allergic to it, or if you have:

- a blockage in your bladder or intestines;
- porphyria (a genetic enzyme disorder that causes symptoms affecting the skin or nervous system);
- an allergy to sulfa drugs; or
- an allergy to aspirin or other salicylates (such as Nuprin Backache Caplet, Kaopectate, KneeRelief, Pamprin Cramp Formula, Pepto-Bismol, Tricosal, Trilisate, and others).

Tell your doctor if you have ever had:

- frequent infections;
- asthma;
- · low blood cell counts; or
- liver or kidney disease.

Tell your doctor if you are pregnant. Taking Sulfazine can make it harder for your body to absorb folic acid, and folic

acid helps prevent major birth defects of the baby's brain or spine. You may need to take folic acid supplements if you take this medicine during pregnancy. Follow your doctor's instructions.

Sulfasalazine can pass into breast milk and may cause diarrhea or bloody stools in a nursing baby. Tell your doctor if you are breast-feeding.

Sulfazine is not approved for use by anyone younger than 2 years old.

How should I take Sulfazine?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Use the medicine exactly as directed.

Take Sulfazine after a meal.

Swallow the tablet whole and do not crush, chew, or break it.

You will need frequent medical tests.

Drink plenty of liquids to keep your kidneys working properly while you are taking Sulfazine.

Sulfazine can affect the results of certain medical tests. Tell any doctor who treats you that you are using this medicine.

Sulfazine may cause your skin or urine to appear orange-yellow in color. Call your doctor if you also have yellowing of your eyes, brown urine, or stomach pain. These may be signs of liver problems.

If you are treating arthritis, do not stop using any of your other arthritis medicines until your doctor tells you to. Sulfazine may not improve your symptoms right away, and you may still need your other medicines for awhile.

Sulfazine is only part of a complete treatment for rheumatoid arthritis that may also include rest and physical therapy. Follow your doctor's instructions very closely.

Store at room temperature away from moisture and heat.

Detailed Sulfazine dosage information

What happens if I miss a dose?

Take the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. **Do not** take two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose symptoms may include vomiting, stomach pain, drowsiness, or seizure.

What should I avoid while taking Sulfazine?

Follow your doctor's instructions about any restrictions on food, beverages, or activity.

What other drugs will affect Sulfazine?

Other drugs may affect Sulfazine, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all your current medicines and any medicine you start or stop using.

Sulfazine drug interactions (more detail)

Does Sulfazine interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Sulfazine	
+	
Enter a drug name	Add

Popular FAQ

How long does sulfasalazine take to work?	~
Does sulfasalazine cause cancer?	~
Does sulfasalazine suppress the immune system?	~
What are the long-term effects of taking sulfasalazine?	~
Does sulfasalazine cause weight gain?	~
Does sulfasalazine cause hair loss?	~
How long does sulfasalazine stay in your system?	~
s sulfasalazine a steroid drug?	~
Ones sulfasalazine cause high blood pressure?	~

More about Sulfazine (sulfasalazine)

- Check interactions
- · Compare alternatives
- Reviews (12)
- Drug images
- Side effects
- Dosage information

- During pregnancy
- Drug class: 5-aminosalicylates
- Breastfeeding

Patient resources

- · Sulfazine advanced reading
- Sulfazine EC (Advanced Reading)

Other brands

Azulfidine, Azulfidine EN-tabs

Professional resources

- Sulfasalazine monograph
- Sulfasalazine Delayed-Release Tablets (FDA)

Other brands

Azulfidine, Azulfidine EN-tabs

Related treatment guides

- Lymphocytic Colitis
- Alopecia
- Inflammatory Bowel Disease
- Juvenile Rheumatoid Arthritis

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 8.01.

DRUG STATUS

Availability



Discontinued

Pregnancy & Lactation



Risk data available

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

5.1 / 10

12 Reviews

Images

Sulfazine 500 mg (5904 V)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.