

Home

2. Supartz

Supartz (injection)

Generic name: sodium hyaluronate (injection) [*SO-dee-um-HYE-al-yoo-RON-ate*] **Brand names:** Durolane, Euflexxa, Gel-One, Gelsyn-3, GenVisc 850, ... show all 11 brands

Drug class: Viscosupplementation agents



Medically reviewed by Drugs.com on Aug 14, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is Supartz?

Supartz is similar to the fluid that surrounds the joints in your body. This fluid acts as a lubricant and shock absorber for the joints.

Supartz is used to treat knee pain caused by osteoarthritis.

Supartz is usually given when other arthritis medications have not been effective.

Supartz may also be used for purposes not listed in this medication guide.

Supartz side effects

Get emergency medical help if you have **signs of an allergic reaction:** hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Supartz may cause serious side effects. Call your doctor at once if you have:

• severe pain or swelling around the knee after the injection.

Common side effects of Supartz may include:

- warmth, pain, redness, stiffness, bruising, or puffiness where the medicine was injected;
- nausea, stomach pain;
- · trouble walking;
- · swelling in your hands or feet;
- · back pain, joint pain, muscle pain;
- · numbness or tingly feeling;
- headache, dizziness; or

• runny or stuffy nose, sneezing, sore throat.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.



Supartz side effects (more detail)

Related/similar drugs

Cymbalta

Cymbalta (duloxetine) is used to treat major depressive disorder, general anxiety disorder and ...

Reviews & ratings

6.3 / 10

1,899 Reviews

View more

Methylprednisolone

Methylprednisolone is used to treat conditions such as allergies, arthritis, lupus and ulcerative ...

Reviews & ratings

7.1 / 10

484 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Celecoxib

Celecoxib is a nonsteroidal antiinflammatory drug (NSAID) used to treat pain or inflammation ...

Reviews & ratings

- - - - -

View more

Naproxen

Naproxen is a nonsteroidal antiinflammatory drug used to treat pain or inflammation caused by ...

Reviews & ratings

6.8 / 10

683 Reviews

View more

Diclofenac

Diclofenac is a nonsteroidal antiinflammatory drug used to treat pain and inflammation associated ...

Reviews & ratings

7.3 / 10

695 Reviews

View more

Duloxetine

Duloxetine is a selective serotonin and norepinephrine reuptake inhibitor antidepressant used to ...

Reviews & ratings

6.2 / 10

2,456 Reviews

View more

Meloxicam

Meloxicam is a nonsteroidal antiinflammatory drug used to treat pain or inflammation caused by ...

Reviews & ratings

6.3 / 10

600 Reviews

View more

Aspirin

Aspirin is used to treat mild to moderate pain and to reduce fever or inflammation. Learn about ...

Reviews & ratings

7.8 / 10

51 Reviews

View more

Ibuprofen

Ibuprofen (Advil, Motrin) treats minor aches and pains caused by the common cold, headaches ...

Reviews & ratings

7.3 / 10

240 Reviews

View more

Warnings

You should not receive a Supartz if you have an infection in your knee or in the skin around your knee.

Before taking this medicine

You should not receive Supartz if you are allergic to it, or if you have an infection in your knee or in the skin around your knee.

Supartz is not approved for use by anyone younger than 21 years old.

Tell your doctor if you have ever had:

- blood clots or circulation problems in your legs; or
- an allergy to birds, feathers, or egg products.

It is not known whether Supartz will harm an unborn baby. Tell your doctor if you are pregnant.

It may not be safe to breast-feed a baby while you are using this medicine. Ask your doctor about any risks.

How is Supartz given?

Supartz is injected directly into your knee joint. A healthcare provider will give you this injection.

Supartz is usually given once every week for 3 to 5 weeks. Follow your doctor's dosing instructions very carefully.

To prevent pain and swelling, your doctor may recommend resting your knee or applying ice for a short time after your injection.

Read all patient information, medication guides, and instruction sheets provided to you. Ask your doctor or pharmacist if you have any questions.

Tell your doctor if your symptoms do not improve, or if they get worse.

Detailed Supartz dosage information

What happens if I miss a dose?

Call your doctor for instructions if you miss an appointment for your Supartz.

What happens if I overdose?

Since this medication is given by a healthcare professional in a medical setting, an overdose is unlikely to occur.

What should I avoid after receiving Supartz?

For at least 48 hours after your injection, avoid jogging, strenuous activity, or high-impact sports such as soccer or tennis. Also avoid weight-bearing activity or standing for longer than 1 hour at a time. Ask your doctor how long to wait before you resume these activities.

What other drugs will affect Supartz?

Other drugs may affect Supartz, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all your current medicines and any medicine you start or stop using.

3 Supartz drug interactions (more detail)

Does Supartz interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



More about Supartz (sodium hyaluronate)

· Check interactions

- Compare alternatives
- Reviews (50)
- · Side effects
- Dosage information
- During pregnancy
- Drug class: viscosupplementation agents

Patient resources

- Supartz (Hyaluronate sodium Injection) advanced reading
- Supartz

Other brands

Euflexxa, Durolane, Gelsyn-3, Hyalgan, Supartz FX

Related treatment guides

Osteoarthritis

Further information

• Your doctor can provide more information about Supartz.

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 6.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

ঝ় Risk data available

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com Advertising policy Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

 \times