



[Home](#)

2. Nizoral

Nizoral

Generic name: [ketoconazole](#) (oral) [*KEE-toe-KON-a-zole*]

Drug class: [Azole antifungals](#)

Medically reviewed by [Philip Thornton, DipPharm](#). Last updated on Mar 24, 2025.

[Uses](#) [Warnings](#) [Before taking](#) [Dosage](#) [Side effects](#) [Interactions](#) [FAQ](#)



The Nizoral brand name has been **discontinued** in the U.S. If generic versions of this product have been approved by the FDA, there may be [generic equivalents available](#).

What is Nizoral?

Nizoral is an antifungal medication that fights infections caused by fungus.

Nizoral is not for use in treating fungal infections of the fingernails or toenails. This medicine is also not for use in treating [prostate cancer](#) or [Cushing syndrome](#).

Nizoral should be used only when you cannot use other antifungal medications. **Ketoconazole can cause serious harm to your liver that may result in [liver transplant](#) or cause death.**

Warnings

Nizoral should be used only when you cannot use other antifungal medications. **Ketoconazole can cause serious harm to your liver that may result in liver transplant or cause death.**

Call your doctor at once if you have any signs of liver damage, such as [nausea](#), [vomiting](#), stomach pain, fever, tiredness, loss of appetite, dark urine, clay-colored stools, or [jaundice](#) (yellowing of the skin or eyes).

Tell your doctor about all your current medicines and any you start or stop using. Many drugs can interact, and some drugs should not be used together.

Nizoral can also cause a serious heart problem. Call your doctor right away if you have fast or pounding heartbeats, shortness of breath, and sudden [dizziness](#).

Before taking this medicine

You should not use Nizoral if you are allergic to ketoconazole, or if you have liver disease.

Some medicines can cause unwanted or dangerous effects when used with ketoconazole. Your doctor may change your treatment plan if you also use:

- cisapride;
- [colchicine](#);
- [irinotecan](#);
- [methadone](#);
- [tolvaptan](#);
- **antipsychotic medicine** - [pimozide](#), [lurasidone](#);
- **cholesterol medication** - [lovastatin](#), [simvastatin](#), and others;
- **ergot medicine** - [dihydroergotamine](#), [ergotamine](#), ergonovine, [methylergonovine](#);
- **heart medication** - [disopyramide](#), [dofetilide](#), [dronedarone](#), [eplerenone](#), [felodipine](#), [nisoldipine](#), [quinidine](#), [ranolazine](#);
or
- **a sedative** - [alprazolam](#), [midazolam](#), or [triazolam](#).

To make sure Nizoral is safe for you, tell your doctor if you have:

- liver problems;
- [long QT syndrome](#) (in you or a family member); or
- problems with your adrenal gland.

It is not known whether this medicine will harm an unborn baby. Tell your doctor if you are pregnant.

You should not breast-feed while using this medicine.

Do not give this medicine to a child without medical advice.

 [Nizoral pregnancy and breastfeeding warnings](#) (more detail)

How should I take Nizoral?

Take Nizoral exactly as it was prescribed for you. Follow all directions on your prescription label and read all medication guides or instruction sheets. Your doctor may occasionally change your dose.

Your doctor will perform blood tests to make sure you do not have conditions that would prevent you from safely using Nizoral.

You may need to use this medicine for up to 6 months.

Use this medicine for the full prescribed length of time, even if your symptoms quickly improve. Skipping doses can increase your risk of infection that is resistant to medication. Ketoconazole will not treat a [viral infection](#) such as the flu or a [common cold](#).

While using Nizoral, you may need frequent blood tests to check your liver function.

Store at room temperature away from moisture, heat, and light.

Do not share this medicine with another person, even if they have the same symptoms you have.

i [Detailed Nizoral dosage information](#)

What happens if I miss a dose?

Take the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. Do not take two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What to avoid

Do not drink alcohol. Dangerous side effects could occur.

Ketoconazole could make you sunburn more easily. Avoid sunlight or tanning beds. Wear protective clothing and use [sunscreen](#) (SPF 30 or higher) when you are outdoors.

Nizoral side effects

Get emergency medical help if you have **signs of an allergic reaction to Nizoral** ([hives](#), fever, chest pain, difficult breathing, swelling in your face or throat) **or a severe skin reaction** (fever, [sore throat](#), burning eyes, skin pain, red or purple [skin rash](#) with blistering and peeling).

Call your doctor at once if you have:

- fast or pounding heartbeats, fluttering in your chest, shortness of breath, and sudden dizziness (like you might pass out);
- unusual weakness or tiredness, dizziness, nausea, and vomiting; or
- **liver problems** - upper stomach pain, fever, loss of appetite, dark urine, clay-colored stools, or jaundice (yellowing of the skin or eyes).

Common Nizoral side effects may include:

- nausea, [diarrhea](#), stomach pain
- breast swelling;
- [headache](#), dizziness; or
- abnormal liver function tests.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

i [Nizoral side effects](#) (more detail)

Related/similar drugs

Diflucan

Diflucan (fluconazole) is used to treat and prevent fungal infections. Includes Diflucan side ...

Reviews & ratings

5.9 / 10

[144 Reviews](#)

[View more](#)

Sporanox

Sporanox (itraconazole) is used to treat fungal infections of the lungs, mouth, throat, toenails ...

Reviews & ratings

8.4 / 10

[18 Reviews](#)

[View more](#)

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

[1,504 Reviews](#)

[View more](#)

Vfend

Vfend (voriconazole) is used to treat infections caused by yeast or other types of fungal ...

Reviews & ratings

[3 Reviews](#)

[View more](#)

What other drugs will affect Nizoral?

Some medicines can make it harder for your body to absorb ketoconazole. If you take an antacid, take it 1 hour before or 2 hours after you take Nizoral. Tell your doctor if you also take a stomach acid reducer, such as [Nexium](#), [Prevacid](#), [Prilosec](#), [Protonix](#), [Zantac](#), and others.

Sometimes it is not safe to use certain medications at the same time. Some drugs can affect your blood levels of other drugs you take, which may increase side effects or make the medications less effective.

Nizoral can cause a serious heart problem. Your risk may be higher if you also use certain other medicines for infections, [asthma](#), heart problems, [high blood pressure](#), [depression](#), mental illness, cancer, [malaria](#), or [HIV](#).

Many drugs can interact with ketoconazole. This includes prescription and over-the-counter medicines, [vitamins](#), and [herbal products](#). Not all possible interactions are listed here. Tell your doctor about all your current medicines and any medicine you start or stop using.

 [Nizoral drug interactions](#) (more detail)

Does Nizoral interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

Nizoral

+

Enter a drug name

Add

Frequently asked questions

- [What is ketoconazole cream used for?](#)

More about Nizoral (ketoconazole)

- [Check interactions](#)
- [Compare alternatives](#)
- [Reviews \(4\)](#)
- [Drug images](#)
- [Side effects](#)
- [Dosage information](#)
- [During pregnancy](#)
- [Drug class: azole antifungals](#)
- [Breastfeeding](#)

Patient resources

- [Nizoral \(Ketoconazole Oral\) advanced reading](#)

Professional resources

- [Nizoral prescribing information](#)
- [Ketoconazole \(AHFS Monograph\)](#)

Other formulations

- [Nizoral Topical](#)
- [Nizoral A-D](#)

Related treatment guides

- [Blastomycosis](#)
- [Chromomycosis](#)
- [Coccidioidomycosis](#)
- [Histoplasmosis](#)
- [Paracoccidioidomycosis](#)

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use Nizoral only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

Copyright 1996-2025 Cerner Multum, Inc. Version: 12.02.

Antibiotics 101

[List of Common Antibiotics & Types](#)

[Antibiotics and Alcohol](#)

[Probiotics and Antibiotics](#)

[Antibiotics for Strep Throat](#)

[Antibiotics for a Tooth Infection](#)

[Antibiotics for UTI's](#)

DRUG STATUS

Availability



Discontinued

[Pregnancy & Lactation](#)



Risk data available

CSA Schedule*

N/A Not a controlled drug



Approval History

10+
years

FDA approved 1981



User Reviews & Ratings

[4 Reviews](#)

Images

[Nizoral 200 mg \(JANSSEN NIZORAL\)](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and

others.



Ad Choices
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.