

Home

Synvisc

Synvisc 🖘

Generic name: hylan G-F 20 [HI-lan-G-F-20]

Brand names: Synvisc, Synvisc One **Drug class:** Viscosupplementation agents

Medically reviewed by Sanjai Sinha, MD. Last updated on Apr 7, 2025.

Uses Warnings Before taking Dosage Side effects Interactions

What is Synvisc?

Synvisc is similar to the fluid that surrounds the joints in your body. This fluid acts as a lubricant and shock absorber for the joints.

Synvisc is used to treat knee pain caused by osteoarthritis.

Synvisc is usually given after other arthritis medications have been tried without successful treatment of symptoms.

Warnings

You should not receive Synvisc if you have an infection in your knee or in the skin around your knee.

Before you receive a Synvisc injection, tell your doctor if you have blood clots or circulation problems in your legs, or an allergy to birds, feathers, or egg products.

For at least 48 hours after your injection, avoid jogging, strenuous activity, high-impact sports, or standing for longer than 1 hour at a time.

Call your doctor at once if you have severe pain or swelling around the knee after the injection.

Before receiving this medicine

You should not receive Synvisc if you are allergic to hylan G-F 20, or if you have an infection in your knee or in the skin around your knee.

To make sure Synvisc is safe for you, tell your doctor if you have:

- blood clots or circulation problems in your legs; or
- an allergy to birds, feathers, or egg products.

It is not known whether Synvisc will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant.

It is not known whether hylan G-F 20 passes into breast milk or if it could harm a nursing baby. Tell your doctor if you are breast-feeding a baby.

Synvisc is generally not used in anyone younger than 21 years old.

Synvisc pregnancy and breastfeeding warnings (more detail)

How is Synvisc given?

Synvisc is injected directly into your knee joint. A healthcare provider will give you this injection.

The Synvisc brand of hylan G-F 20 is usually given once every week until you have received 3 injections. The Synvisc-One brand of this medicine is given only once. Your doctor will determine how many injections you should receive.

To prevent pain and swelling, your doctor may recommend resting your knee or applying ice for a short time after your injection.

Dosing information

Usual Adult Dose for Osteoarthritis:

Inject 2 mL intra-articularly into the knee once a week for 3 weeks.

Detailed Synvisc dosage information

What happens if I miss a dose?

Call your doctor for instructions if you miss an appointment for your Synvisc injection.

What happens if I overdose?

Since this medicine is given by a healthcare professional in a medical setting, an overdose is unlikely to occur.

What should I avoid after receiving Synvisc?

For at least 48 hours after your injection, avoid jogging, strenuous activity, or high-impact sports such as soccer or tennis. Also avoid weight-bearing activity or standing for longer than 1 hour at a time. Ask your doctor how long to wait before you resume these activities.

Synvisc side effects

Get emergency medical help if you have **signs of an allergic reaction to Synvisc:** hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Call your doctor at once if you have severe pain or swelling around the knee after the injection.

Common Synvisc side effects may include:

- warmth, redness, pain, stiffness, swelling, or puffiness where the medicine was injected;
- · muscle pain, trouble walking;
- fever, chills, nausea;
- · prickly feeling in your skin;
- · headache, dizziness; or
- itching or skin irritation around the knee.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.



Related/similar drugs

Cymbalta

Cymbalta (duloxetine) is used to treat major depressive disorder, general anxiety disorder and ...

Reviews & ratings

6.3 / 10

1,899 Reviews

View more

Methylprednisolone

Methylprednisolone is used to treat conditions such as allergies, arthritis, lupus and ulcerative ...

Reviews & ratings

7.1 / 10

484 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Celecoxib

Celecoxib is a nonsteroidal antiinflammatory drug (NSAID) used to treat pain or inflammation ...

Reviews & ratings

7.0 / 10

280 Reviews

View more

Naproxen

Naproxen is a nonsteroidal antiinflammatory drug used to treat pain or inflammation caused by ...

Reviews & ratings

6.8 / 10

683 Reviews

View more

Diclofenac

Diclofenac is a nonsteroidal antiinflammatory drug used to treat pain and inflammation associated ...

Reviews & ratings

7.3 / 10

695 Reviews

View more

Duloxetine

Duloxetine is a selective serotonin and norepinephrine reuptake inhibitor antidepressant used to ...

Reviews & ratings

6.2 / 10

2,456 Reviews

View more

Meloxicam

Meloxicam is a nonsteroidal antiinflammatory drug used to treat pain or inflammation caused by ...

Reviews & ratings

6.3 / 10

600 Reviews

View more

Aspirin

Aspirin is used to treat mild to moderate pain and to reduce fever or inflammation. Learn about ...

Reviews & ratings

7.8 / 10

51 Reviews

View more

Ibuprofen

Ibuprofen (Advil, Motrin) treats minor aches and pains caused by the common cold, headaches ...

Reviews & ratings

7.3 / 10

240 Reviews

View more

What other drugs will affect Synvisc?

Other drugs may interact with hylan G-F 20, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell each of your health care providers about all medicines you use now and any medicine you start or stop using.

Synvisc drug interactions (more detail)

Does Synvisc interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Synvisc

Enter a drug name Add

More about Synvisc (hylan g-f 20)

- Check interactions
- Compare alternatives
- Reviews (67)
- Side effects
- Dosage information
- During pregnancy
- Drug class: viscosupplementation agents
- En español

Other formulations

• Synvisc-One

Related treatment guides

Osteoarthritis

Further information

• Your doctor can provide more information about Synvisc.

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use Synvisc only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 5.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

ঝ্ Risk data available

User Reviews & Ratings

6.4 / 10

67 Reviews

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com Advertising policy Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





