

#### Home

Pulmicort Respules

# Pulmicort Respules 49

**Generic name:** budesonide inhalation [ *byoo-DES-oh-nide* ] **Brand names:** Pulmicort Flexhaler, Pulmicort Respules

Drug class: Inhaled corticosteroids



Medically reviewed by Drugs.com on Mar 26, 2025. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions FAQ

## What is Pulmicort Respules?

Pulmicort Respules is a steroid that is used to prevent asthma attacks.

Pulmicort Flexhaler is for use in adults and children at least 6 years old.

Pulmicort Respules is for use in children 12 months to 8 years old.

Budesonide may also be used for purposes not listed in this medication guide.

# **Pulmicort Respules side effects**

Get emergency medical help if you have **signs of an allergic reaction**: hives, rash, severe itching; chest pain, difficult breathing, feeling anxious; swelling of your face, lips, tongue, or throat.

Pulmicort Respules may cause serious side effects. Call your doctor at once if you have:

- · worsening asthma symptoms;
- wheezing, choking, or other breathing problems after using this medication;
- white patches or sores inside your mouth or on your lips;
- blurred vision, tunnel vision, eye pain or swelling, or seeing halos around lights;
- signs of infection--fever, chills, body aches, ear pain, nausea, vomiting; or
- signs of low adrenal gland hormones--worsening tiredness or muscle weakness, feeling light-headed, nausea, vomiting.

Pulmicort Respules can affect growth in children. Tell your doctor if your child is not growing at a normal rate while using Pulmicort Respules.

Common side effects of Pulmicort Respules may include:

- · runny or stuffy nose, sneezing;
- red, itchy, and watery eyes;
- fever, sore throat, cough;
- nausea, vomiting, diarrhea, stomach pain, loss of appetite;
- · nosebleed; or
- headache, back pain.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Pulmicort Respules side effects (more detail)

# Related/similar drugs

#### **Xolair**

Xolair injection (omalizumab) is used to reduce the risk of severe food allergy reactions ...

## **Reviews & ratings**

7.5 / 10

229 Reviews

#### View more

## **Symbicort**

Symbicort (budesonide and formoterol) is used to prevent bronchospasm in people with asthma or ...

## Reviews & ratings

6.6 / 10

226 Reviews

## View more

## FEATURED

## **Dupixent**

Dupixent may be used to treat eczema, eosinophilic or oral-corticosteroid-dependent asthma, chronic ...

#### **Reviews & ratings**

7.2 / 10

#### View more

## **Ventolin HFA**

Ventolin HFA (albuterol) is used to treat or prevent breathing problems in patients who have asthma ...

## **Reviews & ratings**

7.5 / 10

18 Reviews

View more

## **Breo Ellipta**

Breo Ellipta (fluticasone and vilanterol) is used to prevent airflow obstruction or bronchospasm in ...

#### **Reviews & ratings**

5.8 / 10

228 Reviews

## View more

## **Spiriva**

Spiriva (tiotropium) is used to prevent bronchospasm in people with bronchitis, emphysema, or COPD ...

#### **Reviews & ratings**

5.9 / 10

122 Reviews

View more

## **Xopenex**

Xopenex is a short-acting bronchodilator used to treat or prevent bronchospasm in asthma and other ...

## **Reviews & ratings**

9.0 / 10

15 Reviews

View more

#### **Dulera**

Dulera Inhalers (formoterol and mometasone) are used to treat asthma. Includes Dulera side effects

...

#### **Reviews & ratings**

5.8 / 10

61 Reviews

View more

# **Warnings**

**Budesonide is not a rescue medicine for asthma attacks.** Seek medical attention if your breathing problems get worse quickly, or if you think your asthma medications are not working as well.

## Before taking this medicine

You should not use budesonide if you are allergic to it, or if:

- you have a severe allergy to milk proteins; or
- you are having an asthma attack.

Tell your doctor if you have ever had:

- · food or drug allergies;
- liver disease;
- osteoporosis, or low bone mineral density;
- glaucoma, cataracts, or herpes infection of the eyes;
- tuberculosis; or
- any type of infection caused by bacteria, fungus, virus, or parasite.

Long-term use of steroids may lead to bone loss (osteoporosis), especially if you smoke, if you do not exercise, if you do not get enough vitamin D or calcium in your diet, if you have a family history of osteoporosis, or if you are a woman going through menopause.

Tell your doctor if you are pregnant or breast-feeding.

## How should I use Pulmicort Respules?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Your doctor may occasionally change your dose. Use the medicine exactly as directed.

**Pulmicort Respules is not a rescue medicine for asthma attacks.** Use only fast-acting inhalation medicine for an attack. Seek medical attention if your breathing problems get worse quickly, or if you think your asthma medications are not working as well.

Read and carefully follow any Instructions for Use provided with your medicine. Ask your doctor or pharmacist if you do not understand these instructions.

Use only the inhaler device that comes with Pulmicort Flexhaler. Do not place the device in water or try to take it apart.

**Pulmicort Respules** should be used only with a standard jet nebulizer connected to an air compressor. Do not mix with other medicines in the nebulizer cup (reservoir).

Rinse your mouth with water after using Pulmicort Respules, to help prevent thrush (a fungal infection in the mouth or throat). If you are using a nebulizer with a face mask, wash the mask area of your face after each use.

Do not allow a young child to use Pulmicort Respules without help from an adult.

Your doctor will need to check your progress on a regular basis.

Call your doctor if your symptoms do not improve of if they get worse. If you use a peak flow meter at home, tell your doctor if your numbers are lower than normal.

Your dose needs may change if you have surgery, are ill, are under stress, or have recently had an asthma attack. **Do** not change your medication dose or schedule without your doctor's advice.

Store at room temperature, away from moisture, light, and heat. Keep the cover on your inhaler device while not in use.

In case of emergency, wear or carry medical identification to let others know you use a steroid medication.

Detailed Pulmicort Respules dosage information

# What happens if I miss a dose?

Skip the missed dose and use your next dose at the regular time. Do not use two doses at one time.

# What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

**High doses or long-term use of budesonide** can lead to thinning skin, easy bruising, changes in body fat (especially in your face, neck, back, and waist), increased acne or facial hair, menstrual problems, impotence, or loss of interest in sex.

## What should I avoid while using Pulmicort Respules?

Avoid getting Pulmicort Respules in your eyes.

Avoid being near people who are sick or have infections. Call your doctor for preventive treatment if you are exposed to chickenpox or measles. These conditions can be serious or even fatal in people who are using steroid medicine.

## What other drugs will affect Pulmicort Respules?

Sometimes it is not safe to use certain medications at the same time. Some drugs can affect your blood levels of other drugs you take, which may increase side effects or make the medications less effective.

Tell your doctor about all your other medicines, especially:

- antifungal medicine (such as ketoconazole);
- · drugs that weaken your immune system;
- · seizure medication; or
- other steroid medicine (flunisolide, fluticasone, mometasone, and others).

This list is not complete. Other drugs may affect budesonide, including prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible drug interactions are listed here.

1 Pulmicort Respules drug interactions (more detail)

## Does Pulmicort Respules interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Pulmicort Respules
+
Enter a drug name
Add

# **Popular FAQ**

Can asthma inhalers cause a sore throat?

# More about Pulmicort Respules (budesonide)

- Check interactions
- · Compare alternatives
- Pricing & coupons
- Reviews (3)
- · Side effects
- Dosage information
- During pregnancy
- Generic availability
- Drug class: inhaled corticosteroids

- Breastfeeding
- En español

## Patient resources

#### Other brands

Pulmicort Flexhaler, Pulmicort Turbuhaler, Eohilia, Entocort EC, ... +3 more

## **Professional resources**

- Budesonide (Systemic, Oral Inhalation) monograph
- Budesonide Rectal Foam (FDA)

## Other brands

Pulmicort Flexhaler, Pulmicort Turbuhaler, Eohilia, Entocort EC, ... +3 more

## Related treatment guides

· Asthma, Maintenance

## **Further information**

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

## **Medical Disclaimer**

Copyright 1996-2025 Cerner Multum, Inc. Version: 10.01.

#### **DRUG STATUS**

# Availability Rx Prescription only Pregnancy & Lactation Risk data available CSA Schedule\* N/A Not a controlled drug Approval History Drug history at FDA WADA Class Anti-Doping Classification

# **Drugs.com Mobile App**

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





#### **About**

About Drugs.com Advertising policy Attribution & citations

#### **Terms & privacy**

Terms of use

**Editorial policy** 

Privacy policy

#### Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.









Copyright © 2000-2025 Drugs.com. All rights reserved.

Х