



[Home](#)

2. [Advair Diskus](#)

3. [Consumer Information](#)

Advair Diskus

Generic name: [fluticasone and salmeterol](#) [*floo-TIK-a-sone, sal-ME-te-rol*]

Brand names: Advair Diskus, [Advair HFA](#), [AirDuo RespiClick](#)

Drug class: [Bronchodilator combinations](#)



[Medically reviewed](#) by Drugs.com on Dec 20, 2024. Written by [Cerner Multum](#).

[Uses](#) [Side effects](#) [Warnings](#) [Before taking](#) [Dosage](#) [Interactions](#) [FAQ](#)

What is Advair Diskus?

[Advair Diskus](#) inhalation is a steroid and bronchodilator combination medicine that is used to prevent asthma attacks. It is also used to prevent flare-ups or worsening of chronic obstructive pulmonary disease (COPD) associated with [chronic bronchitis](#) and/or emphysema.

In people with COPD, Advair Diskus is for long-term treatment. **In people with asthma**, Advair Diskus is for short-term treatment until symptoms are well controlled with with other medicines.

Advair Diskus is for use in adults and children who are at least 4 years old. **Advair HFA** and **AirDuo Respiclick** are for use in adults and children who are at least 12 years old.

Advair Diskus may also be used for purposes not listed in this medication guide.

Advair Diskus side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Advair Diskus may cause serious side effects. Call your doctor at once if you have:

- wheezing, choking, or other breathing problems after using this medicine;
- fever, chills, cough with mucus, feeling short of breath;
- chest pain, fast or irregular heartbeats, severe headache, pounding in your neck or ears;
- tremors, nervousness;
- blurred vision, tunnel vision, eye pain, or seeing halos around lights;
- **signs of thrush (a fungal infection)**--sores or white patches in your mouth or throat, trouble swallowing;
- **high blood sugar**--increased thirst, increased urination, dry mouth, fruity breath odor;

- **low potassium level**--leg cramps, [constipation](#), irregular heartbeats, fluttering in your chest, increased thirst or urination, numbness or tingling, muscle weakness or limp feeling; or
- **signs of a hormonal disorder**--worsening tiredness or weakness, feeling light-headed, nausea, vomiting.

[Fluticasone](#) can affect growth in children. Talk with your doctor if you think your child is not growing at a normal rate while using this medication.

Common side effects of Advair Diskus may include:

- headache, [muscle pain](#), bone pain, back pain;
- nausea, vomiting;
- thrush, throat irritation;
- ongoing cough, hoarseness or deepened voice;
- [cold symptoms](#) such as stuffy nose, sneezing, sore throat; or
- **ear infection (in a child)**--fever, ear pain or full feeling, trouble hearing, drainage from the ear, fussiness.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

 [Advair Diskus side effects](#) (more detail)

Related/similar drugs

[Breztri Aerosphere](#)

Breztri (budesonide/glycopyrrolate/formoterol fumarate) is a combination inhaler that may be used ...

Reviews & ratings

6.9 / 10

[119 Reviews](#)

[View more](#)

[Xolair](#)

Xolair injection (omalizumab) is used to reduce the risk of severe food allergy reactions ...

Reviews & ratings

7.5 / 10

[229 Reviews](#)

[View more](#)

FEATURED

Dupixent

Dupixent may be used to treat eczema, eosinophilic or oral-corticosteroid-dependent asthma, chronic ...

Reviews & ratings

7.2 / 10

[499 Reviews](#)

[View more](#)

Symbicort

Symbicort (budesonide and formoterol) is used to prevent bronchospasm in people with asthma or ...

Reviews & ratings

6.6 / 10

[226 Reviews](#)

[View more](#)

Ventolin HFA

Ventolin HFA (albuterol) is used to treat or prevent breathing problems in patients who have asthma ...

Reviews & ratings

7.5 / 10

[18 Reviews](#)

[View more](#)

Breo Ellipta

Breo Ellipta (fluticasone and vilanterol) is used to prevent airflow obstruction or bronchospasm in ...

Reviews & ratings

5.8 / 10

[228 Reviews](#)

[View more](#)

Spiriva

Spiriva (tiotropium) is used to prevent bronchospasm in people with bronchitis, emphysema, or COPD ...

Reviews & ratings

5.9 / 10

[122 Reviews](#)

[View more](#)

Anoro Ellipta

Anoro (umeclidinium and vilanterol inhalation powder) is used to treat chronic obstructive ...

Reviews & ratings

7.1 / 10

[69 Reviews](#)

[View more](#)

Xopenex

Xopenex is a short-acting bronchodilator used to treat or prevent bronchospasm in asthma and other ...

Reviews & ratings

9.0 / 10

[15 Reviews](#)

[View more](#)

Warnings

Advair Diskus is not a rescue medicine. It will not work fast enough to treat an asthma or bronchospasm attack.

Seek medical attention you have worsening breathing problems, or if you think your medications are not working as well.

Before taking this medicine

You should not use Advair Diskus if you are allergic to fluticasone or salmeterol, or:

- if you have a severe allergy to milk proteins; or
- if you are having an asthma attack or severe COPD symptoms.

Fluticasone can weaken your immune system, making it easier for you to get an infection or worsening an infection you already have or have recently had. **Tell your doctor about any illness or infection you have had within the past several weeks.**

Tell your doctor if you have ever had:

- glaucoma or cataracts;
- [heart disease](#) or [high blood pressure](#);
- a seizure;
- diabetes;
- a food or drug allergy;
- a weak immune system;
- any type of infection (bacterial, fungal, viral, or parasitic);
- [osteoporosis](#);
- a thyroid disorder; or
- liver or kidney disease.

Long-term use of steroids may lead to bone loss (osteoporosis), especially if you smoke, if you do not exercise, if you do not get enough vitamin D or calcium in your diet, or if you have a family history of osteoporosis. Talk with your doctor about your risk.

Tell your doctor if you are pregnant. It is not known whether this medicine will harm an unborn baby. However, having untreated or uncontrolled asthma during pregnancy may cause complications such as low birth weight, premature birth, or eclampsia (dangerously high blood pressure that can lead to medical problems in both mother and baby). The benefit of treating asthma may outweigh any risks to the baby.

It may not be safe to breast-feed while using this medicine. Ask your doctor about any risk.

Do not give this medicine to a child without medical advice.

How should I use Advair Diskus?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Use the medicine exactly as directed. **Using too much of this medicine can cause life-threatening side effects.**

Advair Diskus is not a rescue medicine for asthma or bronchospasm attacks. Use only fast-acting inhalation medicine for an attack. Seek medical attention if your breathing problems get worse quickly, or if you think your asthma medications are not working as well.

Advair Diskus is a powder form of fluticasone and salmeterol that comes with a special inhaler device pre-loaded with blister packs containing measured doses of the medicine. **Advair HFA** and **AirDuo Respiclick** each come in a canister that is used with an actuator inhaler device.

Use the medicine at the same time each day. **Use only the inhaler device provided with your medication.**

Shake the **Advair HFA** inhaler for at least 5 seconds before each spray.

Do not allow a young child to use this medicine without help from an adult.

Read and carefully follow any Instructions for Use provided with your medicine. Ask your doctor or pharmacist if you do not understand these instructions.

Rinse your mouth with water **without swallowing** after each use of your inhaler.

Your dose needs may change due to surgery, illness, stress, or a recent asthma attack. **Do not change your medication dose or schedule without your doctor's advice.**

If you also use an oral steroid medication, you should not stop using it suddenly. Follow your doctor's instructions about tapering your dose.

If you use a peak flow meter at home, tell your doctor if your numbers are lower than normal.

Your vision and your bone mineral density may need to be checked often.

Store your medicine at room temperature, away from moisture, heat, and sunlight. Avoid high heat, such as open flame or in a car on a hot day. **Carefully follow all storage and disposal directions provided with your medicine.**

Once your asthma is under control, your doctor may want you to stop using this medicine. **Do not stop using the medicine unless your doctor tells you to.**

 [Detailed Advair Diskus dosage information](#)

What happens if I miss a dose?

Skip the missed dose and use your next dose at the regular time. **Do not** use two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose symptoms may include chest pain, [fast heart rate](#), and feeling shaky or short of breath.

Long term use of an inhaled steroid can lead to glaucoma, cataracts, thinning skin, changes in body fat (especially in your face, neck, back, and waist), increased acne or facial hair, menstrual problems, impotence, or loss of interest in sex.

What should I avoid while using Advair Diskus?

Avoid being near people who are sick or have infections. Call your doctor for preventive treatment if you are exposed to chickenpox or measles. These conditions can be serious or even fatal in people who are using a steroid such as fluticasone.

Do not use a second inhaled bronchodilator unless your doctor tells you to. This includes formoterol ([Perforomist](#), Symbicort, Bevespi, Dulera), [arformoterol](#) (Brovana), [indacaterol](#) (Arcapta), olodaterol (Striverdi, [Stiolto Respimat](#)), salmeterol (Serevent), or vilanterol ([Anoro Ellipta](#), [Breo Ellipta](#), [Trelegy Ellipta](#)).

What other drugs will affect Advair Diskus?

Sometimes it is not safe to use certain medications at the same time. Some drugs can affect your blood levels of other drugs you take, which may increase side effects or make the medications less effective.

Tell your doctor about all your other medicines, especially:

- antifungal medicine; or
- medicine to treat HIV or AIDS.

This list is not complete and many other drugs may affect Advair Diskus. This includes prescription and over-the-counter medicines, vitamins, and [herbal products](#). Not all possible [drug interactions](#) are listed here.

 [Advair Diskus drug interactions](#) (more detail)

Does Advair Diskus interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

Advair Diskus

+

Enter a drug name

Add

Popular FAQ

Can asthma inhalers cause a sore throat?



Symbicort vs. Advair: How do they compare?



More FAQ

- [Is Wixela Inhub the same as Advair Diskus?](#)

[View more FAQ...](#)

More about Advair Diskus (fluticasone / salmeterol)

- [Check interactions](#)
- [Compare alternatives](#)
- [Pricing & coupons](#)
- [Reviews \(114\)](#)
- [Drug images](#)
- [Side effects](#)

- [Dosage information](#)
- [During pregnancy](#)
- [Generic availability](#)
- [Support group](#)
- [Drug class: bronchodilator combinations](#)
- [En español](#)

Patient resources

- [Advair drug information](#)

Other brands

[Wixela Inhub](#), [Advair HFA](#), [AirDuo Respiclick](#), [AirDuo Digihaler](#)

Professional resources

- [Advair prescribing information](#)
- [Advair Diskus \(FDA\)](#)

Other brands

[Wixela Inhub](#), [AirDuo Respiclick](#), [AirDuo Digihaler](#)

Related treatment guides

- [Asthma, Maintenance](#)
- [COPD, Maintenance](#)

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

Copyright 1996-2025 Cerner Multum, Inc. Version: 17.02.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

 Risk data available

CSA Schedule*

N/A Not a controlled drug




Approval History

 Drug history at FDA



WADA Class

 Anti-Doping Classification



User Reviews & Ratings

7.2 / 10

[114 Reviews](#)

Images

[Advair Diskus 100/50 fluticasone propionate 100 mcg / salmeterol 50 mcg powder for oral inhalation](#)



[View larger images](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.