

Home

Zebeta

Generic name: bisoprolol [*BIS-oh-PROE-lol*]

Drug class: Cardioselective beta blockers

Medically reviewed by Drugs.com. Last updated on Aug 12, 2024.

Uses Warnings Before taking Side effects Dosage Interactions FAQ



The Zebeta brand name has been **discontinued** in the U.S. If generic versions of this product have been approved by the FDA, there may be generic equivalents available.

What is Zebeta?

Zebeta is a beta-blocker that affects the heart and circulation (blood flow through arteries and veins).

Zebeta is used to treat hypertension (high blood pressure).

Zebeta may also be used for purposes not listed in this medication guide.

Warnings

Do not skip doses or stop taking Zebeta without first talking to your doctor. Stopping suddenly may make your condition worse or cause other serious heart problems.

If you need to have any type of surgery, tell the surgeon ahead of time that you are using this medicine.

You should not use Zebeta if you have a serious heart condition such as "AV block," severe heart failure, or slow heartbeats that have caused you to faint.

Keep using Zebeta as directed, even if you feel well. High blood pressure often has no symptoms. You may need to use blood pressure medication for the rest of your life.

Before taking this medicine

You should not use Zebeta if you you are allergic to bisoprolol, or if you have a serious heart condition such as:

- "AV block";
- · severe heart failure; or
- · slow heartbeats that have caused you to faint.

To make sure Zebeta is safe for you, tell your doctor if you have:

- congestive heart failure or other heart problems;
- coronary artery disease (hardened arteries);
- circulation problems (such as Raynaud's syndrome);
- asthma, chronic obstructive pulmonary disease (COPD), or other breathing disorder;
- diabetes (taking Zebeta can make it harder for you to tell when you have low blood sugar);
- liver or kidney disease;
- a thyroid disorder; or
- a history of allergies.

It is not known whether Zebeta is harmful to an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant.

It is not known whether bisoprolol passes into breast milk or if it could harm a nursing baby. Tell your doctor if you are breast-feeding a baby.

Zebeta is not approved for use by anyone younger than 18 years old.

Zebeta pregnancy and breastfeeding warnings (more detail)

How should I take Zebeta?

Take Zebeta exactly as it was prescribed for you. Follow all directions on your prescription label. Your doctor may occasionally change your dose to make sure you get the best results. Do not use this medicine in larger or smaller amounts or for longer than recommended.

Do not skip doses or stop taking Zebeta without first talking to your doctor. Stopping suddenly may make your condition worse or cause other serious heart problems.

If you need surgery, tell the surgeon ahead of time that you are using Zebeta.

Your blood pressure will need to be checked often.

Keep using Zebeta as directed, even if you feel well. High blood pressure often has no symptoms. You may need to use blood pressure medicine for the rest of your life.

Store at room temperature away from moisture and heat. Keep the bottle tightly closed when not in use.

What happens if I miss a dose?

Take the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. Do not take extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What to avoid

This medicine may impair your thinking or reactions. Be careful if you drive or do anything that requires you to be alert.

Avoid getting up too fast from a sitting or lying position, or you may feel dizzy. Get up slowly and steady yourself to prevent a fall.

Avoid drinking alcohol. It can increase some of the side effects of Zebeta.

Zebeta side effects

Get emergency medical help if you have **signs of an allergic reaction to Zebeta**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Call your doctor at once if you have:

- shortness of breath (even with mild exertion), swelling, rapid weight gain;
- slow heart rate;
- · pounding heartbeats or fluttering in your chest;
- numbness, tingling, or cold feeling in your hands or feet;
- · a light-headed feeling, like you might pass out;
- eye pain, vision problems; or
- bronchospasm (wheezing, chest tightness, trouble breathing).

Common Zebeta side effects may include:

- · headache:
- · feeling tired;
- sleep problems (insomnia);
- joint pain;
- · swelling; or
- cold symptoms such as stuffy nose, runny nose, cough, sore throat.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

i Zebeta side effects (more detail)

Related/similar drugs

Spironolactone

diuretic that is primarily used to treat heart failure, high ...

Reviews & ratings

6.9 / 10

702 Reviews

View more

Aspirin

Aspirin is used to treat mild to moderate pain and to reduce fever or inflammation. Learn about ...

Reviews & ratings

7.8 / 10

51 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Carvedilol

Carvedilol (Coreg) is used to treat heart failure and hypertension (high blood pressure). Includes ...

Reviews & ratings

5.3 / 10

201 Reviews

View more

Furosemide

Furosemide is a loop diuretic used to treat fluid retention and high blood pressure by increasing ...

Reviews & ratings

View more

Losartan

Losartan is used to treat high blood pressure (hypertension). It is also used to lower the risk of ...

Reviews & ratings

4.5 / 10

578 Reviews

View more

Metoprolol

Metoprolol is used to treat angina (chest pain) and hypertension (high blood pressure). Learn about ...

Reviews & ratings

5.8 / 10

653 Reviews

View more

Hydrochlorothiazide

HCTZ (hydrochlorothiazide) used to treat high blood pressure (hypertension) and edema. Includes ...

Reviews & ratings

5.2 / 10

185 Reviews

View more

Jardiance

Jardiance (empagliflozin) is used to treat type 2 diabetes, chronic kidney disease and reduce the ...

Reviews & ratings

5.3 / 10

325 Reviews

View more

Lasix

Lasix is a loop diuretic used to treat fluid retention from heart, liver, or kidney conditions, and ...

Reviews & ratings

6.4 / 10

56 Reviews

View more

Dosing information

Usual Adult Dose of Zebeta for Hypertension:

Initial dose: 5 mg orally once a day

Dose Titration: If desired response is not achieved, may increase the dose to 10 mg, then 20 mg if necessary

Maximum dose: 20 mg per day

Comments:

- -Dosage should be individualized to the patient; some patients may benefit from a starting dose of 2.5 mg once a day.
- -In clinical trials, blood pressure lowering effects were seen at 1 week and changed little thereafter.

Use: Management of hypertension, alone or with other antihypertensive agents

Detailed Zebeta dosage information

What other drugs will affect Zebeta?

Tell your doctor about all your current medicines and any you start or stop using, especially:

- insulin or oral diabetes medicine;
- · rifampin; or
- heart or blood pressure medicine--clonidine, digitalis, digoxin, diltiazem, reserpine, or verapamil.

This list is not complete. Other drugs may interact with bisoprolol, including prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible interactions are listed in this medication guide.

<u>Zebeta drug interactions</u> (more detail)

Does Zebeta interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Zebeta	
+	
Enter a drug name	Add

Popular FAQ

What is the best time of day to take blood pressure medication?

More about Zebeta (bisoprolol)

- · Check interactions
- Compare alternatives
- Reviews (3)
- Drug images
- · Side effects
- Dosage information
- During pregnancy
- Drug class: cardioselective beta blockers
- Breastfeeding

Professional resources

- Zebeta prescribing information
- Bisoprolol (AHFS Monograph)

Related treatment guides

- Heart Failure
- High Blood Pressure
- Angina Pectoris Prophylaxis
- Mitral Valve Prolapse
- Premature Ventricular Depolarizations
- Supraventricular Tachycardia

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use Zebeta only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 9.01.

DRUG STATUS

Availability

O Discontinued

Pregnancy & Lactation

ஆ Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

10+ years FDA approved 1992

WADA Class

റ്റ് Anti-Doping Classification

User Reviews & Ratings

3 Reviews

Images

Zebeta 5 mg (B 1 L L)



Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use Editorial policy Privacy policy

Support

Help center

Sitemap

Contact us













Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.









Copyright © 2000-2025 Drugs.com. All rights reserved.

