



[Home](#)

2. [Mucinex D Maximum St...](#)
3. [FDA PI](#)

Mucinex D Maximum Strength: Package Insert / Prescribing Info

Package insert / product label

Generic name: [guaifenesin and pseudoephedrine hydrochloride](#)

Dosage form: tablet, extended release

[Medically reviewed](#) by Drugs.com. Last updated on Aug 24, 2023.

On This Page

[Indications and Usage](#)

[Warnings](#)

[Dosage and Administration](#)

[Storage and Handling](#)

Drug Facts

Active ingredients (in each extended-release bi-layer tablet)

Guaifenesin 1200 mg

Pseudoephedrine HCl 120 mg

Purposes

Expectorant

Nasal Decongestant

Indications and Usage for Mucinex D Maximum Strength

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Mucinex D Maximum Strength Dosage and Administration

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

Storage and Handling

- store at 20-25°C (68-77°F)

Inactive ingredients

carbomer homopolymer type B; FD&C yellow #6 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions?

1-866-MUCINEX (1-866-682-4639)

You may also report side effects to this phone number.

Dist. by: RB Health (US)
Parsippany, NJ 07054-0224

Made in England

PRINCIPAL DISPLAY PANEL - 24 Tablet Blister Pack Carton

MAXIMUM STRENGTH

NDC 63824-041-24

Mucinex®D

1200 mg guaifenesin & 120 mg pseudoephedrine HCl
extended-release bi-layer tablets

EXPECTORANT
& NASAL DECONGESTANT

12
HOUR®

- ✓ Clears Nasal/Sinus Congestion
- ✓ Thins and Loosens Mucus
- ✓ Immediate and Extended Release

24
EXTENDED-RELEASE
BI-LAYER TABLETS

guaifenesin and pseudoephedrine hydrochloride tablet, extended release

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:63824-041
Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)			Guaifenesin	1200 mg
Pseudoephedrine Hydrochloride (UNII: 6V9V2RYJ8N) (Pseudoephedrine - UNII:7CUC9DDI9F)			Pseudoephedrine Hydrochloride	120 mg
Inactive Ingredients				
Ingredient Name				Strength
carbomer homopolymer type B (allyl pentaerythritol crosslinked) (UNII: HHT01ZNK31)				
FD&C yellow NO. 6 (UNII: H77VEI93A8)				
aluminum oxide (UNII: LMI26O6933)				
hypromellose, unspecified (UNII: 3NXW29V3WO)				
magnesium stearate (UNII: 70097M6I30)				
microcrystalline cellulose (UNII: OP1R32D61U)				
Product Characteristics				
Color	ORANGE, WHITE		Score	no score
Shape	OVAL		Size	22mm
Flavor			Imprint Code	Mucinex;1200
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-041-24	2 in 1 CARTON	06/26/2012	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:63824-041-71	24 in 1 CARTON	06/26/2012	07/10/2017
2		1 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:63824-041-36	3 in 1 CARTON	06/26/2012	09/12/2017
3		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:63824-041-	1 in 1 CARTON	01/01/2020	

4 12 in 1 BLISTER PACK; Type 0: Not a Combination Product

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021585	06/26/2012	

Labeler - RB Health (US) LLC (081049410)

More about Mucinex D Maximum Strength (guaifenesin / pseudoephedrine)

- [Check interactions](#)
- [Compare alternatives](#)
- [Pricing & coupons](#)
- [Reviews \(21\)](#)
- [Side effects](#)
- [Dosage information](#)
- [During pregnancy](#)
- [En español](#)

Patient resources

- [Mucinex D Max Strength drug information](#)

Other formulations


- [Mucinex](#)


Related treatment guides

- [Cough and Nasal Congestion](#)

[Medical Disclaimer](#)

DRUG STATUS

Availability
 Rx and/or OTC

Pregnancy & Lactation
 Risk data available

CSA Schedule*

N/A Not a controlled drug



WADA Class

 Anti-Doping Classification



User Reviews & Ratings

4.8 / 10

[21 Reviews](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.