

[Home](#)

2. Uristat

Uristat

Generic name: [phenazopyridine](#) [*fen-AY-zoe-PIR-i-deen*]**Brand names:** [AZO Urinary Pain Relief](#), AZO Urinary Pain Relief Max Strength, [Azo-Standard](#), [Baridium](#), [Prodim](#), ... [show all 12 brands](#)**Drug class:** [Miscellaneous genitourinary tract agents](#)[Medically reviewed](#) by Drugs.com on Aug 8, 2023. Written by [Cerner Multum](#).[Uses](#) [Side effects](#) [Warnings](#) [Before taking](#) [Dosage](#) [Interactions](#) [FAQ](#)

What is Uristat?

Uristat is a pain reliever that affects the lower part of your urinary tract (bladder and urethra).

Uristat is used to treat urinary symptoms such as pain or burning, increased urination, and increased urge to urinate. These symptoms can be caused by [infection](#), injury, [surgery](#), catheter, or other conditions that irritate the bladder.

Uristat will treat urinary symptoms, but **this medication will not treat a urinary tract infection**.. Take any [antibiotic](#) that your doctor prescribes to treat an infection.

Uristat may also be used for purposes not listed in this medication guide.

Uristat side effects

Get emergency medical help if you have any of these **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Uristat may cause serious side effects. Stop using Uristat and call your doctor at once if you have:

- little or no urinating;
- swelling, rapid weight gain;
- confusion, loss of appetite, pain in your side or lower back;
- [fever](#), pale or yellowed skin, stomach pain, [nausea](#) and [vomiting](#); or
- blue or purple appearance of your skin.

Common side effects of Uristat may include:

- [headache](#);
- dizziness; or
- [upset stomach](#).

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

 [Uristat side effects](#) (more detail)

Related/similar drugs

Pyridium

Pyridium (phenazopyridine) treats pain, burning, increased urination, and increased urge to ...

Reviews & ratings

7.3 / 10

[35 Reviews](#)

[View more](#)

Ditropan

Ditropan XL (oxybutynin extended release) is used to treat the symptoms of overactive bladder ...

Reviews & ratings

4.7 / 10

[34 Reviews](#)

[View more](#)

FEATURED

Repatha

Repatha (evolocumab) is a PCSK9 inhibitor used to lower high cholesterol alongside dietary changes ...

Reviews & ratings

5.3 / 10

[685 Reviews](#)

[View more](#)

Oxytrol

Oxytrol patches reduces muscle spasms in the urinary tract and are used to treat symptoms of ...

Reviews & ratings

7.4 / 10

[79 Reviews](#)

[View more](#)

Warnings

You should not use Uristat if you have kidney disease.

Before taking this medicine

You should not use Uristat if you are allergic to it, or if you have kidney disease.

To make sure Uristat is safe for you, tell your doctor if you have:

- [liver disease](#);
- [diabetes](#); or
- a genetic enzyme deficiency called [glucose](#)-6-phosphate dehydrogenase (G6PD) deficiency.

FDA [pregnancy category](#) B. Uristat is not expected to harm an unborn baby. **Do not use Uristat without a doctor's advice if you are pregnant.**

It is not known whether [phenazopyridine](#) passes into breast milk or if it could harm a nursing baby. **Do not use this medicine without a doctor's advice if you are breast-feeding a baby.**

How should I take Uristat?

Use exactly as directed on the label, or as prescribed by your doctor. Do not use in larger or smaller amounts or for longer than recommended.

Take Uristat after meals.

Drink plenty of liquids while you are taking Uristat.

Uristat will most likely darken the color of your urine to an orange or red color. This is a normal effect and is not harmful. Darkened urine may also cause stains to your underwear that may be permanent.

Uristat can also permanently stain soft contact lenses, and you should not wear them while taking this medicine.

Do not use Uristat for longer than 2 days unless your doctor has told you to.

This medication can cause unusual results with urine tests. Tell any doctor who treats you that you are using Uristat.

Store at room temperature away from moisture and heat.

 [Detailed Uristat dosage information](#)

What happens if I miss a dose?

Take the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose.

Do not take extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while taking Uristat?

Do not use this medication while wearing soft contact lenses. Uristat can permanently discolor soft contact lenses.

What other drugs will affect Uristat?

Other drugs may interact with phenazopyridine, including prescription and over-the-counter medicines, [vitamins](#), and [herbal products](#). Tell each of your health care providers about all medicines you use now and any medicine you start or stop using.

 [Uristat drug interactions](#) (more detail)

Does Uristat interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

Uristat

+

Enter a drug name

Add

Frequently asked questions

- [Why do you not take phenazopyridine for more than two days?](#)

More about Uristat (phenazopyridine)

- [Check interactions](#)
- [Compare alternatives](#)
- [Reviews \(6\)](#)
- [Drug images](#)
- [Side effects](#)
- [Dosage information](#)
- [During pregnancy](#)
- [Drug class: miscellaneous genitourinary tract agents](#)
- [Breastfeeding](#)
- [En español](#)

Patient resources

- [Uristat advanced reading](#)

Other brands

[Pyridium](#), [Azo Urinary Pain Relief](#), [Azo-Standard](#), [Uricalm](#), ... +7 more

Professional resources

- [Phenazopyridine monograph](#)
- [Phenazopyridine Tablets \(FDA\)](#)

Related treatment guides

- [Interstitial Cystitis](#)
- [Dysuria](#)

Further information


Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.


Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

Copyright 1996-2025 Cerner Multum, Inc. Version: 5.01.

DRUG STATUS

Availability
 Rx and/or OTC

Pregnancy & Lactation
 Risk data available

CSA Schedule*
N/A Not a controlled drug



User Reviews & Ratings

[6 Reviews](#)

Images

[Uristat 95 mg \(U U\)](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.