

Home

Ranolazine

Ranolazine do

Generic name: ranolazine [ra-NOE-la-zeen] **Brand names:** Aspruzyo Sprinkle, Ranexa

Dosage forms: oral granule, extended release (1000 mg; 500 mg), oral tablet, extended release (1000 mg; 500 mg)

Drug class: Antianginal agents



Medically reviewed by Drugs.com on May 23, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is ranolazine?

Ranolazine is used in adults to treat chronic angina (chest pain). Ranolazine is not for use during an acute (emergency) attack of angina.

Ranolazine may also be used for purposes not listed in this medication guide.

Ranolazine side effects

Get emergency medical help if you have **signs of an allergic reaction:** hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Ranolazine may cause serious side effects. Call your doctor at once if you have:

- a light-headed feeling;
- fast or pounding heartbeats, fluttering in your chest, shortness of breath, and sudden dizziness (like you might pass out); or
- kidney problems--swelling, urinating less, feeling tired or short of breath.

Common side effects of ranolazine may include:

- nausea, constipation;
- · headache; or
- dizziness.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Ranolazine side effects (more detail)

Related/similar drugs

Bisoprolol

Bisoprolol belongs to a group of drugs called beta-blockers and is used to treat hypertension (high ...

Reviews & ratings

6.5 / 10

115 Reviews

View more

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

Isosorbide mononitrate

Isosorbide mononitrate is used to prevent angina attacks (chest pain) by dilating blood vessels ...

Reviews & ratings

5.2 / 10

105 Reviews

View more

Diltiazem

Diltiazem is used to treat high blood pressure, angina and certain heart rhythm disorders. Included ...

Reviews & ratings

6.0 / 10

189 Reviews

View more

Nifedipine

Nifedipine is used to lower hypertension (high blood pressure) and to treat angina (chest pain) ...

Reviews & ratings

4.9 / 10

161 Reviews

View more

Heparin

Heparin injection is used to treat and prevent blood clots in the veins, arteries, or lungs. Learn ...

Reviews & ratings

2 Reviews

View more

Atenolol

Atenolol is used to treat angina (chest pain) and hypertension (high blood pressure). Learn about ...

Reviews & ratings

7.2 / 10

276 Reviews

View more

Warnings

You should not take ranolazine if you have cirrhosis of the liver.

Tell your doctor about all your other medicines. Some drugs should not be used with ranolazine.

Before taking this medicine

You should not take ranolazine if you are allergic to it, or if you have:

· cirrhosis of the liver.

Some drugs should not be used with ranolazine. Your treatment plan may change if you also use:

• clarithromycin;

- nefazodone;
- St. John's wort:
- antifungal medicine--itraconazole, ketoconazole;
- HIV or AIDS medicine--indinavir, lopinavir/ritonavir, nelfinavir, ritonavir, saquinavir;
- seizure medicine--carbamazepine, phenobarbital, phenytoin; or
- tuberculosis medicine--rifabutin, rifampin, rifapentine.

Tell your doctor if you have ever had:

- long QT syndrome (in you or a family member);
- liver disease; or
- · kidney disease.

Tell your doctor if you are pregnant or breastfeeding.

How should I take ranolazine?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Your doctor may occasionally change your dose. Use the medicine exactly as directed.

You may take ranolazine tablets with or without food.

Open the pack of **ranolazine granules** and mix the medicine with a tablespoon of soft food such as applesauce or yogurt. Swallow the mixture right away without crushing or chewing.

Ranolazine granules can also be given through a feeding tube. Ask your doctor or pharmacist if you do not understand these instructions.

Swallow the tablet whole and do not crush, chew, or break it.

Chronic angina is often treated with a combination of drugs. **Do not change your dose or dosing schedule without your doctor's advice.**

Call your doctor if your symptoms do not improve, or if they get worse.

You may need medical tests to check your heart and kidney function.

Store at room temperature away from moisture and heat.

Ranolazine dosing information

Usual Adult Dose for Angina Pectoris:

500 mg orally twice a day; increase to 1000 mg orally twice a day as needed

Maximum dose: 1000 mg orally twice a day

0

Detailed Ranolazine dosage information

What happens if I miss a dose?

Skip the missed dose and use your next dose at the regular time. Do not use two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose symptoms include nausea, vomiting, numbness or tingling, low blood pressure, dizziness, irregular heartbeats, trouble speaking, double vision, hallucinations, confusion, uncontrolled shaking, or fainting.

What should I avoid while taking ranolazine?

Avoid driving or hazardous activity until you know how ranolazine will affect you. Your reactions could be impaired.

Avoid drinking alcohol. Drinking alcohol with ranolazine granules can cause side effects.

Grapefruit may interact with ranolazine and lead to unwanted side effects. Avoid the use of grapefruit products.

What other drugs will affect ranolazine?

Tell your doctor about all your current medicines. Many drugs can affect ranolazine, especially:

- any other medicine to treat heart disease;
- an antibiotic or antifungal medicine;
- oral diabetes medicine;
- medicine to prevent organ transplant rejection;
- · medicine to treat a mental illness; or
- medicine to treat or prevent nausea and vomiting caused by chemotherapy or radiation.

This list is not complete and many other drugs may affect ranolazine. This includes prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible drug interactions are listed here.

Ranolazine drug interactions (more detail)

Does ranolazine interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

ranolazine +

Enter a drug name

More about ranolazine

- · Check interactions
- · Compare alternatives
- Pricing & coupons
- Reviews (91)
- Drug images
- · Side effects
- Dosage information
- During pregnancy
- · Drug class: antianginal agents
- En español

Patient resources

· Ranolazine advanced reading

Other brands

Ranexa, Aspruzyo Sprinkle

Professional resources

- Ranolazine monograph
- Ranolazine ER Tablets (FDA)

Other brands

Ranexa, Aspruzyo Sprinkle

Related treatment guides

Angina

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

Drug history at FDA

User Reviews & Ratings

7.3 / 10

91 Reviews

Images

Ranolazine Extended-Release 500 mg (RZ1)





View larger images

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×