

Home

2. Simponi Aria

Simponi Aria

Generic name: golimumab [goe-LIM-ue-mab]

Drug class: TNF alfa inhibitors

Medically reviewed by Philip Thornton, DipPharm. Last updated on Aug 23, 2023.

Uses Warnings Before taking Dosage Side effects Interactions FAQ

What is Simponi Aria?

Simponi Aria is used to relieve the symptoms of certain autoimmune disorders (conditions in which the immune system attacks healthy parts of the body and causes pain, swelling, and damage) including:

- rheumatoid arthritis (a condition in which the body attacks its own joints causing pain, swelling, and loss of function)
 along with methotrexate (Otrexup, Rasuvo, Trexall) in adults,
- ankylosing spondylitis (a condition in which the body attacks the joints of the spine and other areas causing pain and
 joint damage) in adults,
- psoriatic arthritis (PsA; a condition that causes joint pain and swelling and scales on the skin) in adults and children 2 years of age and older,
- polyarticular juvenile idiopathic arthritis (PJIA; a type of childhood arthritis that affects five or more joints during the first six months of the condition, causing pain, swelling, and loss of function) in children 2 years of age and older.

Simponi Aria is a prescription medicine called a TNF-blocker (tumor necrosis factor blocker).

It is not known if Simponi Aria is safe and effective in children with PsA and pJIA under 2 years of age or in children with conditions other than PsA and pJIA.

Warnings

You should not use Simponi Aria if you are also using abatacept or anakinra.

Simponi Aria affects your immune system. You may get infections more easily, even serious or fatal infections. Call your doctor if you have a fever, chills, aches, tiredness, cough, skin sores, diarrhea, or burning when you urinate.

Serious and sometimes fatal infections may occur during treatment with Simponi Aria, especially if you also use other medications that can weaken your immune system.

If you have ever had tuberculosis or hepatitis B, Simponi Aria can cause these conditions to come back or get worse. You should be tested for these conditions before you start using Simponi Aria.

Some people using Simponi Aria have developed a rare fast-growing type of lymphoma (cancer) that affects the liver, spleen, and bone marrow, and it can be fatal. This has occurred mostly in teenage boys and young men using Simponi Aria.

Before taking this medicine

To make sure Simponi Aria is safe for you, tell your doctor if you have ever had:

- an active or chronic infection;
- a nerve-muscle disorder such as multiple sclerosis or Guillain-Barré syndrome;
- · cancer or lymphoma;
- congestive heart failure;
- psoriasis; or
- recently received or scheduled to receive a live vaccine.

Tell your doctor if you've had or been exposed to tuberculosis, or if you recently traveled. Some infections are more common in certain parts of the world, and you may have been exposed during travel.

Using Simponi Aria may increase your risk of developing other cancers. Ask your doctor about this risk.

It is not known if golimumab will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant.

Tell your baby's doctor if you used Simponi Aria during pregnancy. It could affect your baby's vaccination schedule during the first 6 months of life.

Ask a doctor if it is safe to breastfeed while using Simponi Aria.

Simponi Aria pregnancy and breastfeeding warnings (more detail)

How should I use Simponi Aria?

Use Simponi Aria exactly as prescribed by your doctor Follow all directions on your prescription label and read all medication guides or instruction sheets.

If you have ever had tuberculosis or hepatitis B, Simponi Aria can cause these conditions to come back or get worse. You should be tested for these conditions before you start this medicine. Your doctor may need to monitor you for signs and symptoms during treatment.

Simponi Aria is given as an infusion into a vein. A healthcare provider will give you this type of injection once every 4 to 8 weeks.

Simponi Aria can weaken your immune system. Your blood will need to be tested often.

Store in original container in the refrigerator, do not freeze. Protect from light.

Take the medicine out of the refrigerator and let it reach room temperature for 30 minutes before using. **Do not warm** the medicine with hot water, sunlight, or a microwave.

Dosing information

Usual Adult Dose of Simponi Aria for Psoriatic Arthritis:

IV: 2 mg/kg over 30 minutes at weeks 0 and 4, then every 8 weeks thereafter.

Usual Adult Dose of Simponi Aria for Rheumatoid Arthritis:

IV: 2 mg/kg over 30 minutes at Weeks 0 and 4, then every 8 weeks thereafter

Use: For the treatment of patients with moderately to severely active rheumatoid arthritis

Usual Adult Dose of Simponi Aria for Ankylosing Spondylitis:

IV: 2 mg/kg over 30 minutes at weeks 0 and 4, then every 8 weeks thereafter

Comments:

- -This drug may be given with or without methotrexate or other nonbiologic disease modifying antirheumatic drugs (DMARDs).
- -Corticosteroids, nonsteroidal anti-inflammatory drugs (NSAIDs), and/or analgesics may be continued during therapy.
- -Patients should be tested for hepatitis B viral infection before starting treatment.
- -Evaluate patients for active tuberculosis and tested for latent infection before starting treatment.
- -The safety and efficacy of switching between subcutaneous and IV formulations have not been established.

Use: For the treatment of patients with active ankylosing spondylitis (AS)

Usual Pediatric Dose of Simponi Aria for Psoriatic Arthritis:

IV: 80 mg/m2 over 30 minutes at weeks 0 and 4, and every 8 weeks thereafter

Comments:

-Dosage regimen is based on body surface area (BSA).

Use: For the treatment of active psoriatic arthritis in patients 2 years of age and older

Usual Pediatric Dose of Simponi Aria for Juvenile Idiopathic Arthritis:

IV: 80 mg/m2 over 30 minutes at weeks 0 and 4, and every 8 weeks thereafter

Comments:

-Dosage regimen is based on body surface area (BSA).

Use: For the treatment of active polyarticular juvenile idiopathic arthritis (pJIA) in patients 2 years of age and older

Detailed Simponi Aria dosage information

What happens if I miss a dose?

Call your doctor for instructions if you miss a dose.

What happens if I overdose?

What should I avoid while using Simponi Aria?

Avoid receiving a "live" vaccine, or you could develop a serious infection. Live vaccines include measles, mumps, rubella (MMR), rotavirus, typhoid, yellow fever, varicella (chickenpox), and zoster (shingles).

Simponi Aria side effects

Get emergency medical help if you have **signs of an allergic reaction to Simponi Aria**: hives, difficult breathing, swelling of your face, lips, tongue, or throat.

You may get infections more easily, even serious or fatal infections. Call your doctor right away if you have signs of infection such as:

- · fever, chills, sweating, muscle aches, feeling very tired;
- cough, bloody mucus, shortness of breath;
- weight loss;
- painful skin sores, warmth, or redness;
- · diarrhea, stomach pain; or
- increased urination, or burning when you urinate.

Also call your doctor at once if you have:

- skin growths or changes in skin appearance;
- swelling in your lower legs;
- · vision changes;
- numbness or tingly feeling, weakness in your arms or legs;
- heart problems swelling, rapid weight gain, feeling short of breath;
- low blood cell counts fever, chills, tiredness, mouth sores, skin sores, easy bruising, unusual bleeding, pale skin, cold hands and feet, feeling light-headed or short of breath;
- liver problems loss of appetite, stomach pain (upper right side), tiredness, itching, dark urine, clay-colored stools, jaundice (yellowing of the skin or eyes);
- **new or worsening symptoms of lupus** joint pain, and a skin rash on your cheeks or arms that worsens in sunlight; or
- signs of psoriasis red or scaly patches of skin, flaking, pus.

Common Simponi Aria side effects may include:

- cold symptoms such as stuffy nose, sneezing, sore throat;
- · abnormal liver function tests;
- high blood pressure;

- · skin rash;
- low blood cell counts; or
- pain, itching, redness, bruising, tingling or swelling where the medicine was injected.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Simponi Aria side effects (more detail)

Related/similar drugs

Skyrizi

Skyrizi (risankizumab) is used to treat plaque psoriasis, psoriatic arthritis, ulcerative colitis ...

Reviews & ratings

7.9 / 10

56 Reviews

View more

Xeljanz

Xeljanz (tofacitinib) is an oral Janus kinase (JAK) inhibitor that may be used alone or with other ...

Reviews & ratings

5.7 / 10

145 Reviews

View more

FEATURED

Otezla

Otezla (apremilast) is used to treat plaque psoriasis, psoriatic arthritis, and oral ulcers ...

Reviews & ratings

5.2 / 10

439 Reviews

View more

Stelara

Stelara (ustekinumab) is used to treat Crohn's disease, ulcerative colitis, plaque psoriasis, and ...

Reviews & ratings

7.6 / 10

252 Reviews

View more

Rinvoq

Rinvoq (upadacitinib) is used to treat rheumatoid arthritis, psoriatic arthritis, atopic ...

Reviews & ratings

7.0 / 10

223 Reviews

View more

Humira

Humira is a tumor necrosis factor blocker that is used to treat many inflammatory conditions such ...

Reviews & ratings

6.4 / 10

698 Reviews

View more

Celecoxib

Celecoxib is a nonsteroidal antiinflammatory drug (NSAID) used to treat pain or inflammation ...

Reviews & ratings

7.0 / 10

280 Reviews

View more

Hydroxychloroquine

Hydroxychloroquine is a quinoline drug used to treat or prevent malaria. It's also used to treat ...

Reviews & ratings

6.4 / 10

356 Reviews

View more

Dexamethasone

Dexamethasone is used to treat inflammatory conditions such as allergies, skin conditions ...

Reviews & ratings

5.9 / 10

162 Reviews

View more

Methotrexate

Methotrexate is used to treat certain types of cancer of the breast, skin, head and neck, or lung ...

Reviews & ratings

6.5 / 10

335 Reviews

View more

What other drugs will affect Simponi Aria?

Sometimes it is not safe to use certain medicines at the same time. Some drugs can affect your blood levels of other drugs you use, which may increase side effects or make the medicines less effective.

Tell your doctor about all your other medicines, especially:

- anakinra;
- · abatacept, etanercept; or
- adalimumab, certolizumab, infliximab, rituximab, or tocilizumab.

This list is not complete. Other drugs may interact with golimumab, including prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible drug interactions are listed here.

Simponi Aria drug interactions (more detail)

Does Simponi Aria interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



Ingredients

Active ingredient: golimumab

Inactive ingredients: L-histidine, L-histidine monohydrochloride monohydrate, polysorbate 80, sorbitol, and water for injection. Simponi Aria is preservative-free and is not made with natural rubber latex.

Manufacturer

Janssen Biotech, Inc., Horsham, PA 19044 USA.

Simponi aria Biosimilars

Biosimilar and interchangeable products are biological products that are highly similar to and have no clinically meaningful differences from the reference product.

Reference products

These are biological products that have already been approved by the FDA, against which biosimilar products are compared. There are 2 for Simponi Aria.

Simponi (golimumab) - Janssen Biotech, Inc.

Formulation type	Strength
Autoinjector	100 mg/mL
Autoinjector	50 mg/0.5 mL
Pre-Filled Syringe	100 mg/mL
Pre-Filled Syringe	50 mg/0.5 mL

View Simponi information in detail.

Simponi Aria (golimumab) - Janssen Biotech, Inc.

Frequently asked questions

• What are the new drugs for rheumatoid arthritis (RA)?

References

1. Simponi Aria Product Label

More about Simponi Aria (golimumab)

- · Check interactions
- · Compare alternatives
- Pricing & coupons
- Reviews (27)
- Drug images
- Side effects
- Dosage information
- During pregnancy
- FDA approval history
- Drug class: TNF alfa inhibitors
- Breastfeeding
- En español

Patient resources

Other brands

Simponi

Professional resources

- Simponi Aria prescribing information
- Golimumab (AHFS Monograph)

Other brands

Simponi

Related treatment guides

- Ankylosing Spondylitis
- Psoriatic Arthritis
- Rheumatoid Arthritis
- Polyarticular Juvenile Idiopathic Arthritis

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and

use Simponi Aria only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 8.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

ন্য Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

□ Drug history at FDA

User Reviews & Ratings

5.6 / 10

27 Reviews

Images

Simponi Aria 50 mg/4 mL (12.5 mg/mL) injection

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com Advertising policy Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











<u>Subscribe to our newsletter</u> for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.