

#### Home

2. Dronedarone

# **Dronedarone** so

**Generic name:** dronedarone [ *droe-NE-da-rone* ]

Brand name: Multaq

**Dosage form:** oral tablet (400 mg) **Drug class:** Group III antiarrhythmics



Medically reviewed by Drugs.com on Apr 16, 2024. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

## What is dronedarone?

Dronedarone is a heart rhythm medicine that helps lower your risk of needing to be hospitalized for a heart rhythm disorder called atrial fibrillation. Dronedarone is for adults who have had this disorder in the past, but now have normal heart rhythm.

Dronedarone may also be used for purposes not listed in this medication guide.

## **Dronedarone side effects**

Get emergency medical help if you have **signs of an allergic reaction:** hives; difficult breathing; swelling of your face, lips, tongue, or throat.

## Dronedarone may cause serious side effects. Call your doctor at once if you have:

- · dry cough, shortness of breath;
- little or no urination;
- fast or pounding heartbeats, fluttering in your chest, shortness of breath, and sudden dizziness (like you might pass out);
- heart problems--swelling, rapid weight gain, feeling short of breath;
- liver problems--loss of appetite, stomach pain (upper right side), tiredness, itching, dark urine, jaundice (yellowing of the skin or eyes); or
- **low magnesium or potassium levels**--dizziness, numbness or tingling, irregular heartbeats, fluttering in your chest, increased thirst or urination, muscle cramps or limp feeling.

#### Common side effects of dronedarone may include:

stomach pain, indigestion, nausea, vomiting, diarrhea;

- · feeling weak or tired; or
- skin rash, itching, or redness.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Dronedarone side effects (more detail)

# Related/similar drugs

#### **Xarelto**

Xarelto (rivaroxaban) is a factor Xa inhibitor used to reduce the risk of blood clots and stroke in ...

## **Reviews & ratings**

5.4 / 10

224 Reviews

View more

## **Cardizem**

Cardizem is used to treat hypertension (high blood pressure), angina (chest pain), and heart rhythm ...

## **Reviews & ratings**

7.3 / 10

12 Reviews

View more

## FEATURED

## **Omvoh**

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

## **Reviews & ratings**

1 Reviews

View more

## Lanoxin

Lanoxin (digoxin) is used to treat congestive heart failure and atrial fibrillation. Includes ...

## **Reviews & ratings**

Add a review

#### View more

## Multaq

Multaq (dronedarone) is an antiarrhythmic medication used to treat atrial fibrillation and atrial ...

#### **Reviews & ratings**

6.5 / 10

43 Reviews

View more

# Warnings

Dronedarone can double your risk of death if you have certain heart conditions. Call your doctor at once if you have an irregular pulse, chest tightness, wheezing, a cough with foamy mucus, swelling or rapid weight gain, or trouble breathing (especially at night).

Tell your doctor about all other medicines you start or stop using. **Many drugs can interact, and some drugs should not be used together**.

Dronedarone can also cause liver problems. Call your doctor if you have symptoms such as vomiting, loss of appetite, right-sided upper stomach pain, dark urine, and yellowing of your skin or eyes.

# Before taking this medicine

You should not use dronedarone if you are allergic to it, or if you have:

- severe liver disease;
- a serious heart condition such as "sick sinus syndrome," "AV block" (unless you have a pacemaker), or very slow heartbeats that have caused you to faint;
- if you are pregnant or breastfeeding; or
- if you used a medicine called amiodarone and then had lung problems or liver problems.

**Dronedarone can double your risk of death if you have certain heart conditions.** You should not use dronedarone if:

- you have severe heart failure;
- you were recently hospitalized for worsening heart failure symptoms (shortness of breath, chest tightness, night-time breathing problems, swelling, rapid weight gain); or
- you have a "permanent" atrial fibrillation that cannot be changed back to a normal rhythm (this will be determined by

your doctor).

Many drugs can interact and cause dangerous effects. Some drugs should not be used together with dronedarone. Your doctor may change your treatment plan if you also use:

- · other heart rhythm medicines;
- · cyclosporine;
- ritonavir or other antiviral medicine;
- an antibiotic such as clarithromycin or telithromycin;
- an antidepressant such as amitriptyline, clomipramine, doxepin, imipramine, nefazodone, and others;
- antifungal medicine such as itraconazole, ketoconazole, or voriconazole; or
- antipsychotic medicine such as chlorpromazine, fluphenazine, promethazine, thioridazine, and others.

Tell your doctor if you have other heart problems.

**Dronedarone may harm an unborn baby.** Use effective birth control to prevent pregnancy, and tell your doctor if you become pregnant.

You should not breastfeed while using dronedarone.

## How should I take dronedarone?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Use the medicine exactly as directed.

Dronedarone is usually taken with morning and evening meals.

Your heart function may need to be checked every 3 months to help determine if you still need dronedarone. **Do not stop taking dronedarone without your doctor's advice.** 

Check your pulse often, and call your doctor if you notice an irregular rhythm.

Store at room temperature away from heat and moisture.

# **Dronedarone dosing information**

**Usual Adult Dose for Atrial Fibrillation:** 

400 mg orally 2 times a day with a meal

Use: To reduce the risk of cardiovascular hospitalization in patients with paroxysmal or persistent atrial fibrillation (AF) or atrial flutter (AFL), with a recent episode of AF/AFL and associated cardiovascular risk factors (i.e., age greater than 70 years, hypertension, diabetes, prior cerebrovascular accident, left atrial diameter 50 mm or more, or left ventricular ejection fraction [LVEF] less than 40%), who are in sinus rhythm or who will be cardioverted.

## **Usual Adult Dose for Atrial Flutter:**

400 mg orally 2 times a day with a meal

Use: To reduce the risk of cardiovascular hospitalization in patients with paroxysmal or persistent atrial fibrillation (AF) or atrial flutter (AFL), with a recent episode of AF/AFL and associated cardiovascular risk factors (i.e., age greater than 70 years, hypertension, diabetes, prior cerebrovascular accident, left atrial diameter 50 mm or more, or left ventricular ejection fraction [LVEF] less than 40%), who are in sinus rhythm or who will be cardioverted.

Detailed Dronedarone dosage information

# What happens if I miss a dose?

Skip the missed dose and use your next dose at the regular time. Do not use two doses at one time.

# What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

## What should I avoid while taking dronedarone?

Grapefruit may interact with dronedarone and cause side effects. **Avoid consuming grapefruit while taking dronedarone.** 

# What other drugs will affect dronedarone?

**Dronedarone can cause a serious heart problem.** Your risk may be higher if you also use certain other medicines for infections, asthma, heart problems, high blood pressure, depression, mental illness, cancer, malaria, or HIV.

Tell your doctor about all your current medicines. Many drugs can affect dronedarone, especially:

- · digoxin;
- St. John's wort;
- a blood thinner (warfarin, Coumadin, Jantoven);
- a diuretic or "water pill";
- medicines to treat tuberculosis;
- medicine to prevent organ transplant rejection;
- · seizure medicine; or
- "statin" cholesterol medication (Lipitor, Zocor, Vytorin, and others).

This list is not complete and many other drugs may affect dronedarone. This includes prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible drug interactions are listed here.

① Dronedarone drug interactions (more detail)

# Does dronedarone interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

# dronedarone + Enter a drug name Add

## More about dronedarone

- · Check interactions
- Compare alternatives
- Reviews (53)
- · Side effects
- Dosage information
- During pregnancy
- Drug class: group III antiarrhythmics
- En español

## **Patient resources**

## Other brands

Multag

## **Professional resources**

• Dronedarone monograph

#### Other brands

Multaq

## Related treatment guides

- Atrial Fibrillation
- Atrial Flutter

## **Further information**

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

## Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 13.01.

## **DRUG STATUS**

## **Availability**

Rx Prescription only

## **Pregnancy & Lactation**

প্ Risk data available

## **CSA Schedule\***

N/A Not a controlled drug

## **Approval History**

The Drug history at FDA

## **User Reviews & Ratings**

6.2 / 10

53 Reviews

## **Images**

Multaq (dronedarone) 400 mg (4142 logo)

# **Drugs.com Mobile App**

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





## **About**

About Drugs.com

Advertising policy

Attribution & citations

## Terms & privacy

Terms of use

**Editorial policy** 

Privacy policy

## **Support**

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

 $\times$