

Home

Chlorzoxazone

Chlorzoxazone do

Generic name: chlorzoxazone [klor-ZOX-a-zone]

Brand names: Lorzone, Paraflex, Remular-S, Parafon Forte DSC, Relaxazone, ... show all 8 brands

Dosage form: oral tablet (250 mg; 375 mg; 500 mg; 750 mg)

Drug class: Skeletal muscle relaxants



Medically reviewed by Drugs.com on Jul 24, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is chlorzoxazone?

Chlorzoxazone is a muscle relaxer that is used together with rest and physical therapy to treat skeletal muscle conditions such as pain or injury.

Chlorzoxazone may also be used for purposes not listed in this medication guide.

Chlorzoxazone side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

chlorzoxazone may cause serious side effects. Stop using chlorzoxazone and call your doctor at once if you have:

- · a light-headed feeling, like you might pass out;
- skin rash, itching, or redness;
- liver problems--stomach pain (upper right side), loss of appetite, vomiting, fever, unusual tiredness, dark urine, or jaundice (yellowing of the skin or eyes); or
- signs of stomach bleeding--bloody or tarry stools, coughing up blood or vomit that looks like coffee grounds.

Common side effects of chlorzoxazone may include:

- drowsiness;
- · dizziness; or
- · general ill feeling.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Related/similar drugs

Flexeril

Flexeril (cyclobenzaprine) is a muscle relaxant used to treat skeletal muscle conditions such as ...

Reviews & ratings

6.1 / 10

237 Reviews

View more

Robaxin

Robaxin (methocarbamol) is used to treat skeletal muscle conditions such as pain or injury ...

Reviews & ratings

6.3 / 10

80 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Valium

Valium is used to treat anxiety disorders, alcohol withdrawal symptoms, or muscle spasms. Learn

Reviews & ratings

8.6 / 10

341 Reviews

View more

Zanaflex

Zanaflex (tizanidine) is a short-acting muscle relaxer used to treat spasticity by temporarily ...

Reviews & ratings

7.6 / 10

116 Reviews

View more

Soma

Soma (carisoprodol) is used treat injuries and other painful muscle conditions. Includes Soma side ...

Reviews & ratings

9.1 / 10

200 Reviews

View more

Diazepam

Diazepam is used to treat anxiety disorders, alcohol withdrawal symptoms, or muscle spasms. Learn

Reviews & ratings

8.4 / 10

884 Reviews

View more

Tizanidine

Tizanidine is a short-acting muscle relaxant and is used to treat spasticity. Learn about side ...

Reviews & ratings

6.2 / 10

380 Reviews

View more

Baclofen

Baclofen is a muscle relaxant used to treat spasticity and muscle pain in conditions like multiple ...

Reviews & ratings

7.0 / 10

447 Reviews

View more

Warnings

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical conditions, allergies, and all medicines you use.

Before taking this medicine

You should not use chlorzoxazone if you are allergic to it.

Tell your doctor if you have ever had:

· liver disease.

Tell your doctor if you are pregnant or breast-feeding.

Chlorzoxazone is not approved for use by anyone younger than 18 years old.

How should I take chlorzoxazone?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Your doctor may occasionally change your dose. Use the medicine exactly as directed.

Chlorzoxazone is usually taken 3 or 4 times per day. Follow your doctor's dosing instructions very carefully.

Chlorzoxazone is only part of a complete program of treatment that may also include rest, physical therapy, or other pain relief measures. Follow your doctor's instructions.

Store at room temperature away from moisture and heat.

Chlorzoxazone dosing information

Usual Adult Dose for Muscle Spasm:

Initial dose: 250 to 500 mg orally 3 to 4 times a day

-If inadequate response, may increase to 750 mg orally 3 or 4 times a day

Comments:

-The dose should be reduced as improvement occurs.

Use: As an adjunct to rest, physical therapy, and other measures for the relief of discomfort associated with acute, painful musculoskeletal conditions.

Detailed Chlorzoxazone dosage information

What happens if I miss a dose?

Take the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. **Do not** take two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose symptoms may include nausea, vomiting, diarrhea, severe drowsiness, headache, muscle weakness, shallow breathing, or fainting.

What should I avoid while taking chlorzoxazone?

Drinking alcohol with chlorzoxazone can cause side effects.

Avoid driving or hazardous activity until you know how this medicine will affect you. Your reactions could be impaired.

What other drugs will affect chlorzoxazone?

Using chlorzoxazone with other drugs that make you drowsy can worsen this effect. Ask your doctor before using opioid medication, a sleeping pill, a muscle relaxer, or medicine for anxiety or seizures.

Other drugs may affect chlorzoxazone, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all your current medicines and any medicine you start or stop using.

1 Chlorzoxazone drug interactions (more detail)

Does chlorzoxazone interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

chlorzoxazone
+
Enter a drug name
Add

More about chlorzoxazone

- · Check interactions
- Compare alternatives
- Pricing & coupons
- Reviews (62)
- Drug images
- Side effects
- Dosage information
- During pregnancy
- Drug class: skeletal muscle relaxants
- En español

Patient resources

· Chlorzoxazone advanced reading

Other brands

Lorzone, Parafon Forte DSC, Paraflex, Remular-S

Professional resources

- Chlorzoxazone monograph
- Chlorzoxazone (FDA)

Other brands

Lorzone, Parafon Forte DSC

Related treatment guides

• Muscle Spasm

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 7.01.

Availability

Rx Prescription only

Pregnancy & Lactation

প্ Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

□ Drug history at FDA

User Reviews & Ratings

6.7 / 10

62 Reviews

Images

Chlorzoxazone 500 mg (WPI 39 68)





View larger images

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us













<u>Subscribe to our newsletter</u> for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

 \times