

Home

- Monistat 1 Combination...
- Consumer Information

Monistat-1 Day or Night

Generic name: miconazole vaginal [my-CAW-nah-zole]

Brand names: Lagicam, Micon 7, Miconazole 1 Combination Pack, Miconazole 3, Miconazole 7, ... show all 11 brands



Medically reviewed by Drugs.com on Dec 18, 2024. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions FAQ

What is Monistat-1 Day or Night?

Miconazole is an antifungal medication. It prevents fungus from growing.

Monistat-1 Day or Night is used to treat vaginal candida (yeast) infections.

Monistat-1 Day or Night may also be used for purposes not listed in this medication guide.

Monistat-1 Day or Night side effects

Get emergency medical help if you have any of these **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Common side effects of Monistat-1 Day or Night may include:

- mild burning or itching;
- · skin irritation around the vagina; or
- · urinating more than usual.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Monistat 1 Combination Pack side effects (more detail)

Related/similar drugs

Diflucan

Diflucan (fluconazole) is used to treat and prevent fungal infections. Includes Diflucan side ...

Reviews & ratings

5.9 / 10

144 Reviews

View more

Acidophilus

Acidophilus helps maintain an acidic environment, which can prevent the growth of harmful bacteria ...

Reviews & ratings

9.5 / 10

29 Reviews

View more

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

Warnings

If this is the first time that you have ever had symptoms of a vaginal yeast infection, consult your doctor before using this medication.

Before taking this medicine

If this is the first time that you have ever had symptoms of a vaginal yeast infection, consult your doctor before using this medication.

You should not use Monistat-1 Day or Night if you have ever had an allergic reaction to it.

To make sure Monistat-1 Day or Night is safe for you, tell your doctor if you have:

- a fever,
- · abdominal pain,
- · foul-smelling discharge,
- · diabetes, or
- · HIV or AIDS.

Do not use Monistat-1 Day or Night without a doctor's advice if you are pregnant.

Do not use this medicine without a doctor's advice if you are breast-feeding a baby.

How should I use Monistat-1 Day or Night?

Use exactly as directed on the label, or as prescribed by your doctor. Do not use in larger or smaller amounts or for longer than recommended.

Do not take this medicine by mouth. It is for use only in your vagina.

Wash your hands before and after using Monistat-1 Day or Night.

Insert the tablet, suppository, or cream into the vagina using the applicator as directed.

You can use a sanitary napkin to prevent the medication from staining your clothing but do not use a tampon.

Use this medication for the full prescribed length of time, even during your menstrual period. Your symptoms may improve before the infection is completely cleared. Skipping doses may also increase your risk of further infection that is resistant to Monistat-1 Day or Night.

If the infection does not clear up after you have finished one course of therapy, or if it appears to get worse, see your doctor. You may have another type of infection.

If this medication gets in your eyes, rinse with water.

Store at room temperature away from moisture and heat.

Detailed Monistat 1 Combination Pack dosage information

What happens if I miss a dose?

Apply the missed dose as soon as you remember. However, if it is almost time for the next dose, skip the dose you missed and apply only the next regularly scheduled dose. Do not use a double dose of this medication.

What happens if I overdose?

An overdose of Monistat-1 Day or Night is unlikely. If you do suspect that a much larger than normal dose has been used or that Monistat-1 Day or Night has been ingested, contact an emergency room or a poison control center.

What should I avoid while using miconazole vaginal?

Avoid wearing tight-fitting, synthetic clothing (e.g., panty hose) that does not allow air circulation. Wear loose-fitting clothing made of cotton and other natural fibers until the infection is healed.

Miconazole may damage a condom or diaphragm. Use another form of birth control while using Monistat-1 Day or Night.

What other drugs will affect Monistat-1 Day or Night?

It is not likely that other drugs you take orally or inject will have an effect on vaginally applied miconazole. But many drugs can interact with each other. Tell each of your health care providers about all medicines you use, including prescription and over-the-counter medicines, vitamins, and herbal products.

Monistat 1 Combination Pack drug interactions (more detail)

Does Monistat 1 Combination Pack interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



Popular FAQ

How long do you have to lay down for after using Monistat?

Do you wash Monistat out in the morning?

More FAQ

- Why does Monistat burn/itch so bad?
- Monistat-1: white discharge and burning, is this normal?

More about Monistat 1 Combination Pack (miconazole topical)

- · Check interactions
- Compare alternatives
- Reviews (394)
- Latest FDA alerts (2)
- · Side effects
- Dosage information

· During pregnancy or Breastfeeding

Patient resources

• Monistat-1 Combo Pack drug information

Other brands

Monistat 7, Mitrazol, Monistat 3, Azolen, ... +31 more

Professional resources

- Monistat 1 Combination Pack prescribing information
- Miconazole (AHFS Monograph)

Other brands

Monistat 7, Monistat 3

Related treatment guides

· Vaginal Yeast Infection

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 6.02.

DRUG STATUS

Availability Rx and/or OTC Pregnancy & Lactation Risk data available CSA Schedule* N/A Not a controlled drug Approval History Drug history at FDA

User Reviews & Ratings

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com Advertising policy Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

 \times