

Home

2. Dimenhydrinate

Dimenhydrinate d

Generic name: dimenhydrinate [dye-men-HYE-dri-nate]

Brand names: Dramamine, Dramamine for Kids, Driminate, Motion Sickness Relief, Triptone, ... show all 10 brands

Dosage forms: oral tablet (50 mg), oral tablet, chewable (25 mg; 50 mg)

Drug class: Anticholinergic antiemetics



Medically reviewed by Drugs.com on Jan 30, 2024. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is dimenhydrinate?

Dimenhydrinate is for use in adults and children at least 2 years old to treat or prevent nausea, vomiting and dizziness caused by motion sickness.

Dimenhydrinate may also be used for purposes not listed in this medication guide.

Dimenhydrinate side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives, difficult breathing, swelling of your face, lips, tongue, or throat.

Dimenhydrinate may cause serious side effects. Call your doctor at once if you have:

- severe drowsiness;
- wheezing, trouble breathing, severe or worsening cough;
- · blurred vision, eye pain or redness, seeing halos around lights; or
- painful or difficult urination.

Less serious side effects may be more likely, or you may have none at all.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

i <u>Dimenhydrinate side effects</u> (more detail)

Related/similar drugs

LUII all

Zofran (ondansetron) is used to prevent nausea and vomiting caused by surgery or cancer medicines ...

Reviews & ratings

8.0 / 10

270 Reviews

View more

Ativan

Ativan is a benzodiazepine used to treat anxiety disorders or anxiety associated with depression ...

Reviews & ratings

8.0 / 10

479 Reviews

View more

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

Benadryl

Benadryl is an antihistamine and is used to treat sneezing, runny nose, itching and other ...

Reviews & ratings

7.0 / 10

79 Reviews

View more

Klonopin

Klonopin (clonazepam) is used to control seizures in epilepsy and for the treatment of papie

Reviews & ratings

8.5 / 10

755 Reviews

View more

Phenergan

Phenergan (promethazine) is used to treat allergy symptoms and prevent motion sickness. Includes ...

Reviews & ratings

7.4 / 10

150 Reviews

View more

Hydroxyzine

Hydroxyzine is an antihistamine used to treat itching, hives, and anxiety. It also acts as a ...

Reviews & ratings

5.9 / 10

1,404 Reviews

View more

Antivert

Antivert (meclizine) is used to treat or prevent nausea, vomiting, and dizziness caused by motion ...

Reviews & ratings

7.5 / 10

13 Reviews

View more

Diphenhydramine

Diphenhydramine is an antihistamine used to treat sneezing, runny nose, itching, hives and other ...

Reviews & ratings

5.5 / 10

View more

Warnings

Follow all directions on the label and package. Tell your doctor if you use other medicines or have other medical conditions or allergies.

Before taking this medicine

You should not use dimenhydrinate if you are allergic to it.

Ask a doctor or pharmacist if dimenhydrinate is safe to use if you have or have ever had:

- an enlarged prostate or urination problems;
- breathing problems such as emphysema, or chronic bronchitis;
- glaucoma; or
- if you recently used alcohol, sedatives, or tranquilizers.

The **chewable tablet** of dimenhydrinate may contain phenylalanine. Tell your doctor before taking if you have phenylketonuria (PKU).

Ask a doctor before using this medicine if you are pregnant or breastfeeding.

Do not give this medicine to a child without medical advice.

How should I take dimenhydrinate?

Use exactly as directed on the label, or as prescribed by your doctor. **Do not use this medicine in larger amounts or more often than directed.**

For best results, take dimenhydrinate 30 to 60 minutes before traveling or before any activity that may trigger motion sickness.

You must chew the **chewable tablet** before you swallow it.

Store at room temperature away from moisture and heat.

Detailed Dimenhydrinate dosage information

What happens if I miss a dose?

Dimenhydrinate is used when needed. If you are on a dosing schedule, skip any missed dose. **Do not** use two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while taking dimenhydrinate?

Avoid driving or hazardous activity until you know how dimenhydrinate will affect you. Dizziness or drowsiness can cause falls, accidents, or severe injuries.

Avoid drinking alcohol. Drinking alcohol can increase certain side effects of dimenhydrinate.

What other drugs will affect dimenhydrinate?

Using dimenhydrinate with other drugs that make you drowsy can worsen this effect. Ask your doctor before using opioid medication, a sleeping pill, a muscle relaxer, sedative, tranquilizer, or medicine for anxiety or seizures.

Other drugs may affect dimenhydrinate, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all other medicines you use.

1 <u>Dimenhydrinate drug interactions</u> (more detail)

Does dimenhydrinate interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

dimenhydrinate	
+	
Enter a drug name	Add

More about dimenhydrinate

- Check interactions
- Compare alternatives
- Pricing & coupons
- Reviews (80)
- Drug images
- · Side effects
- Dosage information
- During pregnancy
- Drug class: anticholinergic antiemetics
- Breastfeeding

Patient resources

- Dimenhydrinate Chewable Tablets patient information
- Dimenhydrinate Tablets
- Dimenhydrinate Injection

Other brands

Dramamine, Triptone, Driminate, Dramamine for Kids, Travel-Eze

Professional resources

- Dimenhydrinate monograph
- Dimenhydrinate (FDA)

Related treatment guides

- Insomnia
- Meniere's Disease
- Motion Sickness
- Nausea/Vomiting

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 5.01.

DRUG STATUS

Availability Rx and/or OTC Pregnancy & Lactation Risk data available CSA Schedule* N/A Not a controlled drug Approval History Drug history at FDA

80 Reviews

Images

Dimenhydrinate 50 mg (44 198)





View larger images

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





