

Home

2. Tolak

Tolak

Generic name: fluorouracil topical [FLOOR-oh-URE-a-sil-TOP-i-kal]

Brand names: Carac, Fluoroplex, Tolak
Drug class: Topical antineoplastics



Medically reviewed by Drugs.com on Jan 29, 2025. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is Tolak?

Tolak (for the skin) is used to treat scaly overgrowths of skin (actinic or solar keratosis).

Tolak is also used to treat superficial basal cell carcinoma.

Tolak may also be used for purposes not listed in this medication guide.

Tolak side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Tolak may cause serious side effects. Stop using Tolak and call your doctor at once if you have:

- severe pain or swelling of treated skin;
- severe itching, burning, or irritation;
- new or worsening skin sores;
- · fever, chills; or
- severe stomach pain, bloody diarrhea, vomiting.

Before your skin begins to heal it will become red, dry, tender, and crusty. This is a normal skin reaction, even if these symptoms get worse for a short time. Gradually, the dead skin will begin to shed off and you'll see raw skin appear. **Ask** your doctor when to stop using the medicine after you notice signs of healing.

Common side effects of Tolak may include:

- skin pain, itching, burning, or irritation;
- skin darkening or scarring;
- · skin redness and swelling; or

• small blood vessels under the skin.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.



1 Tolak side effects (more detail)

Related/similar drugs

Voltaren Arthritis Pain Gel

Voltaren Arthritis Pain Gel (diclofenac topical) is used to treat joint pain in the hands, wrists ...

Reviews & ratings

7.1 / 10

259 Reviews

View more

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

Aldara

Aldara (imiquimod) is used to treat actinic keratosis, basal cell carcinoma and genital warts ...

Reviews & ratings

6.9 / 10

135 Reviews

View more

Pennsaid

Pennsaid (diclofenac sodium topical solution) is used to treat osteoarthritis of the knee. Includes ...

Reviews & ratings

7.3 / 10

53 Reviews

View more

Klisyri

Klisyri (tirbanibulin) is used for the topical treatment of actinic keratosis on the face and ...

Reviews & ratings

1 Reviews

View more

Picato

Picato (ingenol) gel is used to treat actinic keratosis, a condition caused by too much sun ...

Reviews & ratings

5.5 / 10

20 Reviews

View more

Warnings

Do not use if you are pregnant. Use effective birth control, and tell your doctor if you become pregnant during treatment.

Before taking this medicine

You should not use Tolak if you are allergic to fluorouracil, or if you have:

• a metabolic disorder called DPD (dihydropyrimidine dehydrogenase) deficiency.

Do not use Tolak if you are pregnant. It could harm the unborn baby or cause birth defects. Use effective birth control to prevent pregnancy while you are using this medicine.

You should not breastfeed while using Tolak.

Tolak is not approved for use by anyone younger than 18 years old.

How should I use Tolak?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Use the medicine exactly as directed.

Do not take by mouth. Topical medicine is for use only on the skin.

Read and carefully follow any Instructions for Use provided with your medicine. Ask your doctor or pharmacist if you do not understand these instructions.

Wash your hands before and immediately after applying this medicine, unless it is being used to treat a hand condition. Caregivers who apply this medicine should wear rubber gloves.

Apply only enough medicine to cover the affected skin with a thin film. **Do not cover the treated skin area with bandaging or plastic** unless your doctor tells you to.

Do not apply Tolak to skin that is irritated, peeling, or infected or on open wounds. Wait until these conditions have fully healed before using this medicine.

You may need to use Tolak for up to 6 weeks. Treated skin may have an undesirable appearance as it heals, which may take several weeks.

Store at room temperature away from moisture and heat. Do not freeze. Keep the medicine container tightly closed when not in use. Keep out of the reach of children and pets.

Do not use Tolak to treat a skin condition that has not been checked by your doctor.

Detailed Tolak dosage information

What happens if I miss a dose?

Apply the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. **Do not** apply two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while using Tolak?

Do not use Tolak on your eyelids or in your eyes, nose, or mouth. Rinse with water or saline if this medicine gets in your eyes.

Do not let Tolak build up in the skin folds around your mouth, nose, or eyes. Use caution when applying the medicine around these areas.

Avoid using other medications on the areas you treat with fluorouracil unless your doctor tells you to.

Avoid exposure to sunlight or tanning beds. Tolak can make you sunburn more easily. Wear protective clothing and use sunscreen (SPF 30 or higher) when you are outdoors.

What other drugs will affect Tolak?

Medicine used on the skin is not likely to be affected by other drugs you use. But many drugs can interact. Tell your doctor about all your current medicines, including prescription and over-the-counter medicines, vitamins, and herbal products.

Tolak drug interactions (more detail)

Does Tolak interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



More about Tolak (fluorouracil topical)

- · Check interactions
- Compare alternatives
- Pricing & coupons
- Reviews (24)
- · Side effects
- Dosage information
- During pregnancy
- Drug class: topical antineoplastics
- Breastfeeding
- En español

Patient resources

Other brands

Efudex, Carac, Fluoroplex

Professional resources

- Tolak Cream prescribing information
- Fluorouracil (Topical) (AHFS Monograph)

Other brands

Efudex, Carac, Fluoroplex

Related treatment guides

- Actinic Keratosis
- Keratosis

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 6.02.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

ন্ড Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

Drug history at FDA

User Reviews & Ratings

6.3 / 10

24 Reviews

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.









×

Copyright © 2000-2025 Drugs.com. All rights reserved.